MEDICAL LIBRARY
(MINISTRY OF HEALTH.)

ort of the Registrar

Marriages 1861

Lent Reminder Ret^d

MEDICAL LIBRARY

22500993253

No.....

MINISTRY OF HEALTH.

MEDICAL LIBRARY.

This book may be retained for 14 days. It should be returned to the Medical Library (Room 30/IV) on or before the latest date given below.

The volume may be reborrowed for a further period upon written request provided it is not required by another officer.

21214 6410/3646a 5m(2) 7/24 J.P.D207 Gp.132

8689
18

SECOND
DETAILED ANNUAL REPORT

OF THE

REGISTRAR-GENERAL

OF

BIRTHS, DEATHS, AND MARRIAGES
IN SCOTLAND.

Presented to both Houses of Parliament by Command of Her Majesty.



EDINBURGH:
PRINTED BY MURRAY AND GIBB,
FOR HER MAJESTY'S STATIONERY OFFICE.

1861.

MEDICAL LIBRARY
MINISTRY OF HEALTH

WELLCOME INSTITUTE
LIBRARY

Coll.	welMOmec
Call	Sev
No.	WA

REPORT.

TO THE

RIGHT HON^BLE. SIR GEORGE GREY, BART., M.P.,

Her Majesty's Principal Secretary of State for the Home Department.

GENERAL REGISTRY OFFICE OF BIRTHS, ETC.,
EDINBURGH, 22*d November* 1861.

SIR,

IN conformity with the Seventh Section of the Scottish Registration Act (17° & 18° VICT. c. 80), I had the honour in 1857 to submit to you, a General Abstract of the Births, Deaths, and Marriages which were registered in Scotland during the year 1856, in order that the same might be laid before Parliament.

I now submit to you more extended Abstracts of the Births, Deaths, and Marriages registered in every District of Scotland during that year; together with the number of Illegitimate Births in every District, distinguishing the sexes.

Being desirous that one year's results should be strictly comparable with those of another, I have reproduced for the year 1856 every Table which was given in my last year's Report, embracing all the particulars of the Deaths, as to Diseases and Ages, for the Three Great Groups into which I had divided the Inhabitants of Scotland, and also for all the larger Towns.

The taking the Census of the Population this year has enabled me to correct the estimated Population for the past years; and as in last year's Report that estimate was rather high, from having nothing to guide me but the proportional increase between 1841 and 1851, I have added two Tables (as Appendices) to correct any errors which may have arisen from such an over-estimate of the Population.

I have also added one or two Tables relative to the Births

and Marriages, which, I trust, will increase the interest of this Report.

As in last Report, I have appended a Table showing the influence of season on the mortality.

The interesting conclusions relative to the comparatively small mortality from Consumption in the Western Islands and in Argyllshire, to which I directed your attention in last Report, have been confirmed by the results of the Registrations of 1856.

It is gratifying to be able to state that the examination of the Registers of 1856 corroborates the results of those of 1855, by showing that the proportion of men and women who can sign their names is high—88·2 per cent. of the men, and 76·1 per cent. of the women who married during 1856 having been able to sign their names in the Marriage Registers.

I have the honour to be,

SIR,

Your faithful Servant,

W. P. DUNDAS,

Registrar-General.

CONTENTS.

Page

Report of the Registrar-General to the Secretary of State, ... iii
Ordinary data for estimating the increase of the Population inapplicable to Scotland, ix and xi
Table of Population of Scotland for 1851, and 1861; also for 1856, distinguishing the Sexes, x
Summary Table of Births, Deaths, and Marriages, in Scotland and in its Three Great Divisions, in 1856, and their Proportion to the Population; also the Number of Illegitimate Births, and their Proportion to the Total Births, ... xi

BIRTHS IN 1856.

Number of Births in 1856, and their Proportion to the Population, ... x
Excess of Births over Deaths greatly over-estimates the increase of the Population, . xi
Proportion of Sexes at Birth, ... xii
Number and Proportion of Illegitimate Births, ... xiii
Influence of the "Social Evil" on the Number of such Births, ... xiv
Number and Proportion of Twin and Triplet Births, ... xvi
Number of Children borne by each Mother, ... xvii
Ages of Women bearing Children, ... xviii

MARRIAGES IN 1856.

Number of Marriages in 1856, and their Proportion to the Population, . . . xviii
Number of Marriages celebrated according to the Rites of the several Religious Denominations, xix
Ages of Men and of Women who married in 1856, ... xx
Number of Marriages between Bachelors and Spinsters; Bachelors and Widows; Widowers and Spinsters; and Widowers and Widows in 1856; also the Proportion of Men and of Women who re-marry, ... xxiii
Number and Proportion of Men and Women who signed the Marriage Register by Mark in 1856, ... xxiv

DEATHS IN 1856.

Number of Deaths in Scotland in 1856, and their Proportion to the Population, . . xxv
Influence of Sex and Age on the Mortality, ... xxvi
Tables of the Number of the Sexes living in 1856 at the different Ages, the Deaths at the same Ages, and the Proportion of Deaths at each Age to the living at the same Age, xxvi
Similar Tables for the Eight Principal Towns of Scotland, ... xxix to xxxii

CAUSES OF DEATH.

Table showing the Proportion of Deaths from different Diseases in every hundred thousand persons of the general Population, and also the proportion of Deaths in each Sex, in Scotland and its Three Great Divisions, the Insular, the Mainland, and the Town Districts, ... xxxiv
Table showing the Proportion of Deaths from different Diseases in every ten thousand Specified Causes of Death in Scotland and its Three Great Divisions, distinguishing the Sexes, ... xxxv

Page

Table showing the Proportion of Deaths to the Population from the more common Diseases, in the Eight Principal Towns of Scotland, ... xxxvii
Deaths from the Zymotic Class of Diseases—Small-pox, Measles, Scarlatina, Hooping-cough, Typhus, etc., ... xxxiii to xxxix
Peculiarity in Hooping-cough, that it is more fatal to Females than to Males, . . xxxviii
Deaths from Diseases of Uncertain Seat—Dropsy, Cancer, etc., ... xxxix
Deaths from the Tubercular Class of Diseases—Scrofula, Tabes Mesenterica, Phthisis or Consumption, and Hydrocephalus, ... xl
Small Proportion of Deaths from Consumption in Argyllshire, ... xli
Proportion of Deaths from Consumption in the Eight Principal Towns of Scotland, . xli
Deaths from Diseases of the Brain and Nervous System—Apoplexy, Paralysis, Convulsions, etc., xlii
Deaths from Diseases of the Heart and Organs of Circulation, ... xliii
Deaths from Diseases of the Respiratory Organs—Bronchitis, Pneumonia, Asthma, etc., . xliii
Different Proportions cut off by these Diseases in the Insular, Mainland, and Town Districts, xliv
Difference between England and Scotland in respect of the Proportions cut off by Bronchitis and Pneumonia, ... xliv
Deaths from Diseases of the Organs of Digestion, ... xlv
Hint as to the probable comparative effects of Beer and Whisky as articles of diet, . xlv
Deaths from Diseases of the Urinary Organs, ... xlv
Deaths from Child-birth and Diseases of the Organs of Generation, . . . xlv
Deaths from Premature Birth, and high Proportion of Males, ... xlvi
Deaths from Old Age, ... xlvi
Violent Deaths, and Proportion of some of the principal of these in the Insular, Mainland, and Town Districts, ... xlvi
Suicides in Scotland in 1856, and their Proportion to the Population, . . . xlvii
Table showing the Twelve most fatal Diseases in Scotland for 1856, ... xlviii
Table showing the Twelve most fatal Diseases in England in 1856, ... xlviii
Influence of External Agencies on the Mortality in 1856, ... xlviii
Table showing the quantities of Grain, etc., imported into Britain in 1855, 1856, and 1857, the average price of the several grains, the quantity of grains, number of Cattle, etc., raised in Scotland, the price of the 4 lb. loaf, the Deposits in Savings Banks, etc., . xlix
Table showing the influence of Season on the Mortality, in Scotland and its Three Great Divisions, during 1856, ... l
Supplemental Table for 1855, showing the Proportion of Deaths from different Diseases in every hundred thousand persons of the Population, ... liii
Supplemental Table for 1855, showing the corrected Number of the Population, and of the Males and Females respectively for that year, in Scotland and its Three Great Divisions, Number of Births, Deaths, and Marriages for 1855, and their Proportion to the Corrected Population, ... liv

---

ABSTRACTS, 1856.

Summary Table of the Births, Deaths, and Marriages in the Divisions and Counties of Scotland in 1856, distinguishing the Sexes, the Number of Illegitimate Births, the Population in 1851 and 1861, the Excess of Births over Deaths, and the Number of Statute Acres in each County, ... 1
Tables of the Population in 1851 and 1861, and of the Births, Deaths, and Marriages, also of the Illegitimate Births, in every Registration District, ... 2–23

Marriages.

Table of the Marriages in Scotland and its Counties in 1856; distinguishing the Number of Marriages solemnized according to the Rites of the several Religious Denominations, the Number of Irregular Marriages, and the Number of the respective Sexes who signed the Register by Marks, ... 24
Table of the Civil Condition of the Parties who married in 1856; distinguishing the Mar-

Page

riages of Bachelors with Spinsters; Bachelors with Widows; Widowers with Spinsters; and Widowers with Widows; giving the particulars as to the Age of each Sex, 25
Table of the Ages of all Males who married in Scotland and its Counties in 1856, . . 26
Table of the Ages of all Females who married in Scotland and its Counties in 1856, . 28

DEATHS.

Table of the Ages of all Persons of both Sexes who died in each of the Counties and Larger Towns of Scotland in 1856, together with the Population of these Counties and Towns in 1851 and 1861, ... 30
Table of the Ages of all Males who died in each of the Counties and Larger Towns of Scotland in 1856, together with the Male Population of these Counties and Towns in 1851 and 1861, ... 32
Table of the Ages of all Females who died in each of the Counties and Larger Towns of Scotland in 1856, together with the Female Population of these Counties and Towns in 1851 and 1861, ... 34
Summary Table of the Causes of Death in both Sexes in each of the Counties of Scotland in 1856, ... 36–39
Do. Males, ... 40–43
Do. Females, ... 44–47
Summary Table of the Causes of Death in both Sexes in each of the Larger Towns of Scotland in 1856, whose respective Populations amounted to 10,000 or upwards in 1851, including important Suburban Districts, ... 48–51
Do. Males, ... 52–55
Do. Females, ... 56–59
Table of the Causes of Death in both Sexes in all Scotland at different Periods of Life, . 60–63
Do. Males, ... 64–67
Do. Females, ... 68–71
Table of the Causes of Death in both Sexes in the Insular Districts of Scotland at different Periods of Life, ... 72–75
Do. Males, ... 76–79
Do. Females, ... 80–83
Table of the Causes of Death in both Sexes in the Mainland Districts of Scotland at different Periods of Life, ... 84–87
Do. Males, ... 88–91
Do. Females, ... 92–95
Table of the Causes of Death in both Sexes in the Town Districts of Scotland at different Periods of Life, ... 96–99
Do. Males, ... 100–103
Do. Females, ... 104–107
Table of the Causes of Death in both Sexes in Glasgow at different Periods of Life, . 108–111
Do. Males, ... 112–115
Do. Females, ... 116–119
Table of the Causes of Death in both Sexes in the Suburban Districts of Barony at different Periods of Life, ... 120–123
Do. Males, ... 124–127
Do. Females, ... 128–131
Table of the Causes of Death in both Sexes in the Suburban Districts of Govan at different Periods of Life, ... 132–135
Do. Males, ... 136–139
Do. Females, ... 140–143
Table of the Causes of Death in both Sexes in Edinburgh at different Periods of Life, . 144–147
Do. Males, ... 148–151
Do. Females, ... 152–155
Table of the Causes of Death in both Sexes in Dundee at different Periods of Life, . . 156–159
Do. Males, ... 160–163
Do. Females, ... 164–167
Table of the Causes of Death in both Sexes in Aberdeen at different Periods of Life, . 168–171
Do. Males, ... 172–175
Do. Females, ... 176–179

Page

Table of the Causes of Death in both Sexes in Paisley at different Periods of Life, . . 180–183
Do. Males, ... 184–187
Do. Females, ... 188–191
Table of the Causes of Death in both Sexes in Greenock at different Periods of Life, . 192–195
Do. Males, ... 196–199
Do. Females, ... 200–203
Table of the Causes of Death in both Sexes in Leith at different Periods of Life, . . 204–207
Do. Males, ... 208–211
Do. Females, ... 212–215
Table of the Causes of Death in both Sexes in Perth at different Periods of Life, . . 216–219
Do. Males, ... 220–223
Do. Females, ... 224–227
Table showing the Influence of Season on the Mortality, or the Number of Deaths during the several Months of the Year 1855, in each of the Divisions and Counties of Scotland, together with the estimated Population of each Division and County in 1856, . 228

REPORT TO THE REGISTRAR-GENERAL.

SIR,

AGREEABLY to your instructions, I beg to submit the following Report:—

Since the publication of the First Detailed Report relative to the Births, Deaths, and Marriages in Scotland, the Census of the population has been taken, by means of which an opportunity has been afforded of correcting the estimated population for the years between 1851 and 1861. Previous to the taking of the last Census, no data existed for estimating, with any approach to accuracy, the number of persons living in Scotland, or in its various Counties, during each of the years between 1851 to 1861, and, consequently, it was assumed that the ratio of increase would be the same as between 1841 and 1851. It now appears that such a ratio gave much too high an estimate, for, instead of the population of Scotland increasing at the rate of 10·2 per cent., as it had done from 1841 to 1851; it only increased at the rate of 5·9 per cent. from 1851 to 1861.* Instead, therefore, of the population of Scotland amounting, as was estimated, to 3,033,177 persons in 1856, the actual population only numbered 2,975,035 persons.

In a very large population, such as that of England and Wales, the annual increase of Births over Deaths gives a very fair estimate of the actual increase of the population, taking no notice of the emigrants whatever, but allowing the immigrants to counterbalance the emigrants. But in a comparatively small population like that of Scotland, the emigration is the great disturbing element which obviates every attempt to estimate the number of the population with any approach to accuracy; and if from 1851 to 1861 the population of each year had been reckoned by the excess of Births over Deaths, it would have been greatly overestimated. Even deducting from this increase the number of Scottish emigrants to foreign countries, there is still left a great excess in the estimate of the population, which seems to imply that an emigration quite equal to, if not greater than, that to the colonies and foreign countries, takes place from Scotland to England and Ireland.

---

* To enable the Tables which were given in the First Detailed Report for 1855 to be corrected for the error in the estimation of the population, two supplemental Tables are given in the Report, correcting the proportion of Births, Deaths, and Marriages, and also the proportion of Deaths by different Diseases, to the actual population of 1855, as ascertained by the Census of 1861.

If the population of Scotland for 1856 be divided into Three Great Groups, according as the inhabitants reside in Insular, Town, or in Rural and Mainland Districts, it appears that in the Insular Districts they numbered 163,533 persons, of whom 74,956 were males, and 88,577 females; that in the Town Districts they numbered 1,072,307 persons, of whom 497,206 were males, and 575,101 females; while the residents in the Mainland and Rural Districts (including the smaller towns) numbered 1,739,195 persons, of whom 839,085 were males, and 900,110 females.

BIRTHS.

101,821 Births were registered in Scotland during the year 1856, giving the proportion of 342 Births in every ten thousand of the population. The proportion in England, during the same year, was 345 Births to every ten thousand persons,—a very slight difference indeed, when it is considered that so much larger a proportion of the inhabitants of England enter into the married state.

The proportion of Births to the population varied greatly in the Three Great Groups already referred to. Thus, in the Insular Districts, where the population between 1851 and 1861 decreased at the rate of 3·6 per cent., only 264 Births occurred in every ten thousand persons living. In the Mainland and Rural Districts, where the population during the same ten years increased only at the rate of 3·9 per cent., the proportion was 326 Births in every ten thousand of the population; while in the Town Districts, where the population during the same period increased at the rate of 12·9 per cent., the Births were at the rate of 380 in every ten thousand persons.

Those who take a superficial view of matters may be apt to imagine that the above striking differences in the Birth-rate in these three great Divisions of the population, satisfactorily accounts for the very different rates of increase or decrease in each, seeing that the one apparently quite coincides with the other. A more careful examination, however, shows this is far from being the case. Thus, the experience of all countries shows that, wherever a high rate of mortality prevails, nearly in the same proportion is the highness of the Birth-rate, as if nature were making an effort to prevent the extermination of the human race, by increasing its prolific

---

Table I.—Population of Scotland and its Three Great Divisions in 1851 and 1861; and the Estimated Population for 1856, distinguishing the Sexes.

Districts.	Census 1851.			Census 1861.			Estimated 1856.		
	Males.	Females.	Total.	Males.	Females.	Total.	Males.	Females.	Total.
Insular . .	76,760	89,727	166,487	73,153	87,427	160,580	74,956	88,577	163,533
Mainland and Rural	830,110	884,412	1,714,522	848,059	915,809	1,763,868	839,085	900,110	1,739,195
Town . .	468,609	539,124	1,007,733	525,803	611,078	1,136,881	497,206	575,101	1,072,307
Scotland .	1,375,479	1,513,263	2,888,742	1,447,015	1,614,314	3,061,329	1,411,247	1,563,788	2,975,035

powers in that unhealthy locality. To ascertain, therefore, what influence the Birth-rate has on the increase or decrease of the population, it must first be ascertained what numbers were cut off in the population by Death, and deducting the Deaths from the Births, we must find out what per centage the excess of Births over Deaths would add to the population of the respective Districts in one year. When this is done with the above numbers, the result is extremely curious, and throws a striking light on the subject of the increase of our Town populations, while it aids us in accounting for the decrease of the population in the Insular Districts, as well as for the small increase in our Mainland and Rural Districts.

In the Insular Districts of Scotland, the excess of Births over Deaths in 1856 would have increased the population by 1·2 per cent., or, in other words, would have added 2154 persons to the population; whereas, the population actually decreased by about 593 persons!

In the Mainland and Rural Districts the excess of Births over Deaths would have increased the population of these Districts by 1·6 per cent. during 1856, or, in other words, would have added to the population 27,880 persons; whereas, the number of persons actually added to the population of these Districts during that year was only 4936 persons.

In the Town Districts, on the other hand, the excess of Births over Deaths in 1856 would have only increased the population at exactly the same rate as the Insular Districts, viz. 1·2 per cent., or, in other words, would have added to the population of these Town Districts 12,918 persons; whereas, the numbers actually added to the population of the Towns, during that period, was 13,261 persons.

These striking facts show a constant, steady, internal movement of the population, for which many persons are not quite prepared. They seem to prove that the larger Towns of Scotland partly increase by emigration from the Rural Districts. They further appear to show that a very great emigration must go on from the Rural Mainland, and from the Insular Districts, quite unaccounted for by the numbers emigrating to foreign countries. That, in fact, there is a migration to England and Ireland from Scotland nearly equal to that which takes place from Scotland to the colonies and foreign countries, taking no account whatever of any immigration of Irish or foreigners.

TABLE II.—Showing the Total Number of BIRTHS, DEATHS, and MARRIAGES registered in Scotland, and in its Three Great Divisions, in 1856, and their proportion to the Population. Also the Number of Illegitimate Births, and their proportion to the Total Births.

1856. Districts.	Births.		Illegitimate Births.		Deaths.						Marriages.	
	Total Births.	Per cent. to Pop.	No.	Per cent. to Births	No. of Deaths.			Per Cent. to Pop.			No.	Per cent. to Pop.
					Males.	Fem.	Total.	Males.	Fem.	Total.		
Insular .	4,320	2·642	240	5·5	1,042	1,124	2,166	1·390	1·268	1·324	841	0·514
Mainland and Rural	56,705	3·260	5,375	9·4	14,560	14,265	28,825	1·734	1·584	1·656	10,428	0·599
Town . .	40,796	3·804	3,082	7·5	13,816	13,722	27,538	2·778	2·385	2·568	9,471	0·883
SCOTLAND	101,821	3·422	8,695	8·5	29,418	29,111	58,529	2·084	1·861	1·967	20,740	0·697

Thus, during 1856, the excess of Births over Deaths amounted to 43,292 persons. The Scottish emigrants, during that year, as ascertained by the Emigration Commissioners, were 12,033; but if to this number be added the proportion of those whose origin was not ascertained, then the Scottish emigrants would amount to 13,314 persons, which, deducted from the excess of Births over Deaths, would leave 29,978 persons as the increase to the population of Scotland for that year. But the actual increase was only 17,261 persons, leaving 12,717 persons as the numbers who, in addition to the above emigrants, must have left the country in some way or other, and most probably went to England or Ireland.

When speaking of the proportion of the sexes at Birth in the different groups of the population, too much stress must not be laid on the results of any single year, seeing that in a small population anomalies may be observed one year which disappear when a series of years is reviewed; and it is the same with all statistics which deal with a limited series of figures. Still, the results observed each year are well worthy of being noted. In the whole Births for Scotland during 1856, there were 105·3 males for every 100 females; which is very nearly the proportion observed over all Europe. In the Insular Districts the proportion was 108·1 males to every 100 females;

TABLE III.—BIRTHS. Showing the Number of Total Births; also that of the Legitimate and Illegitimate Births in Scotland and its Three Great Divisions in 1856; together with the Number of Cases of Twins and of Triplets at a Birth.

1856. Districts.	Total Births.			Legitimate Births.			Illegitimate Births.			Cases of Twins.	Cases of Triplets.
	Males.	Fem.	Total.	Males.	Fem.	Total.	Males.	Fem.	Total.		
Insular	2,244	2,076	4,320	2,116	1,964	4,080	128	112	240	59	1
Mainland and Rural . .	29,042	27,663	56,705	26,289	25,043	51,332	2,753	2,620	5,373	695	7
Town	20,953	19,843	40,796	19,356	18,358	37,714	1,597	1,485	3,082	513	4
SCOTLAND . . .	52,239	49,582	101,821	47,761	45,365	93,126	4,478	4,217	8,695	1,267	12

TABLE IV.—BIRTHS. Showing the Per Centage of Births to the Population, and the Proportion of the Sexes in Total Births, and in the Legitimate and Illegitimate Births; also the Per Centage of Twin and Triplet Births to the Total Births, in Scotland and its Three Great Divisions, in 1856.

1856. Districts.	Per Centage of Births to Population.	Per Centage of Illegitim. to Total Births.	Proportion of Males to 100 Females in the Total Births.	Proportion of Males to 100 Females in the Legitimate Births.	Proportion of Males to 100 Females in the Illegitim. Births.	Per Centage of Twin Births to Total Births.	Per Centage of Triplet Births to Total Births.
Insular	2·642	5·5	108·1	107·7	114·2	1·36	0·023
Mainland and Rural . .	3·260	9·4	104·9	104·9	105·0	1·22	0·013
Town	3·804	7·5	105·5	105·4	107·5	1·25	0·009
SCOTLAND . . .	3·422	8·5	105·3	105·2	106·1	1·24	0·011

in the Mainland and Rural Districts, 104·9 males to every 100 females; and in the Town Districts, 105·5 males to every 100 females.

Of the 101,821 Births, 93,126 were legitimate, and 8695 illegitimate; giving the proportion of 8·5 per cent. of the Births as illegitimate. The

TABLE V.—BIRTHS, 1856. Number and Proportion of the Sexes in the Total Births, and in the Legitimate and Illegitimate Births; also the Proportion of Illegitimate to the Total Births in 1856.

	Total Births.			Legitimate Births.			Illegitimate Births.			No. of Total & Illegit. Births, and Per Cent. of Illegit. to Total Births.		
	Male.	Female.	Proportion of Males to 100 Females.	Male.	Female.	Proportion of Males to 100 Females.	Male.	Female.	Proportion of Males to 100 Females.	Total Births.	Illegit. Births.	Per cent. to Births.
SCOTLAND . . .	52239	49582	105·3	47761	45365	105·2	4478	4217	106·1	101821	8695	8·5
NORTHERN DIVISION	1809	1646	109·9	1709	1563	109·4	100	83	120·4	3455	183	5·2
NORTH-WESTERN .	2276	2229	102·1	2160	2096	103·0	116	133	87·1	4505	249	5·3
NORTH-EASTERN . .	5902	5503	107·2	5032	4751	105·9	870	752	115·7	11405	1622	14·2
EAST MIDLAND . .	8582	8220	104·4	7764	7476	103·8	818	744	109·9	16802	1562	9·2
WEST MIDLAND . .	3857	3685	104·6	3570	3418	104·4	287	267	107·5	7542	554	7·3
SOUTH-WESTERN . .	19824	18733	105·8	18437	17446	105·6	1387	1287	107·7	38557	2674	6·9
SOUTH-EASTERN . .	6589	6336	103·9	6088	5812	104·7	501	524	95·6	12925	1025	7·9
SOUTHERN	3400	3230	105·2	3001	2803	107·0	399	427	93·4	6630	826	12·4
I. NORTHERN.												
Shetland	423	402	105·2	405	386	104·9	18	16	112·5	825	34	4·0
Orkney	429	359	119·5	407	343	118·6	22	16	132·0	788	38	4·8
Caithness	642	616	104·2	591	571	103·5	51	45	113·3	1258	96	7·6
Sutherland	315	269	117·1	306	263	116·3	9	6	150·0	584	15	2·5
II. NORTH-WESTERN.												
Ross and Cromarty .	1160	1105	104·9	1122	1057	106·1	38	48	79·1	2265	86	3·7
Inverness	1116	1124	99·2	1038	1039	99·9	78	85	91·7	2240	163	7·2
III. NORTH-EASTERN.												
Nairn	124	112	110·7	117	104	111·1	7	8	87·4	236	15	6·3
Elgin	676	642	105·2	597	570	104·7	79	72	109·7	1318	151	11·4
Banff	953	862	110·5	815	743	109·6	138	119	115·9	1815	257	14·1
Aberdeen	3645	3404	107·0	3064	2913	105·2	581	491	118·3	7049	1072	15·2
Kincardine	504	483	104·3	439	421	104·2	65	62	104·8	987	127	12·8
IV. EAST MIDLAND.												
Forfar	3575	3409	104·8	3177	3068	103·5	398	341	116·7	6984	739	10·5
Perth	1961	1768	110·9	1766	1565	112·8	195	203	96·0	3729	398	10·6
Fife	2570	2604	98·6	2394	2438	98·1	176	166	106·0	5174	342	6·8
Kinross	124	115	107·8	111	105	105·7	13	10	130·0	239	23	9·6
Clackmannan . . .	352	324	108·6	316	300	105·3	36	24	150·0	676	60	8·8
V. WEST MIDLAND.												
Stirling	1513	1482	102·0	1393	1366	101·9	120	116	103·4	2995	236	7·8
Dumbarton	906	909	99·6	842	843	99·8	64	66	96·9	1815	130	7·1
Argyll	1235	1090	113·3	1145	1017	112·5	90	73	123·2	2325	163	7·0
Bute	203	204	99·5	190	192	98·9	13	12	108·3	407	25	6·1
VI. SOUTH-WESTERN.												
Renfrew	3244	3037	106·8	3038	2844	106·8	206	193	106·7	6281	399	6·3
Ayr	3789	3534	107·2	3453	3225	107·6	336	309	108·7	7323	645	8·8
Lanark	12791	12162	105·1	11946	11377	105·0	845	785	107·6	24953	1630	6·5
VII. SOUTH-EASTERN.												
Linlithgow	639	675	94·6	584	626	93·2	55	49	112·2	1314	104	7·9
Edinburgh	4431	4207	105·3	4119	3882	106·1	312	325	96·0	8638	637	7·3
Haddington	652	598	109·0	601	531	113·1	51	67	76·1	1250	118	9·4
Berwick	525	522	100·5	477	476	100·2	48	46	104·3	1047	94	8·9
Peebles	176	161	109·1	155	145	106·8	21	16	131·2	337	37	10·9
Selkirk	166	173	95·9	152	152	100·0	14	21	66·6	339	35	10·3
VIII. SOUTHERN.												
Roxburgh	849	809	104·9	764	732	104·3	85	77	110·3	1658	162	9·7
Dumfries	1295	1192	108·6	1132	1017	111·3	163	175	93·1	2487	338	13·5
Kirkcudbright . . .	561	556	100·9	498	478	104·1	63	78	80·7	1117	141	12·6
Wigtown	695	673	103·2	607	576	105·3	88	97	90·6	1368	185	13·5

appended Table V. will show in what very different proportions illegitimacy prevails in the several Counties of Scotland; and it is greatly to be desired that some philanthropist, in the true spirit of scientific research, would take up the subject, and endeavour to discover what are the causes which lead one County to yield only the low proportion of 2·5 per cent. of illegitimate Births, while a neighbouring County yields the enormous proportion of 15·2 per cent. of illegitimate Births.

The subjoined Table shows that Illegitimacy chiefly prevails in those Counties which are embraced in the North-Eastern and Southern Divisions of Scotland; and that the great manufacturing and mining Counties (the morals of whose populations is so much decried) do not yield much above the half of the proportion of illegitimate Births pertaining to these other Counties. Thus, while in Sutherland only 2·5 per cent. of the Births were illegitimate, 3·7 per cent. in Ross and Cromarty, 4 per cent. in Shetland, 4·8 per cent. in Orkney, in Lanark (the great manufacturing and mining County, including its overgrown town of Glasgow), only 6·2 per cent. of the Births were illegitimate, in Renfrew, 6·3 per cent., and in Linlithgow, 7·9; while in Kincardine, the proportion was 12·8 per cent., in Kirkcudbright, 12·6 per cent., in Dumfries and in Wigtown, 13·5 per cent., in Banff, 14·1 per cent., and in Aberdeen, 15·2 per cent.

But the subject may be examined from another point of view. Let us see whether in Scotland the vice in question exists chiefly in Towns, as is universally the case over all the Continent of Europe; or is at least equally prevalent among her rural population. In the Insular Districts during 1856, only 5·5 per cent. of the Births were illegitimate. In the Town Districts, only 7·5 per cent. were illegitimate. But in the Mainland and Rural Districts, 9·4 per cent. of the Births were illegitimate. In Scotland, then, Illegitimacy is most prevalent among the rural population; differing in this respect from almost every Continental population of which we have any statistics.

Many seem to imagine that the existence of what is termed the "social evil" in the Towns, serves to account for the lower proportion of illegitimate Births in the Town Districts of Scotland, and if Greenock, perhaps, were taken as an example, such an idea might seem to receive some confirmation. But the fact stares us in the face, that in the Continental Towns where illegitimacy attains a dimension which it is to be hoped will never be witnessed in this Country, the so-called social evil exists to an extent quite unknown in this Country, and instead of tending to lower the proportion of illegitimate Births, greatly increases it. Thus in the 363 Chief Towns of France, where the social evil largely prevails, 20·8 of the Births are illegitimate; while in Paris, where it prevails to a still greater extent, 32·8 per cent. of the Births are illegitimate. It is therefore only in exceptional cases that this cause lessens the proportion of illegitimate Births, and it seems very doubtful whether it will serve to account for the greater prevalence of Illegitimacy in the Rural than in the Town Districts of Scotland. A certain proportion of the illegitimate Births in some of the larger Continental Towns is unquestionably due to the evil influence of Foundling Hospitals; but as the high proportion of illegitimate Births prevails equally in the Continental Towns where there are no such Hospitals, too much stress must not be laid on them in endeavouring to account for an ascertained fact.

Let us take the largest Town in Scotland as an illustration—Glasgow. No one will deny that the social evil exists in Glasgow to some small extent. If then it tended to diminish the proportion of Illegitimacy in Towns, it

would naturally be expected that the proportion of illegitimate Births should be lower in Glasgow than in the remainder of the County of Lanark. In Glasgow, 6·8 per cent. of the Births were illegitimate during the year 1856; while in the remainder of the County of Lanark only 5·9 per cent. of the Births were illegitimate. Glasgow, containing the largest population of any Town of Scotland, exhibits the most unexceptionable results in this respect, as in small populations disturbing causes, which we are unable to trace, tend to vitiate the results. Edinburgh, however, exhibited the same result; for while in that city 7·6 per cent. of the Births were illegitimate, in the Rural Districts of the County of Edinburgh the proportion was only 6·9 per cent. In neither of these large populations, then, did the existence of the social evil tend to lower the proportion of illegitimate Births, but rather, as in all Continental Towns, tended to increase it.

It is quite true that it seems to be otherwise in the case of some of the smaller Towns; but it is taking far too limited a view of the question, to allow such a narrow basis of inquiry to distract the attention from the main subject, when it is admitted on all hands that the social evil does not tend to diminish Illegitimacy in any of the Continental Towns, whatever it may do in a few Towns of Scotland.

In the Report for 1855, attention was directed to the fact, that the Counties in which Illegitimacy prevailed to the greatest extent, were in general also those in which education seemed to be most generally disseminated among the population, as illustrated by the proportion of those who were able to sign their names in the Marriage Register. The same fact is observable in the returns for 1856, though occasional exceptions appear, mainly attributable to the smallness of the population, and to the limited number of registrations on which the data are founded.

As it has been shown that Illegitimacy in Scotland is somewhat different from what it is on the Continent, it might be expected that this difference would be exhibited in the different proportions of the sexes of the illegitimate children at Birth. On the Continent of Europe (according to the statistics published by Quetelet), while legitimate Births generally give about 106 males for every 100 females, illegitimate Births only yield 103 males for every 100 females. In Scotland, however, while the legitimate Births yielded 105·2 males to every 100 females in 1856, the illegitimate Births yielded 106·1 males to every 100 females; or the proportion of males to females was higher than among the legitimate Births. This was strikingly the case with regard to the Insular Births. In the Insular Districts, while the legitimate Births yielded 107·7 males to every 100 females, the illegitimate Births were in the proportion of 114·2 males to every 100 females. In the Mainland and Rural Districts, the proportion of males to females was almost the same in the legitimate and in the illegitimate Births, being 104·9 males in the legitimate, and 105·0 males in the illegitimate Births to every 100 females. In the Town Districts, on the other hand, the proportion of males predominated among the illegitimate Births, seeing that 105·4 males were born for every 100 females among the legitimate Births, while in the illegitimate Births, the proportion was 107·5 males to every 100 females.

On a subject like the proportion of the sexes in the different classes of Births, a much larger series of numbers is required to give any approach to accuracy than is attainable in the statistics of Scotland for one year. A ten years' average, however, would give a very fair basis for theorizing on the subject; meanwhile it is necessary to direct attention to these points year by year, lest they be overlooked.

During the year 1856, there occurred 1267 cases of Twin Births; and 12 cases in each of which 3 children were produced at a Birth. This gives the proportion of 124 Twin Births in every ten thousand Births, or 1 Twin to every 84 Births; but only a fraction more than 1 Birth of Triplets for every ten thousand Births, or 11 Triplet Births in every hundred thousand Births. Small as these proportions are, they seem to exceed those of England. The number or proportion of such Births in England does not appear to have been published for several years past; but in 1846, it appears that in England the proportion was 98 cases of Twin Births for every ten thousand Births, or 1 Twin in every one hundred and one Births; but only 5 Triplet Births for every hundred thousand Births. In Scotland the proportion of Twin Births was greatest in the Insular Districts, being at the rate of 136 Twins in every ten thousand Births; and the Triplet cases in these Districts were double what they were over the rest of Scotland, being in the proportion of 23 cases of Triplets to every hundred thousand Births.

Notwithstanding the known fact that a considerably smaller portion of the population of Scotland enter into the married state than in England, it is interesting to notice that the proportion of legitimate children to each Marriage registered during the year, exceeds in Scotland that which occurs in England. The proportion of legitimate children born during the year, to the number of Marriages during that year, is the usual mode of calculating the fruitfulness of Marriage; and although not strictly correct, it gives an approximation to the truth, and, at all events, allows some interesting comparisons to be drawn between the proportions of children to Marriages in different Countries. Thus, in Scotland during 1856, there were 4·49 legitimate children born for each Marriage which occurred; or 449 children for every 100 Marriages. In England, during the same year, 3·85 legitimate children were born for each Marriage which was registered; or 385 children only for every 100 Marriages. In France, again, during the same year, 3·23 legitimate children were born for every Marriage; or 323 children for every 100 Marriages. The French numbers, however, are not strictly correct, and exhibit the proportion of children too high, as they include the still-Births, which are excluded from the Scottish and English numbers. In so far, then, as the facts go, they seem to indicate that the married Scottish female is more prolific than her sisters in England and in France.

In the Report for 1855, a Table was given of the number of children which every married woman bore who registered the Birth of a child in the city of Edinburgh during the year. From the alteration of the Registration Schedules, a similar Table cannot be furnished for 1856; but the facts shown in that Table were so interesting, that a Table has been prepared from the Registers of 1855, showing the same facts for Glasgow, and is now appended along with that for Edinburgh. The largeness of the numbers from these two Towns gives these Tables a value much beyond that of any similar statistics which have yet been published, and the general accordance of the two Tables shows that faith may be put in their results, as affording a general and very close approximation to the comparative fruitfulness of each fruitful Marriage in Scotland. A certain proportion of all Marriages is unfruitful, and from the few and imperfect facts which we possess, it would appear that the proportion of unfruitful Marriages increases with the rank in life, and is probably greater in England than in Scotland. We still, however, want trustworthy information on the subject.

From the Edinburgh Table, it appeared that 4208 married women in that city who had registered the Birth of a child in 1855, had borne altogether

15,709 children; thus giving the average proportion of 3·7 children to every mother. In Glasgow, during the same year, the proportion was very nearly the same, for 12,365 married women who registered the Birth of a child in 1855, gave birth to 47,180 children,—which yields the proportion of 3·8 children to every fruitful mother.

TABLE VI.—Number and Ages of Mothers and Number of Children which they had on the Birth of their last Child.—Edinburgh City, 1855.

Number of Children at Birth of Mother's last Child.	NUMBER AND AGES OF MOTHERS.						Total Mothers.	Total Children.
	15–20	20–25	25–30	30–35	35–40	40 and above		
1 Child . .	85	432	250	169	52	15	989	989
2 Children .	13	141	250	135	46	13	679	1358
3 do. . .	2	124	304	157	61	16	664	1992
4 do. . .	–	58	209	167	81	20	513	2052
5 do. . .	–	7	103	129	95	18	413	2065
6 do. . .	–	–	53	142	88	37	323	1938
7 do. . .	–	1	19	87	81	40	228	1596
8 do. . .	–	–	8	54	77	37	156	1248
9 do. . .	–	–	1	22	51	36	110	[illegible]
10 do. . .	–	–	–	5	29	20	54	[illegible]
11 do. . .	–	–	–	3	20	18	41	[illegible]
12 do. . .	–	–	1	–	7	11	19	[illegible]
13 do. . .	–	–	–	–	3	10	13	[illegible]
14 do. . .	–	–	–	–	–	2	2	[illegible]
15 do. . .	–	–	–	–	–	1	1	[illegible]
16 do. . .	–	–	–	–	–	–	1	[illegible]
17 do. . .	–	–	–	–	–	–	1	[illegible]
18 do. . .	–	–	–	–	–	1	1	[illegible]
Total Mothers . .	[illegible]	[illegible]	1221	1051	693	295	4298	15,709

TABLE VII.—Number and Ages of Mothers, and Number of Children which they had on the Birth of their last Child.—City of Glasgow, 1855.

Number of Children at Birth of Mother's last Child.	NUMBER AND AGES OF MOTHERS.						Total Mothers.	Total Children.
	15–20	20–25	25–30	30–35	35–40	40 and above.		
1 Child . .	[illegible]	1493	729	222	72	17	2792	[illegible]
2 Children . .	[illegible]	[illegible]	[illegible]	291	75	14	2152	[illegible]
3 do. . .	4	455	919	419	119	34	1931	[illegible]
4 do. . .	–	118	702	486	171	36	1508	[illegible]
5 do. . .	–	27	364	515	212	42	1180	[illegible]
6 do. . .	–	2	191	447	240	51	937	[illegible]
7 do. . .	–	1	40	254	285	65	645	[illegible]
8 do . .	–	–	25	157	236	88	506	[illegible]
9 do. . .	–	–	2	72	147	110	331	[illegible]
10 do. . .	–	–	–	15	75	84	174	[illegible]
11 do. . .	–	–	–	10	50	59	119	[illegible]
12 do. . .	–	–	–	2	14	31	47	[illegible]
13 do. . .	–	–	–	1	2	19	22	[illegible]
14 do. . .	–	–	–	–	4	9	13	[illegible]
15 do. . .	–	–	–	1	–	4	5	[illegible]
16 do. . .	–	–	–	–	–	2	2	[illegible]
17 do . .	–	–	–	–	–	1	1	[illegible]
Total Mothers . .	[illegible]	2966	3836	2892	1702	666	12,365	47,180

b

During the preparation of the Table for the city of Glasgow, some interesting facts were ascertained. Thus, 5 of the mothers were in their 16th year of life. 1 mother, only 18 years of age, had 4 children; and 1 mother 22 years old had 7 children. 47 mothers had each 12 children; 22 mothers had each 13 children; 13 mothers had each 14 children; 5 mothers had each 15 children; 2 mothers had each 16 children; and 1 mother had given birth to 17 children. 1 of the mothers who had borne 13 children was only in the 35th year of her life; and the youngest mother of 14 children was only 34 years of age—both being natives of Scotland.

Many women seem to continue child-bearing in Scotland long after the usual period assigned to that event. Thus, in Glasgow in 1855, of the mothers who registered the Birth of a living child, 18 were above 46 and under 47 years of age. 4 mothers were between 47 and 48 years of age; 5 were between 48 and 49 years old; 2 were between 49 and 50 years; 2 were between 51 and 52 years; 4 were between 52 and 53 years of age; and 1 mother was registered as having given birth to a child in the 57th year of her life!

MARRIAGES.

20,740 Marriages were registered in Scotland during 1856, which gives the proportion of 697 Marriages in every hundred thousand of the population. This is a proportion far below the Marriage-rate of England, which, for the same year, was at the rate of 837 Marriages in every hundred thousand persons of the population. This proportion corresponds with the facts ascertained relative to the condition of the population as to Marriage at the taking of the Census in 1851, when it was rendered apparent that a considerably smaller proportion of the population of Scotland were in the married state than in England. The above facts also correspond with the proportion of children born during the year for every 100 women in the population between the ages of 15 and 45 years. Thus, in Scotland during 1856, there were in the proportion of 13·8 children born for every 100 women between the ages of 15 and 45; but in England, during the same year, there were 14·7 children born for every 100 women at the same ages. In other words, in every 1000 women between the ages of 15 and 45, only 138 bore children in Scotland, while 147 bore children in England, during that year, in a similar number of women at these ages.

The relative number of Marriages year by year, indicates pretty accurately the commercial prosperity of the Country, and the abundance and consequent cheapness of the ordinary articles of food; and, speaking in a general way, affords a kind of barometer by which these conditions may be guessed at. During the year 1856, all the ordinary articles of diet, though somewhat cheaper than during 1855, were still exorbitantly high. Thus, the average price of Wheat, which was 74s. 8d. per imperial quarter in 1855, was only 69s. 2d. in 1856. Oats, which were 25s. 2d. in 1855, were only 25s. the quarter in 1856. But Potatoes, which averaged 100s. 4½d. the ton in 1855, only averaged 86s. the ton in 1856. And Pease, which were 43s. 4d. the imperial quarter in 1855, were 41s. 7d. in 1856. Notwithstanding these high prices, however, the demand for labour was great, the manufacturing and mining populations were in a flourishing condition, and, although by the laws which some statists have unsuccessfully endeavoured to establish as the true regulators of both Marriages and Deaths, these prices, having been much above the average, ought to have been ac-

companied by few Marriages; the fact remains that the proportion of Marriages, during the year, was as high as has been attained in Scotland since the Registration Act came into operation. In other words, it would appear that the manufacturing, mining, and general commercial prosperity of the Country has much more influence upon the number or proportion of the Marriages than the mere price of provisions.

What, indeed, shows that the demand for labour regulates to a much greater extent the proportion of Marriages than the mere price of food, is the varying proportion in which Marriages are contracted, not only in the several Counties, but in the Insular, in the Rural, and in the Town Districts of Scotland. Thus, in the Insular Districts, where the population is decreasing, where the demand for labour is small, and where it may be said that Marriage is only contracted to keep up the numbers of the population cut off, or emigrating each year, only 514 Marriages were contracted during the year out of every hundred thousand persons. In the Mainland and Rural Districts, where the population is but slowly increasing, and where the demand for labour does not equal the supply, only 599 Marriages were contracted for every hundred thousand persons in the population; while in the Town Districts, where the demand for labour is great, 883 Marriages were contracted for every hundred thousand persons in these Districts.

From the Table given at page 24, it appears that, during 1856, there were 9863 Marriages celebrated according to the forms of the Established Church of Scotland; 4645 according to those of the Free Church; 2875 according to those of the United Presbyterian Church; 1953 according to those of the Roman Catholic Church; 360 according to those of the Episcopalian Church; and 984 according to those of the various smaller Religious Denominations. In 24 instances the form of the ceremony is not stated; and in 36 cases the Marriage was irregular.

Seeing that the Religious profession of the people was not taken at the Census of 1861, these numbers afford the only means we now possess of estimating, in a rather rough way, the proportion of the population attached to each Church; and the estimate thus procured cannot be very far from

---

TABLE VIII.—MARRIAGES, 1856. Ages of the Parties at Marriage.

AGES.	Males.	Females.
Under 15	–	1
15—16	–	8
16—17	–	65
17—18	18	297
18—19	145	814
19—20	475	1402
20—25	7795	9446
25—30	6073	5004
30—35	2603	1860
35—40	1425	901
40—45	865	464
45—50	563	213
50—55	319	86
55—60	220	22
60—65	102	13
65—70	48	2
70—75	18	1
75—80	4	–
80—85	1	–
Age not stated	66	141
Total	20,740	20,740

the truth, as it is the custom in Scotland for the clergyman of the bride to perform the nuptial ceremony. Taking it for granted that the results furnished are sufficiently accurate for all general purposes, it appears that in every 100 Marriages, 47·6 are celebrated by clergymen of the Established Church; 22·4 by the Free Church; 13·9 by the United Presbyterian Church; 9·4 by the Roman Catholic Church; and 1·7 by the Episcopalian Church; and 5 per cent. by the other denominations. These numbers, therefore, roughly indicate the proportion of the population attached to each religious denomination.

Of the 20,740 men whose Marriages were registered during the year, only 638, or 3 per cent., were under 20 years of age; while of the 20,740 women, 2587, or 12·5 per cent., were under 20 years of age. It is remarkable how very closely this corresponds with the results of the Registration of Marriages in England for the same year,—2·3 per cent. of the men, and 12·5 per cent. of the women who married there, during 1856, being under 20 years of age.

More light, however, will be thrown on the social condition of the people, and on the comparative facilities for procuring a livelihood in the different parts of Scotland, if a comparison be made between the proportions entering the married state under and above 25 years of age. From this point of view some interesting facts are elicited. Thus, over all Scotland, 8433 men, or 40·7 per cent. of the total number who married during the year, were *under* 25 years of age; while 12,307 men, or 59·3 per cent., were *above* that age. In the case of the women these numbers were reversed; for it appears that 12,033 women who married during 1856, or 58·1 per cent., were under 25 years of age, while only 8707, or 41·9 per cent., were above that age. As the number of Marriages for each County is too small to afford reliable conclusions, it seems better to confine our attention to the Eight Divisions of Scotland, in each of which, from the greater number of the events, conclusions may be drawn, which are probably nearer the truth, and which may serve as a means of comparison in after years. From the subjoined Table (IX.), in which these facts are embodied, it appears

TABLE IX.—MARRIAGES, 1856. Number, and Proportion to the Total Marriages, of the Men and Women under and above 25 years, who contracted Marriage in Scotland and its Eight Divisions during the Year 1856.

DIVISIONS.	Total Marriages.	Number.				Proportion per Cent.			
		Under 25		Above 25		Under 25		Above 25	
		Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.
1. Northern	706	208	343	498	363	28·0	48·6	72·0	51·4
2. North-Western	789	155	342	634	447	19·7	44·3	80·3	56·7
3. North-Eastern	2208	770	1223	1438	985	34·9	55·3	65·1	44·7
4. East-Midland	3460	1459	1958	2001	1502	42·2	56·5	57·8	43·5
5. West-Midland	1475	574	863	901	612	38·9	58·5	61·1	41·5
6. South-Western	8022	3652	5046	4370	2976	45·5	62·9	54·5	37·1
7. South-Eastern	2816	1101	1539	1715	1277	39·1	54·6	60·9	45·4
8. Southern	1264	514	719	750	545	40·7	56·8	59·5	43·2
SCOTLAND	20,740	8,433	12,033	12,307	8,707	40·7	58·1	59·3	41·9

that, in the Northern and North-Western Divisions of Scotland, which may be roughly described as the Highland and Insular Districts, the proportion of both men and women who enter the married state under 25 years of age is greatly below that of the rest of Scotland; while in the South-Western Division, which includes the great manufacturing and mining Districts, the proportion exceeded that of any other Division. Thus, in the North-Western Division of Scotland, which includes the Counties of Ross and Cromarty, and Inverness, only 19·7 per cent. of the men, and 44·3 per cent. of the women, who married during the year, were under 25 years of age. In the Northern Division also, including the Counties of Shetland, Orkney, Caithness, and Sutherland, only 28 per cent. of the men, and 48·6 per cent. of the women, who married during 1856, were under 25 years of age. But in the South-Western Division, which includes the manufacturing and mining Counties of Renfrew, Ayr, and Lanark, no less than 45·5 per cent. of the men, and 62·9 per cent. of the women, who married during 1856, were under 25 years of age. The paucity of the means of advancement, then, the want of demand for labour, the difficulty of procuring a livelihood sufficient to justify a man engaging in matrimony, seem to act as powerful checks to Marriage in these Northern and North-Western Divisions; all of which are, to a great extent, removed in the South-Western Division of Scotland.

This conclusion is singularly borne out by comparing the actual proportion of Marriages to the population of these respective Divisions of Scotland during the year 1856—as is done in the accompanying Table (X.) Thus, in the North-Western Division, in which it was found that the proportion of persons marrying under 25 years was smallest, it appears that the proportion of Marriages to the population was also smallest, being only at the rate of 462 Marriages in every hundred thousand persons. The Northern Division, which showed the next lowest proportion of persons marrying under 25 years of age, also exhibited the next lowest proportion of Marriages to the population,—the Marriages in that Division being at the

TABLE X.—MARRIAGES, 1856. Number of Marriages, and their proportion to the Population; also the number of Men above 25 years of age who married during the year, and their proportion to the Population, in Scotland and its Eight Divisions, in 1856.

Divisions.	Population. 1856.	Total Marriages.		Marriages of Men above 25 years.	
		Number.	Proportion per cent. to Population.	Number.	Proportion per cent. to Population.
1. Northern	128,776	706	0·548	498	0·386
2. North-Western	170,958	789	0·462	634	0·370
3. North-Eastern	357,486	2208	0·617	1438	0·402
4. East Midland	519,163	3460	0·666	2001	0·385
5. West Midland	242,962	1475	0·648	901	0·370
6. South-Western	944,586	8022	0·806	4370	0·462
7. South-Eastern	396,120	2816	0·728	1715	0·433
8. Southern	214,984	1264	0·588	750	0·348
SCOTLAND	2,975,035	20,740	0·697	12,307	0·401

rate of 548 in every hundred thousand persons. The South-Western Division, on the other hand, which gave by far the highest proportion of persons marrying under 25 years of age, also exhibited by far the greatest proportion of Marriages to the population, seeing that, in 1856, they took place at the rate of 806 Marriages in every hundred thousand of the population.

Some might be apt to imagine that, in those Divisions where the per centage of persons marrying under 25 years of age was low, a greater relative proportion would be found to marry at later periods of life than in those Divisions where the proportion of persons marrying under 25 years of age was high. But it is quite otherwise. The appended Table (X) appears to demonstrate, that wherever the proportion of persons contracting Marriage under 25 years of age is low, there also the relative proportion of persons above that age is not only not higher than in other Districts, but is absolutely lower. Indeed, it would almost appear as if the prudential check to Marriage which the young men of the population of these Districts had to bring into active operation while under 25 years of age, continued to influence them in after life, and prevented the same proportion of them, as in other Districts, entering into the married state. This is strikingly brought out in Table X, which shows the number of men above 25 years of age who married in each of the Divisions of Scotland during 1856, and their proportion to the several populations of these Divisions; for instead of the small number of the Marriages of males under 25 years in the Northern and North-Western Divisions encouraging a larger proportion above that age to contract Marriage, than in the South-Western Divisions (in which so large a proportion of those who married were under 25 years of age), it shows that absolutely a much smaller proportion above 25 years of age married in these Northern and North-Western Divisions than in the South-Western Division. Thus, while in the North-Western Division of Scotland, only 370 men above 25 years of age contracted Marriage in every hundred thousand persons of the population, and in the Northern Division only 386 men above that age in a like population, no fewer than 462 men above 25 years of age contracted Marriage in the South-Western Divisions in an equal population.

These facts, then, seem to demonstrate, that an approximation to the matrimonial condition of a population may be arrived at in two ways. *First*, by the more natural and only correct mode of estimating the proportion of Marriages to the population; or *secondly*, where we cannot ascertain the amount of the population, by taking the relative proportion of males and of females contracting Marriage under and above 25 years of age.

Another conclusion seems deducible from the same facts, viz., that in a population where the per centage of persons under 25 years of age contracting Marriage is low, there it will be found that the proportion contracting Marriage above that age is also low. In other words, that when the repressive checks to Marriage have had the effect of producing comparatively few Marriages before the 25th year of life, there also the same repressive checks operate in more advanced life, so that fewer proportional Marriages occur above 25 years of age than in populations where the repressive checks do not operate to the same extent in early life. This is only stating, for a whole population, a fact which comes within the observation of every one regarding individuals. If from any circumstance a man is prevented from entering the married state in early life, it is invariably observed, that his bachelor habits become more confirmed, and that he is less and less likely to change his condition as years creep upon him, even although the circumstances which prevented his marriage in early life may have been entirely removed.

Of the 20,740 Marriages registered in Scotland during 1856, in only 19,897 cases was the condition of the parties stated. Of these 19,897 Marriages, however, it appears from Table XI, that 17,035 were contracted between bachelors and spinsters; 1721 between widowers and spinsters; 605 between widowers and widows; and 536 between bachelors and widows. It

TABLE XI.—MARRIAGES, 1856. Number of Marriages in which the condition of life was specified, and condition of Persons contracting Marriage in Scotland, and its several Divisions and Counties, during the year 1856; also the proportion of Men and of Women re-marrying in that year.

	Divisions and Counties.	Total Marriages, condition specified.	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	RE-MARRIAGES. Number of Widowers.	Number of Widows.	Proportion of WIDOWERS in every 100 Men who married.	Proportion of WIDOWS in every 100 Women who married.
	SCOTLAND . . .	19,897	17,035	536	1721	605	2326	1141	11·6	5·7
I.	NORTHERN DIVISION	698	636	5	48	9	57	14	8·1	2·0
II.	NORTH-WESTERN .	727	619	9	90	9	99	18	13·6	2·4
III.	NORTH-EASTERN . .	2174	1938	41	158	37	195	78	8·9	3·7
IV.	EAST MIDLAND . .	3103	2708	72	244	79	323	151	10·4	4·8
V.	WEST MIDLAND . .	1434	1270	32	95	37	132	69	9·2	4·8
VI.	SOUTH-WESTERN . .	7863	6507	276	740	340	1080	616	13·7	7·8
VII.	SOUTH-EASTERN . .	2669	2284	77	236	72	308	149	11·5	5·2
VIII.	SOUTHERN	1229	1073	24	110	22	132	46	10·7	3·7
1	Shetland	196	176	2	16	2	18	4	9·1	2·0
2	Orkney	159	138	2	14	5	19	7	11·9	4·4
3	Caithness	246	231	1	12	2	14	3	5·6	1·2
4	Sutherland	97	91	–	6	–	6	–	6·1	0·0
5	Ross and Cromarty .	376	322	8	45	1	46	9	12·2	2·3
6	Inverness	351	297	1	45	8	53	9	15·1	2·5
7	Nairn	37	30	–	7	–	7	–	18·8	0·0
8	Elgin	236	215	4	16	1	17	5	7·2	2·1
9	Banff	343	318	3	17	5	22	8	6·4	2·3
10	Aberdeen	1364	1200	28	109	27	136	55	9·9	4·0
11	Kincardine	194	175	6	9	4	13	10	6·6	5·1
12	Forfar	1270	1080	34	112	44	156	78	12·2	6·1
13	Perth	767	693	17	49	8	57	25	7·4	3·2
14	Fife	903	796	19	66	22	88	41	9·7	4·5
15	Kinross	54	45	1	7	1	8	2	14·8	3·8
16	Clackmannan . . .	109	94	1	10	4	14	5	12·8	4·5
17	Stirling	564	516	9	26	13	39	22	6·9	3·9
18	Dumbarton	364	327	10	20	7	27	17	7·4	4·6
19	Argyll	408	350	9	38	11	49	20	12·0	4·9
20	Bute	98	77	4	11	6	17	10	17·3	10·2
21	Renfrew	1283	1071	43	107	62	169	105	13·1	8·1
22	Ayr	1448	1234	50	121	43	164	93	11·3	6·4
23	Lanark	5132	4202	183	512	235	747	418	14·5	8·1
24	Linlithgow	222	193	9	16	4	20	13	9·0	5·8
25	Edinburgh	1926	1622	63	180	61	241	124	12·4	6·4
26	Haddington	226	203	2	16	5	21	7	9·2	3·1
27	Berwick	173	154	2	16	1	17	3	9·8	1·7
28	Peebles	61	54	–	7	–	7	–	11·4	0·0
29	Selkirk	61	58	1	1	1	2	2	3·2	3·2
30	Roxburgh	285	252	6	23	4	27	10	9·4	3·5
31	Dumfries	452	396	10	40	6	46	16	10·1	3·5
32	Kirkcudbright . . .	220	189	3	21	7	28	10	12·7	4·5
33	Wigtown	272	236	5	26	5	31	10	11·4	3·4

thus appears, that in every 100 Marriages in Scotland in 1856, in which the condition of the parties was specified, 85·6 were between bachelors and spinsters; 8·6 between widowers and spinsters; 3 between widowers and widows; and 2·7 between bachelors and widows. If we take the whole number of widowers and widows who re-married, it appears, that of every 100 men who married 11·6 were widowers, and of every 100 women who married 5·7 were widows,—proportions very greatly below those of England for the same year, where the re-marriages of widowers was in the proportion of 13·9 in every hundred men who married, and that of widows 9·3 in every hundred women who married during the year.

TABLE XII.—MARRIAGES, 1856. Number of Men and Women who married in Scotland and its several Counties in 1856, together with the Number and Proportion of those who signed the Register by Mark, and the Proportion who signed their names in full.

	COUNTIES.	MALES.				FEMALES.			
		Number of Males Married.	Number who signed by Mark.	Per centage who signed by Mark.	Per centage who signed their names in Writing.	Number of Females Married.	Number who signed by Mark.	Per centage who signed by Mark.	Per centage who signed their names in Writing.
	SCOTLAND	20,740	2455	11·8	88·2	20,740	4968	23·9	76·1
1	Shetland	199	26	13·0	87·0	199	86	43·2	56·8
2	Orkney	159	3	1·8	98·2	159	9	5·6	94·4
3	Caithness	250	14	5·6	94·4	250	43	17·2	82·8
4	Sutherland	98	24	24·5	75·5	98	44	44·8	55·2
5	Ross and Cromarty . .	388	137	35·3	64·7	388	203	52·3	47·7
6	Inverness	401	137	34·1	65·9	401	239	59·6	40·4
7	Nairn	37	4	10·8	89·2	37	9	24·3	75·7
8	Elgin	247	11	4·4	95·6	247	32	12·9	87·1
9	Banff	351	16	4·5	95·5	351	46	13·1	86·9
10	Aberdeen	1375	31	2·2	97·8	1375	140	10·2	89·8
11	Kincardine	198	5	2·5	97·5	198	22	11·1	88·9
12	Forfar	1568	202	12·9	87·1	1568	401	25·5	74·5
13	Perth	812	26	3·2	96·8	812	77	9·4	90·6
14	Fife	910	65	7·1	92·9	910	134	14·7	85·3
15	Kinross	55	1	1·8	98·2	55	2	3·6	96·4
16	Clackmannan	115	6	5·2	94·8	115	18	15·6	84·4
17	Stirling	576	68	11·8	88·2	576	121	21·0	79·0
18	Dumbarton	377	79	20·9	79·1	377	118	31·3	68·7
19	Argyll	422	71	16·8	83·2	422	149	35·3	64·7
20	Bute	100	11	11·0	89·0	100	15	15·0	85·0
21	Renfrew	1309	239	18·2	81·8	1309	512	39·1	60·9
22	Ayr	1512	222	14·6	85·4	1512	445	29·4	70·6
23	Lanark	5201	825	15·8	84·2	5201	1688	32·4	67·6
24	Linlithgow	231	28	12·1	87·9	231	49	22·2	77·8
25	Edinburgh	2048	106	5·1	94·9	2048	183	8·9	91·1
26	Haddington	234	26	11·1	88·9	234	48	20·5	79·5
27	Berwick	179	2	1·1	98·9	179	4	2·2	97·8
28	Peebles	62	2	3·2	96·8	62	4	6·4	93·6
29	Selkirk	62	0	0·0	100·0	62	1	1·6	98·4
34	Roxburgh	295	12	4·0	96·0	295	33	11·2	88·8
32	Dumfries	473	7	1·4	98·6	473	27	5·7	94·3
33	Kirkcudbright	222	12	5·4	94·6	222	18	8·1	91·9
34	Wigtown	274	37	13·5	86·5	274	48	17·5	82·5

Table XI exhibits the facts for each Division and County of Scotland relative to the condition of the parties who married during 1856, and the number and proportion of the Marriages of widowers and of widows. The numbers for each County are too small to allow any conclusions to be deduced from the proportions of the several classes of Marriages in them; but the numbers in the Eight Divisions of Scotland may serve to give some general idea of the proportions in them. Thus it appears that in the Northern and North Western Divisions of Scotland, only 2 and 2·4 respectively of every 100 women who married during the year were widows, while in the great mining and manufacturing Division—the South Western—no less than 7·8 in every 100 women who married were widows. This again illustrates what has been elsewhere noticed as a habit of the mining and manufacturing populations, viz., that a widow with a family is sure of being re-married, if she wishes it, seeing that the children are looked on as valuable property; and the proceeds of their early labour enables the parents to live in a style, or to an extent, they could not do were they solely dependent for their supplies on their own resources.

Of the 20,740 men who married during the year, 18,285 signed their names in the Marriage Register, while 2455 signed by Mark. Of the 20,740 women who married, only 15,772 signed their names in the Marriage Registers, while 4968 signed by Mark. From this it appears that 88·2 per cent. of the men, and 76·1 per cent. of the women, were able to sign their names in the Marriage Register; while only 11·8 per cent. of the men, and 23·9 per cent. of the women, signed by Mark. In England, during the same year, only 71·2 per cent. of the men, and 59·8 per cent. of the women, were able to sign their names in writing in the Marriage Register; while 28·8 per cent. of the men, and 40·2 per cent. of the women, signed the Marriage Register by Mark. This result seems to prove that the elementary education of the masses in Scotland is in a more satisfactory condition than in England, where, however, the proportion of persons who are able to sign their names is yearly increasing.

Of the several Counties, it appears that in Aberdeen and Kincardine the proportion of men who signed by Mark was under 3 per cent. In Orkney, Kinross, Berwick, and Dumfries, the proportion of men who signed by Mark was under 2 per cent.; while in Selkirk, every man who married during the year signed his name in the Marriage Register.

DEATHS.

58,529 Deaths were registered in Scotland during the year 1856, which gives the proportion of 196 Deaths in every ten thousand persons of the population living in Scotland during that year. The Deaths were thus 3475 fewer in 1856 than in 1855; or, in other words, in every ten thousand persons of the population 13 fewer Deaths occurred in 1856 than in 1855, —the proportion of Deaths in 1855, for the corrected population, being 209 Deaths in every ten thousand persons. This is a proportion considerably below that of England. A nineteen years' average (viz., from 1838 to 1856 inclusive) shows that, in England, 231 persons die annually in every ten thousand persons of the population; while in 1856, only 212 died in a like population. So that the proportion of Deaths in Scotland during 1856, in every ten thousand persons of the population, was 35 Deaths fewer than the nineteen years' average of England, but only 16 fewer than the English proportion for the same year.

It is now a well established fact that the population of the Towns is cut off at a much higher rate than those of the Country, and the results obtained for the year 1856 corroborate this result. Thus in the Insular Districts, with a population amounting in 1856 to 163,533, only 2166 Deaths were registered. In the Mainland and Rural Districts, with a population of 1,739,195 persons, the number of Deaths was 28,825. While in the Town Districts, with a population of 1,072,307 persons, 27,538 Deaths were recorded. This indicates that, in every ten thousand persons of the respective Districts, only 132 died during the year in the Insular Districts, 165 in the Mainland and Rural Districts, but no fewer than 256 in the Town Districts. This fact shows, in the most striking light, the waste of life which goes on in Towns, and demonstrates how much sanitary reforms have yet to effect, in order to reduce the mortality of the inhabitants of Towns.

The powerful influence of sex in modifying the mortality, which was pointed out in the Extended Report for 1855, was equally observable in

TABLE XIII.—Population of Scotland at different Ages in 1856, and the Number of Deaths at the same Ages during that year.

AGES.	POPULATION 1856.			DEATHS 1856.		
	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.
Under 5 years	193,957	188,525	382,482	12,475	10,897	23,372
5—10	176,582	173,330	349,912	1,578	1,417	2,995
10—15	166,782	160,050	326,832	795	710	1,505
15—20	149,658	159,125	308,783	961	867	1,828
20—30	239,004	287,026	526,030	2,089	2,015	4,104
30—40	168,678	200,497	369,175	1,648	1,859	3,507
40—50	130,769	153,151	283,920	1,710	1,711	3,421
50—60	92,403	113,010	205,413	1,928	1,919	3,847
60—70	56,799	76,457	133,256	2,212	2,458	4,670
70—80	28,154	39,097	67,251	2,465	2,923	5,388
80—90	7,765	12,208	19,973	1,313	1,888	3,201
90—100	663	1,239	1,902	177	374	551
100 and above	33	73	106	12	22	34
Not stated	–	–	–	55	51	106
Total . . .	1,411,247	1,563,788	2,975,035	29,418	29,111	58,529

TABLE XIV.—DEATHS, 1856. Per Centage of Deaths to the Population at different Ages, also per centage of Deaths at different ages to the total Deaths in Scotland in 1856, allowing for the proportion of Deaths whose ages were not stated.

AGES.	Per Centage of Deaths to Population at different Ages.			Per Centage of Deaths at different Ages to total Deaths.		
	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.
Under 5 years	6·431	5·780	6·111	42·49	37·50	40·01
5—10	0·893	0·817	0·856	5·37	4·88	5·13
10—15	0·476	0·443	0·460	2·71	2·44	2·58
15—20	0·642	0·538	0·592	3·27	2·98	3·13
20—30	0·874	0·702	0·780	7·12	6·93	7·02
30—40	0·977	0·927	0·950	5·61	6·40	6·00
40—50	1·307	1·117	1·205	5·82	5·89	5·86
50—60	2·086	1·698	1·873	6·57	6·60	6·58
60—70	3·893	3·201	3·504	7·53	8·46	7·99
70—80	8·755	7·476	8·012	8·40	10·06	9·22
80—90	17·166	15·465	16·027	4·47	6·50	5·48
90—100	26·696	30·185	28·969	0·60	1·29	0·94
100 and above	36·363	30·136	32·075	0·04	0·07	0·06
Total . . .	2·084	1·861	1·967	100·00	100·00	100·00

1856; for while 208 males died during the year in every ten thousand of the male population, only 186 females died in a like number of the female population.

This lesser waste of female life was observed in all the Three Great Groups into which the inhabitants of Scotland have been divided. Thus, in every ten thousand persons of each sex living in each of the different Groups, it was found that, in the Insular Districts, 139 males, but only 126 females, died during the year. In the Mainland Rural Districts, the proportions were 173 males, but only 158 females; while in the Town Districts, 277 males, but only 238 females, died in every ten thousand persons of each sex respectively.

1856. Districts.	Per centage of Deaths to Population.		
	Males.	Females.	Both Sexes.
Insular	1·390	1·268	1·324
Mainland and Rural . .	1·734	1·584	1·656
Town	2·778	2·385	2·568
Scotland	2·084	1·861	1·967

This greater value of female life appears, by Table XIV, to extend to the female at every period of life from Birth to old age, seeing that at all ages the proportion of female Deaths was less than that of the male Deaths. Thus, in every ten thousand children of each sex under 5 years of age, 643 boys died for every 578 girls. In a like population, between the ages of 5 and 10 years, 89 boys died for every 81 girls. In a like number living between the ages of 10 and 15 years, 47 boys died for every 44 girls. In every ten thousand living of each sex between the ages of 15 and 20 years, 64 young men died for every 53 young women. In a like population, between the ages of 20 and 30 years, 87 men died for every 70 women; so that the superadded risks of childbirth had no sensible effect whatever on the lesser proportion of female Deaths. In a like population, between the ages of 30 and 40 years, 97 men died for every 92 women. Between 40 and 50 years, 130 men died for every 111 women. Between 50 and 60 years, 208 men died for every 169 women. Between 60 and 70 years, 389 men died for every 320 women. Between 70 and 80 years, 875 men died for every 747 women; and between 80 and 90 years of age,

Table. XV.—DEATHS, 1856. Number of Deaths during each year of life under 5 years, and the proportion of Deaths at each year of life to the Total Deaths under 5 years.

AGES.	Number of Deaths.	Per centage of Death to total Deaths under 5 years
Under 1 year	12,058	51·6
1 -2	5,283	22·6
2—3	2,871	12·3
3—4	1,771	7·6
4—5	1,389	5·9
Total Deaths under 5 years	23,372	100·0

171 men died for every 154 women. Thus in Scotland, it appears, as the results of the statistics of 1856, that female life is at all ages more valuable than male life, that the proportional mortality among women is less than among men, and that even the superadded risks of childbirth do not raise the female mortality at the child-bearing ages to the level of the ordinary mortality prevailing among men.

This Table of the proportion of Deaths at the different ages enables us further to see that, till the approach of old age, the greatest mortality in both sexes occurs during infancy; and by a reference to Table XV, it will be observed that by far the greatest proportion of that mortality occurs during the first year of life. From that Table it appears that 51·6 per cent. of the mortality under 5 years occurs during the first year of life; that 22·6 per cent. of the Deaths under 5 years occur between the first and second year of life; that 12·3 per cent. of the Deaths occur between the second and third year of life; that 7·6 per cent. of the Deaths occur between the third and fourth year of life; while only 5·9 per cent. of the Deaths under 5 years occur between the fourth and fifth year of life.

From that period the mortality goes on diminishing till it attains its lowest proportion between the tenth and fifteenth years of life. This, then, is the healthiest period of life, when the chances of Death are least, when the children's diseases have been got over, and when the growth of the body is the most rapid. Even the period from 15 to 20 years of age, though the next most healthy period of human life, has a mortality about a third higher than that prevailing between the tenth and fifteenth years of life; and from the age of 20 up to threescore years and ten, every advancing decennial period sees the proportional mortality increase about a third above that of the previous ten years. From the age of 70 years, the proportional number of Deaths may be said to double at each advancing decennial period till the close of life.

TABLE XVI.—DEATHS, 1856. Number of Deaths in each of the Sexes at different Ages in the Insular, Mainland, and Town Districts of Scotland in 1856, and the proportion of Deaths of each of the Sexes at different Ages to the Total Deaths of each Sex in each of the three Groups.

AGES.	Number of Deaths.						Per Centage of Deaths at each Age in each Sex and Group.					
	Males.			Females.			Males.			Females.		
	Insular Districts.	Mainland Districts.	Town Districts.	Insular Districts.	Mainland Districts.	Town Districts.	Insular Districts.	Mainland Districts.	Town Districts.	Insular Districts.	Mainland Districts.	Town Districts.
Under 5 years.	308	5272	6895	259	4501	6137	29·67	36·30	49·95	23·12	31·64	44·76
5—10	41	731	806	23	697	697	3·95	5·03	5·84	2·05	4·90	5·08
10—15	26	452	317	24	405	281	2·51	3·11	2·30	2·14	2·85	2·05
15—20	40	525	396	35	413	419	3·85	3·61	2·87	3·18	2·90	3·06
20—30	110	1081	898	74	971	970	10·60	7·44	6·51	6·60	6·82	7·08
30—40	59	772	817	65	850	944	5·69	5·31	5·92	5·80	5·97	6·88
40—50	51	789	870	65	768	878	4·91	5·43	6·30	5·80	5·40	6·40
50—60	65	1011	852	85	916	918	6·26	6·96	6·17	7·58	6·44	6·69
60—70	102	1266	844	146	1332	980	9·83	8·73	6·12	13·03	9·36	7·15
70—80	123	1581	761	160	1839	924	11·85	10·88	5·51	14·28	12·93	6·74
80—90	87	900	326	141	1282	465	8·38	6·21	2·36	12·59	9·01	3·39
90—100	21	138	18	40	241	93	2·02	0·95	0·13	3·57	1·69	0·68
100 and above	5	4	3	3	13	6	0·48	0·04	0·02	0·26	0·09	0·04
Not stated	4	38	13	4	37	10	–	–	–	–	–	–
Total	1042	14560	13816	1124	14265	13722	100·00	100·00	100·00	100·00	100·00	100·00

Not having it in our power to give the ages of the population in the three great Groups into which Scotland has been divided, viz., in the Insular, the Mainland and Rural, and the Town Districts, Table XVI. is appended for the purpose of showing the comparative mortality at each age in these three Groups in the different sexes. From that Table it appears, that if we take the male sex, while little more than a fourth of the Deaths in the Insular Districts occur under 5 years of age, about a third occur at that age in the Mainland Rural Districts, but nearly an exact half of the Deaths in the Town Districts occur among persons under 5 years of age. Or, to speak more precisely, out of every ten thousand male Deaths in each of the three Groups, 2967 were under 5 years of age in the Insular Districts, and 3630 in the Mainland Rural Districts, while 4995 were under 5 years of age in the Town Districts. The infantile female mortality was less than that of the male in all the Groups. Thus in every ten thousand female Deaths in each of the Groups, 2312 died under 5 years of age in the Insular Districts, 3164 in the Mainland Rural Districts, and 4476 in the Town Districts.

These facts seem to demonstrate that no small portion of the excessive mortality which prevails in Towns, is dependent on the very high rate at which infants under 5 years of age are cut off, as compared with the mortality in the Insular or Rural Districts. It would be a mistake, however, to suppose that the whole excess of Deaths in the Towns was caused by high infantile mortality, but if the trouble be taken to make the calculation, it will be seen that nearly a half of the excessive mortality in the Town Districts occurs among infants under 5 years of age, leaving the other half of the excess to be scattered over the persons who die at all other ages.

It must not be supposed that this excessive mortality of infants in Towns is alone caused by defective sanitary arrangements. Even were the houses in the most perfect state as to ventilation, lighting, drainage, supply of pure water, etc., much of this extra mortality among infants

---

TABLE XVII.—GLASGOW. * Population and Deaths in 1856 at different Ages, and Proportion of Deaths to Population at each Age.

AGES.	POPULATION 1856.		DEATHS 1856.		Per Cent. Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 5 Years	24,071	23,778	2,882	2,515	11·97	10·57
5—10	19,133	18,969	273	231	1·42	1·27
10—15	17,566	17,357	110	99	0·62	0·57
15—20	18,480	20,845	149	150	0·80	0·72
20—30	34,325	42,276	338	406	0·98	0·96
30—40	23,611	27,669	302	386	1·27	1·39
40—50	16,727	19,108	315	344	1·88	1·80
50—60	9,597	12,048	283	300	2·94	2·49
60—70	4,798	7,021	272	311	5·67	4·42
70—80	1,456	2,475	188	234	12·91	9·45
80—90	280	507	80	107	28·57	21·10
90—100	16	56	–	20	–	35·71
100 and above	–	3	–	–	–	–
Not stated	–	–	1	2	–	–
ALL AGES	170,060	192,112	5,193	5,105	3·05	2·65
BOTH SEXES	362,172		10,298		2·843	

* All the Populations in this Report are corrected by the Census of 1861, so that the numbers given for 1856 may be considered as the correct Populations for that year.

would continue to go on, seeing that the necessity for so many of the mothers labouring for their daily bread, forces them to neglect their infants, or leave them to the charge of incompetent persons, so that they are too often improperly fed, and not unfrequently drugged with some preparation of opium.

Table XVI, however, shows some other interesting facts. One would expect, in a proportional Table like this, where the Deaths at the several ages were compared with the total Deaths, and not with the population, that the excessive proportion of infantile Deaths in the Towns would have the effect of showing a lesser proportion of Deaths at adult age in the Towns than in the Insular and Mainland Districts. It is, however,

---

TABLE XVIII.—EDINBURGH AND LEITH. Population and Deaths in 1856 at different Ages and Proportion of Deaths to Population at each Age.

AGES.	POPULATION 1856.		DEATHS 1856.		Per Cent. Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 5 Years	11,477	11,451	1121	995	9·76	8·68
5—10	10,043	9,960	146	134	1·45	1·34
10—15	9,800	9,581	53	50	0·54	0·52
15—20	9,587	11,337	66	73	0·68	0·64
20—30	17,984	23,706	184	159	1·02	0·67
30—40	12,043	16,232	187	182	1·55	1·12
40—50	8,721	11,751	176	149	2·01	1·26
50—60	5,773	8,264	172	184	2·98	2·22
60—70	3,193	5,022	151	234	4·72	4·65
70—80	1,278	2,101	169	196	13·21	9·32
80—90	223	524	69	101	30·94	19·27
90—100	13	46	2	23	15·38	50·00
100 and above	1	1	1	1	100·00	100·00
Not stated	–	–	1	1	–	–
ALL AGES	90,136	109,976	2,488	2,482	2·76	2·25
BOTH SEXES	200,112		4,970		2·483	

TABLE XIX.—DUNDEE. Population and Deaths in 1856 at different Ages, and Proportion of Deaths to Population at each Age.

AGES.	POPULATION 1856.		DEATHS 1856.		Per Cent. Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 5 Years	5,183	5,078	720	627	13·87	12·34
5—10	4,593	4,545	64	77	1·39	1·69
10—15	4,596	4,784	28	20	0·61	0·41
15—20	4,114	5,329	20	30	0·48	0·56
20—30	7,002	10,563	50	67	0·71	0·63
30—40	4,656	6,303	49	81	1·05	1·28
40—50	3,886	4,946	59	69	1·52	1·39
50—60	2,348	3,052	77	104	3·27	3·40
60—70	1,152	1,710	68	63	5·90	2·16
70—80	389	720	44	64	11·56	8·88
80—90	78	177	18	34	23·07	19·20
90—100	5	11	3	6	60·00	54·54
100 and above	–	1	–	1	–	100·00
Not stated	–	–	1	2	–	–
ALL AGES	38,002	47,219	1,201	1,245	3·16	2·63
BOTH SEXES	85,221		2,446		2·870	

not a little singular that, excepting in the case of the male Deaths between the ages of 10 and 30, this is not noticed; while in the female Deaths it is only between the ages of 10 and 20 that the proportional mortality at the different ages seems to be lower in the Towns than in the Rural or Insular Districts.

This Table shows, however, in a striking light, the greater healthiness of the Insular and Mainland Rural Districts to adults and aged persons, by the much larger proportion of Deaths which occur in these Districts than in Town, among persons above 60 years of age. Thus, while between the ages of 70 and 80, no fewer than 1185 males died in the Insular Districts out of every ten thousand Deaths at all ages, the proportion in the

TABLE XX.—ABERDEEN. Population and Deaths in 1856 at different Ages, and Proportion of Deaths to Population at each Age.

AGES.	POPULATION 1856.		DEATHS 1856.		Per Cent. Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 5 Years	4,639	4,644	303	285	6·53	6·13
5—10	4,067	3,924	58	43	1·42	1·09
10—15	3,761	3,777	26	18	0·69	0·47
15—20	3,436	3,956	22	35	0·64	0·88
20—30	5,028	7,720	48	71	0·95	0·92
30—40	3,837	5,575	49	46	1·27	0·82
40—50	3,188	4,357	51	60	1·59	1·37
50—60	2,038	3,177	63	63	3·09	1·98
60—70	1,268	2,242	63	78	4·96	3·47
70—80	640	1,088	67	101	10·46	9·28
80—90	152	326	43	49	28·29	15·03
90—100	10	31	1	10	10·00	32·25
100 and above	1	2	–	1	–	50·00
Not stated	–	–	1	1	–	–
ALL AGES	32,065	40,818	795	861	2·47	2·10
BOTH SEXES	72,883		1,656		2·272	

TABLE XXI.—PAISLEY. Population and Deaths in 1856 at different Ages, and Proportion of Deaths to Population at each Age.

AGES.	POPULATION 1856.		DEATHS 1856.		Per Cent. Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 5 Years	3,131	3,033	275	241	8·78	7·94
5—10	2,823	2,732	37	28	1·31	1·02
10—15	2,695	2,567	17	10	0·63	0·38
15—20	2,294	2,827	19	14	0·82	0·49
20—30	3,749	4,944	35	25	0·93	0·50
30—40	2,753	3,252	25	26	0·90	0·79
40—50	2,120	2,694	38	35	1·79	1·29
50—60	1,406	1,742	32	29	2·27	1·66
60—70	829	1,091	45	37	5·41	3·38
70—80	341	518	42	50	12·31	9·65
80—90	85	101	4	25	4·70	24·71
90—100	10	8	1	8	10·00	100·00
100 and above	–	–	0	0	–	–
Not stated	–	–	1	0	–	–
ALL AGES	22,236	25,509	571	528	2·56	2·06
BOTH SEXES	47,745		1,099		2·301	

Town was only 551 in the same number of Deaths. In the females, these proportions were much more striking; for, while in every ten thousand Deaths, 1428 females died between 70 and 80 years of age in the Insular Districts, and 1293 in the Mainland Rural Districts, the proportion in the Towns was only 674 in every ten thousand Deaths.

The same remarks apply to all ages above 60, but these examples may suffice to show the general fact. Seeing, then, that things are so, the general conclusion may be drawn that, in a Town or locality where the precise population cannot be procured, an exact Death Table, in which the ages are specified, will enable us to give an approximation to the healthiness of the place. The rule in that case would be, that the higher the proportion of Deaths under 5 years, and the lower the proportion of Deaths

TABLE XXII.—GREENOCK. Population and Deaths in 1856 at different Ages, and Proportion of Deaths to Population at each Age.

AGES.	POPULATION 1856.		DEATHS 1856.		Per Cent. Deaths to Population.	
	Males.	Female.	Males.	Females.	Males	Females.
Under 5 Years	2,706	2,531	293	280	10·82	11·05
5—10	2,272	2,204	45	36	1·98	1·63
10—15	2,227	2,073	9	13	0·40	0·62
15—20	1,931	2,098	14	25	0·72	1·19
20—30	3,753	4,235	46	37	1·22	0·87
30—40	2,670	3,083	44	41	1·64	1·32
40—50	1,891	2,066	56	39	2·96	1·88
50—60	1,064	1,341	40	39	3·76	2·98
60—70	566	828	41	38	7·24	4·58
70—80	200	311	25	30	12·50	9·64
80—90	36	81	14	15	38·88	18·51
90—100	2	8	–	7	–	87·50
100 and above	1	1	1	1	100·00	100·00
Not stated	–	–	4	3	–	–
ALL AGES	19,319	20,860	632	604	3·27	2·89
BOTH SEXES	40,179		1,236		3·076	

TABLE XXIII.—PERTH. Population and Deaths in 1856 at different Ages, and Proportion of Deaths to Population at each Age.

AGES.	POPULATION 1856.		DEATHS 1856.		Per Cent. Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 5 Years	1,456	1,448	87	85	5·97	5·87
5—10	1,277	1,346	7	13	0·54	0·96
10—15	1,284	1,259	2	8	0·15	0·63
15—20	1,179	1,251	13	7	1·10	0·55
20—30	1,999	2,295	21	18	1·05	0·74
30—40	1,394	1,740	18	16	1·29	0·92
40—50	1,122	1,460	27	22	2·40	1·50
50—60	864	1,119	24	23	2·77	2·05
60—70	499	759	26	26	5·21	3·42
70—80	259	376	32	36	12·35	9·57
80—90	56	90	12	14	21·42	15·55
90—100	2	8	1	1	50·00	12·50
100 and above	–	1	–	–	–	–
Not stated	–	–	–	–	–	–
ALL AGES	11,391	13,152	270	269	2·37	2·04
BOTH SEXES	24,543		539		2·196	

above 60, by so much the greater will be the comparative unhealthiness of the locality. Or it might be otherwise put:—The less the proportion of Deaths among infants, and the greater the proportion of Deaths above 60, the greater will be the healthiness of the situation.

In Tables XVII. to XXIII. inclusive, are given the population and Deaths at the several ages in each of the Eight Principal Towns of Scotland, and the proportion of Deaths at each age to the living at the same ages. It will be seen from the accompanying Table, that the proportion of Deaths under 5 years of age to the living at the same ages arranges these Towns very nearly in the order in which they would be placed according to the proportional mortality to the population.

1856. TOWNS.	Per cent. of Deaths to Population.		
	All Ages.	Under 5 years.	
		Males.	Females.
Perth	2·196	5·97	5·87
Aberdeen	2·272	6·53	6·13
Paisley	2·301	8·78	7·94
Edinburgh and Leith	2·483	9·76	8·68
Glasgow	2.843	11·97	10·57
Dundee	2.870	13·87	12·34
Greenock	3·076	10·82	11·05

It will also be seen from these Tables, that, with few exceptions, mainly attributable to the smallness of the numbers, female life in all the Towns, and at all ages, is more valuable than male life, the proportion of female Deaths being fewer at every period of life.

Causes of Death.

Of the 58,529 Deaths registered in Scotland during the year, 54,755 had the Cause of Death assigned. About 6½ per cent., therefore, had no Cause of Death assigned, and more than the half of that number was under 1 year of age. It is, perhaps, scarcely correct to say that in all these cases under 1 year no Cause of Death was assigned, because in most of them it was stated by the informant that the infant had died from "Bowel-hives," commonly pronounced according to the old Scottish dialect, "Bull-hives," and through ignorance, "Bold-hives." Under this term the lower classes in this country include three distinct diseases,—1st, Fits or Convulsions; 2d, Inflammation of the Bowels, or Enteritis; and 3d, Diarrhœa. As it was impossible from the entry in the Registers to tell to which of these three diseases the case should be assigned, each was entered in the Tables under the head of "not specified."

Class I. *Zymotic Diseases.*

Of all the various classes of disease, the Zymotic, or Epidemic and Contagious Class of Diseases, proves the most fatal in this country. During 1856 that class of diseases cut off 13,779 persons, of whom 6919 were males, and 6860 females. Nearly an exact fourth, then, of the Deaths

were due to that class alone, as will be seen from Table XXV., where it appears that, allowing for the cases not specified, 25·14 per cent. of the mortality was caused by the Zymotic class of Diseases.

In the Three Great Groups into which the inhabitants of Scotland have been divided, according as they inhabit the Insular, the Mainland, or the

TABLE XXIV.—DEATHS, 1856. Proportion of Deaths from different Diseases in every hundred thousand persons of the general Population, and of either Sex, in Scotland, and its Three Great Groups, the Insular, the Mainland, and the Town Districts, during 1856; allowance being made for the causes of Death not specified.

1856.	Scotland.			Insular Districts.			Mainland Districts.			Town Districts.		
DISEASES.	Proportion of Deaths in every 100,000 of BOTH SEXES.	Proportion of Deaths in every 100,000 MALES.	Proportion of Deaths in every 100,000 FEMALES.	Proportion of Deaths in every 100,000 of BOTH SEXES.	Proportion of Deaths in every 100,000 MALES.	Proportion of Deaths in every 100,000 FEMALES.	Proportion of Deaths in every 100,000 of BOTH SEXES.	Proportion of Deaths in every 100,000 MALES.	Proportion of Deaths in every 100,000 FEMALES.	Proportion of Deaths in every 100,000 of BOTH SEXES.	Proportion of Deaths in every 100,000 MALES.	Proportion of Deaths in every 100,000 FEMALES.
ALL CAUSES . . .	1967	2084	1861	1324	1390	1268	1656	1734	1584	2568	2778	2385
1. Zymotic Class . . .	495	526	467	226	248	208	370	385	357	734	800	675
2. Uncertain Seat . .	86	73	97	62	53	69	81	69	92	98	84	109
3. Tubercular Class .	326	346	306	180	209	155	260	276	245	453	483	427
4. Nervous System . .	161	179	146	81	89	74	143	153	134	203	236	174
5. Organs of Circulation	69	75	64	28	21	32	60	67	54	91	97	85
6. Respiratory Organs	220	247	195	100	122	81	165	186	145	325	365	289
7. Organs of Digestion	155	167	143	72	88	58	137	149	126	195	209	183
8. Urinary Organs . .	21	32	10	20	33	5	18	24	8	25	38	13
9. Generative Organs .	17	–	32	21	–	39	15	–	29	19	–	36
10. Locomotive Organs .	9	10	8	11	9	12	8	8	7	10	12	8
11. Skin, etc.	1	2	1	1	–	2	1	1	–	2	4	1
12. Malformation . . .	4	5	3	–	–	–	4	5	3	4	5	4
13. Premature Debility .	98	117	81	72	89	57	76	92	66	138	163	117
14. Atrophy	16	15	17	5	1	9	13	11	14	32	23	22
15. Age	204	165	239	358	289	414	224	182	262	154	122	199
16. Sudden Deaths . .	7	7	6	7	10	4	6	6	6	7	9	6
17. Violent Deaths . .	71	111	36	70	116	31	68	106	33	78	119	43
Small-pox	46	54	44	11	16	5	26	30	22	84	98	72
Measles	37	49	34	61	65	57	25	27	24	51	56	47
Scarlatina	108	120	97	11	13	10	87	94	81	154	179	133
Hooping-cough . .	83	79	87	36	37	36	43	39	48	154	151	157
Croup	36	42	31	21	24	19	30	34	27	48	57	43
DIARRHŒA . .	39	43	35	7	5	9	27	29	25	63	71	56
Dysentery	14	14	13	3	4	3	10	9	10	21	23	20
Cholera	3	3	3	–	1	–	2	2	2	4	5	4
Influenza	8	8	8	7	6	9	10	11	10	5	5	6
Infantile Fever . .	7	8	6	3	2	3	6	7	5	8	9	6
TYPHUS	84	89	80	43	46	39	76	77	75	104	115	95
Metria	5	–	9	1	–	2	5	–	10	5	–	9
Erysipelas	10	12	8	9	12	6	9	11	6	12	12	11
Dropsy	36	32	39	31	24	33	33	29	37	40	38	42
Cancer	32	21	42	20	16	24	31	21	41	36	21	48
Scrofula	16	20	12	12	13	11	15	18	11	18	23	13
Tabes Mesenterica .	18	21	16	4	6	2	15	17	13	25	35	21
PHTHISIS . . .	224	228	220	144	169	124	181	186	177	305	307	304
Hydrocephalus . .	66	75	58	17	17	18	48	53	42	104	121	89
Apoplexy	35	38	31	16	14	18	32	33	30	42	49	34
Paralysis	50	49	51	28	30	27	50	47	52	55	56	54
Epilepsy	5	7	4	1	4	0	5	7	4	7	7	6
Convulsions . . .	26	30	22	8	8	9	18	20	15	42	51	34
BRONCHITIS . .	99	103	94	29	30	29	71	75	68	153	162	145
Pneumonia . . .	70	87	56	22	34	11	51	62	41	109	135	85
Teething	36	37	35	7	10	5	22	24	20	64	65	63
Enteritis	30	33	27	11	12	10	27	30	24	38	42	35
CHILD-BIRTH . .	12	–	23	18	–	35	10	–	19	15	–	29
Burns and Scalds .	10	9	12	12	6	16	9	6	11	13	13	13
Drowning	18	32	6	41	82	6	16	28	5	18	32	6
Fracture & Contusion	26	45	8	5	8	2	27	48	7	27	47	10

Town Districts, these proportions varied greatly, the mortality from the Zymotic Class of Diseases being highest in the Town Districts, and lowest in the Insular Districts. Thus, by a reference to Table XXIV., where the proportion of Deaths is given for every hundred thousand inhabitants in each of the respective Groups, it will be found that, while in the Insular Districts only 226 persons died from the Zymotic Diseases in every hun-

TABLE XXV.—DEATHS, 1856. Proportion of Deaths from different Diseases in every ten thousand Deaths from Specified Causes in SCOTLAND, and its Three Great Groups—the Insular, the Mainland, and the Town Districts, in 1856; distinguishing the proportional mortality in both Sexes, and in Males and Females.

1856.	Scotland.			Insular Districts.			Mainland Districts.			Town Districts.		
DISEASES.	Proportion in every 10,000 Specified Causes.			Proportion in every 10,000 Specified Causes.			Proportion in every 10,000 Specified Causes.			Proportion in every 10,000 Specified Causes.		
	Both Sexes.	Males.	Female.	Both Sexes.	Males.	Female.	Both Sexes.	Males.	Female.	Both Sexes.	Males.	Female.
1. Zymotic Class . . .	2514	2523	2509	1714	1788	1646	2238	2222	2254	2857	2882	2832
2. Uncertain Seat . .	438	354	523	477	388	559	491	401	581	382	304	460
3. Tubercular Class . .	1657	1660	1654	1364	1511	1229	1570	1593	1548	1776	1739	1794
4. Nervous System . .	822	859	784	621	644	599	861	882	847	792	850	733
5. Organs of Circulation	355	362	348	212	155	264	365	386	343	356	352	359
6. Respiratory Organs .	1118	1185	1051	764	888	651	998	1076	919	1266	1317	1215
7. Organs of Digestion	788	804	772	546	633	467	832	864	799	762	756	767
8. Urinary Organs . .	107	158	50	153	266	50	114	171	56	97	137	58
9. Generative Organs .	87	–	175	164	–	315	92	–	186	77	–	154
10. Locomotive Organs .	46	48	45	84	66	101	49	49	48	41	45	37
11. Skin, etc.	9	11	6	10	–	20	7	8	5	11	14	7
12. Malformation . . .	21	24	18	–	–	–	26	32	21	18	19	17
13. Premature Debility .	501	564	437	546	644	457	459	534	382	540	589	491
14. Atrophy	84	75	92	42	11	71	80	69	91	91	86	96
15. Age	1041	794	1289	2707	2088	3262	1353	1051	1659	603	442	764
16. Sudden Deaths . .	36	37	34	58	77	40	39	37	42	30	35	25
17. Violent Deaths . .	365	532	198	530	833	254	414	617	209	304	425	182
Small-pox	238	259	217	84	122	50	160	176	144	328	353	304
Measles	188	190	187	467	477	457	157	158	156	200	202	198
Scarlatina	549	578	521	90	100	71	529	544	514	603	645	561
Hooping-cough . .	425	380	477	281	277	284	257	225	297	603	546	660
Croup	186	201	170	164	177	152	186	192	172	187	206	169
DIARRHŒA . . .	200	207	193	58	44	71	164	169	159	247	258	236
Dysentery	71	68	74	31	33	30	61	55	67	85	85	84
Cholera	16	16	16	5	11	–	14	14	15	18	18	18
Influenza	44	42	46	63	55	71	64	64	63	22	19	26
Infantile Fever . .	35	39	31	26	22	30	40	45	34	32	35	29
TYPHUS	431	428	434	329	344	315	462	446	478	407	415	399
Metria	26	–	52	10	–	20	32	–	64	22	–	42
Erysipelas	52	58	46	74	88	61	55	69	42	47	45	49
Dropsy	183	155	211	244	177	304	202	169	236	159	139	179
Cancer	165	101	230	154	122	182	191	122	260	140	78	203
Scrofula	82	97	67	95	100	91	91	107	74	72	86	58
Tabes Mesenterica .	94	102	86	37	55	20	93	99	87	100	110	90
PHTHISIS . . .	1140	1096	1185	1093	1222	975	1097	1078	1116	1189	1106	1270
Hydrocephalus . .	339	364	314	138	133	141	289	308	268	405	436	374
Apoplexy	177	185	170	127	111	141	193	196	189	165	179	152
Paralysis.	258	239	278	217	222	213	302	274	331	217	204	230
Epilepsy	30	34	26	15	33	–	32	41	24	28	27	22
Convulsions. . . .	133	147	119	69	66	71	108	117	100	164	184	143
BRONCHITIS . .	504	498	509	228	222	233	433	434	432	596	583	609
Pneumonia	359	417	302	169	255	91	309	357	260	424	489	359
Teething.	187	183	192	63	77	50	134	139	128	251	235	266
Enteritis	154	161	147	84	88	81	168	175	152	150	152	148
CHILD-BIRTH . .	64	–	128	143	–	274	61	–	123	61	–	122
Burns and Scalds .	55	43	66	95	55	134	55	38	73	51	48	55
Drowning	94	155	33	313	600	50	100	162	36	73	118	29
Fracture & Contusion	133	219	46	42	66	20	163	277	48	108	171	45

dred thousand persons living, 370 died in an equal population in the Mainland and Rural Districts, but no less than 734 in the Town Districts. This striking fact shows that a crowded Town population is much more liable to be ravaged by pestilential epidemics than the inhabitants of the Country, not only because a Town residence tends to produce greater exhaustion and debility of the human frame, from want of needful exercise and pure air, but also and chiefly from the mere circumstance that the crowded population have it not in their power to isolate the sick person, or the family in which the sickness occurs, so that the disease spreads, by its contagious property, over a much larger proportion of the inhabitants, than it could do were they living in scattered hamlets. Taking another view of these diseases, that they are not contagious, but spread by virtue of an epidemic tendency, the crowding of persons in the same locality, exposing thousands to the same epidemic influence, equally serves to explain the greater prevalence and fatality of epidemic diseases among the inhabitants of Towns than those living in the Country; for it is a known fact that, wherever large bodies of people are massed together, if epidemics break out among them, the surest and speediest way to save them is to scatter them over the country, when the epidemic is generally immediately arrested.

The ordinary Zymotic Diseases in this country fall with most severity on the infantile portion of the population. Thus, of the 13,779 persons cut off by that class of diseases, 8230, or nearly 60 per cent., were under 5 years of age, the other 40 per cent. being pretty equally scattered over all ages, up to that of 100 years. Over all Scotland it would appear, both as the results of the registrations of 1855 and 1856, that the male sex suffers more than the female from these Zymotic Diseases; for while in 1855 (as will be seen by the Supplemental Table for that year), males were cut off by these diseases in the proportion of 511 out of every hundred thousand males living, only 454 females died out of a like number of living females. In 1856, again, the proportions were nearly the same, viz., 526 males, but only 467 females, out of every hundred thousand of each sex respectively.

The proportion of Deaths from the Zymotic Class of Diseases generally bears some ratio to the general mortality prevailing in a Town. This is not rigidly true for every year, especially when the Town is small, but is invariably true if we take a succession of years, or have to deal with a large and populous Town. Even of the Eight Principal Towns of Scotland this is true, seeing that several are too small to afford conclusive results during any single year, but are sufficiently large to yield determinate results, when the observations are extended over a series of years. For comparison's sake, therefore, it is desirable, each year, to point out the special facts as they occur. Thus if the Towns be arranged in the order of least mortality from all causes, it will be seen from the appended Table that they would

Per cent. of Deaths from All Causes to the Population of each Town.	
Perth	2·196
Aberdeen	2·272
Paisley	2·301
Leith	2·426
Edinburgh	2·495
Glasgow	2·848
Dundee	2·870
Greenock	3·076

Per cent. of Deaths from the Zymotic Diseases to the Population of each Town.	
Perth	0·435
Aberdeen	0·528
Paisley	0·653
Edinburgh	0·675
Glasgow	0·798
Leith	0·880
Greenock	0·970
Dundee	1·080

not occupy a very different position if arranged according to the number of Deaths from the Zymotic Class of Diseases. In both lists, Perth and Aberdeen would appear at the head, as the two most healthy of these Eight Towns of Scotland; Dundee and Greenock at the bottom of both lists, as the most unhealthy.

Of the individual Zymotic Diseases, Small-pox cut off 1306 persons, being within three of the Deaths by that disease during 1855. This gives the high proportion of 46 Deaths from that disease in every hundred thousand persons of the population, a proportion which mounts to 84 in the Town Districts, while it is only 26 in the Mainland and Rural Districts, and 11 in the Insular Districts.

As in 1855, Measles caused fewer Deaths than Small-pox, only cutting off 1033 children, of whom 521 were males, and 512 females.

Scarlatina might be considered as the great epidemic of the year, seeing it caused the Deaths of 3011 persons, of whom 1585 were males, and 1426 females. The Deaths from that disease were, therefore, in the proportion of 108 Deaths in every hundred thousand persons living; but the sexes were so unequally affected thereby, that while 120 males died in every hundred thousand males, only 97 females died from that cause in a like number of females. As is always the case, that mortality fell most heavily on the Town Districts; for while in the Insular Districts, the proportion of Deaths was only 11 in every hundred thousand persons, it was 87 in the Mainland and Rural Districts, which embrace many small Towns, but 154 Deaths in an equal population in the Town Districts.

Table XXVI. shows the proportion in which a few of the principal diseases and classes of disease proved fatal in the Eight Principal Towns, but too much importance must not be attached to the result of one year's observations relative to any particular disease, seeing that it appears to be

TABLE XXVI.—DEATHS, 1856. Proportion of Deaths from different Diseases to the Total Population in the Eight Principal Towns of Scotland in 1856.

DISEASES.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
Total Deaths	2·843	2·495	2·870	2·272	2·301	3·076	2·426	2·196
Zymotic Class	0·798	0·675	1·080	0·528	0·653	0·970	0·880	0·435
Tubercular Class	0·519	0·445	0·444	0·451	0·347	0·532	0·369	0·338
Brain, etc., Diseases	0·205	0·221	0·188	0·225	0·211	0·196	0·187	0·232
Organs of Circulation	0·083	0·125	0·085	0·080	0·054	0·074	0·105	0·175
Respiratory Organs	0·427	0·340	0·258	0·260	0·245	0·340	0·243	0·220
Digestive Organs	0·245	0·144	0·178	0·164	0·207	0·281	0·120	0·110
Urinary Organs	0·016	0·045	0·010	0·043	0·010	0·029	0·035	0·036
Small-pox	0·036	0·085	0·281	0·093	0·108	0·017	0·076	0·016
Measles	0·038	0·070	0·207	0·062	0·090	0·027	0·044	0·008
Scarlatina	0·104	0·277	0·179	0·072	0·192	0·181	0·554	0·052
Hooping-cough	0·260	0·037	0·163	0·119	0·069	0·194	0·070	0·093
Croup	0·051	0·039	0·079	0·024	0·041	0·044	0·017	0·110
Diarrhœa, Dysentery, Cholera	0·131	0·054	0·043	0·057	0·060	0·099	0·035	0·073
Typhus	0·126	0·066	0·092	0·112	0·052	0·321	0·046	0·048
Cancer	0·026	0·051	0·030	0·045	0·023	0·042	0·035	0·061
Phthisis	0·357	0·278	0·314	0·267	0·234	0·378	0·225	0·240
Apoplexy	0·040	0·045	0·023	0·045	0·031	0·062	0·038	0·077
Paralysis	0·049	0·067	0·060	0·043	0·094	0·042	0·076	0·073
Convulsions	0·049	0·031	0·073	0·076	0·012	0·024	0·002	0·020
Bronchitis	0·192	0·182	0·058	0·149	0·115	0·159	0·105	0·097
Pneumonia	0·160	0·025	0·058	0·061	0·060	0·109	0·111	0·048

a law of nature, that where one epidemic rages with fury, that one epidemic during its prevalance seems, as it were, nearly to extinguish all the rest, or rather to attack by itself all who under ordinary circumstances would be liable to other but different diseases. Leith was a marked example of this during the period when the epidemic of Scarlatina raged, though the year's figures do not show the fact with great distinctness, as other epidemics followed and preceded the outbreak of Scarlet Fever.

Hooping-cough was the second most fatal of the children's diseases, but only the third most fatal of the epidemic diseases during the year 1856, cutting off 2331 persons, of whom 1044 were males, and 1287 females. It is a remarkable fact, as connected with that disease, that, unlike most other epidemics, it seems to prove more fatal to the female than to the male. This was noticed both in 1855 and during 1856. Thus in every hundred thousand of each sex, the proportion cut off by Hooping-cough were 63 males and 77 females in 1855; and in 1856, the proportion were 79 males and 87 females; thus demonstrating that, in both years, the disease proved more fatal to females than to males. This would appear to be the general rule which regulates that disease, seeing that in England the female Deaths exceed the male nearly in the same proportions as above stated. The causes of this greater liability of the female sex to Death while suffering from Hooping-cough are worthy of being investigated. So far as one's own limited experience goes, it would appear to be produced by the greater tendency which the female sex exhibits to have fits or convulsions when attacked by a paroxysm, or fit of coughing, in that disease.

Croup proved fatal to 1020 persons in Scotland during the year, or in the proportion of 36 Deaths in every hundred thousand persons. That disease, like the other Zymotics, fell most heavily on the residenters in the Town Districts, cutting off in the proportion of 48 in the Town Districts, for every 30 in the Mainland, and for every 21 in the Insular Districts. Croup being more truly an endemic disease (that is, chiefly influenced by locality), it might be expected that the several Towns would exhibit marked differences in the proportion in which that disease proved fatal among their respective inhabitants. Damp, low-lying situations, especially if situated on the banks of streams, are always observed to have an increased mortality from Croup; and accordingly, if the Eight Principal Towns be arranged in the order of least mortality from that disease, they will stand as in the accompanying Table:—

Proportion of Deaths from Croup in every 100,000 Inhabitants in each of the Eight Principal Towns of Scotland.	
Leith	17
Aberdeen	24
Edinburgh	39
Paisley	41
Greenock	44
Glasgow	51
Dundee	79
Perth	110

Diarrhœa, Dysentery, and Cholera did not prevail to any extent during the year, the summer heat having been very moderate, and the mean monthly temperature never rising higher than 57°·1. Consequently, only 1098 Deaths occurred from Diarrhœa, 392 from Dysentery, and 88 from Cholera.

Typhus Fever was the second most fatal of the Zymotic Diseases during the

year, cutting off 2363 persons, of whom 1174 were males and 1189 females. This gives the proportion of 84 Deaths from Typhus in every hundred thousand persons, or 89 males and only 80 females in a like population of either sex. This Zymotic Disease differs from most of the others in this respect, that its chief victims are adults or persons at the productive period of life, so that the Deaths by that disease entail a greater loss on the community than those which chiefly afflict the young. Thus, while only about 14 per cent. of the Deaths by Typhus and Gastric Fevers were under 5 years of age, nearly 53 per cent. of the persons who fell victims to these diseases were between the 15th and 60th year of life.

During both 1855 and 1856, Typhus (under which is included Gastric Fever), appeared more as an endemic than as an epidemic disease; and during these years may be regarded as indicating, in a general way, the Towns or Districts in which some sanitary arrangements are still required to check its progress. Thus if the Eight Principal Towns were arranged in the order of fewest Deaths from Typhus during 1856, they would stand as follows:—

Proportion of Deaths from Typhus in every 100,000 Inhabitants of each of the Eight Principal Towns of Scotland.	
Leith	46
Perth	48
Paisley	52
Edinburgh	66
Dundee	92
Aberdeen	112
Glasgow	126
Greenock	321

It would be an interesting and useful inquiry for the medical profession, or the authorities, to endeavour to ascertain the probable cause of the mortality from Typhus and Gastric Fevers being so high in Aberdeen, when the general health of the Town stands in such favourable contrast with other Towns, in so far as the other diseases are concerned. One of the chief uses of these Reports is to furnish facts for such inquirers; it is for the local authorities, or local inquirers, to avail themselves of the facts published in detail in the various Tables. These, however, can only be very generally alluded to in a Report which must deal with the facts as a whole, without descending into too minute particulars.

Class II. *Diseases of Uncertain Seat.*

The Diseases of Uncertain Seat cut off 2403 persons, of whom 973 were males, and 1430 females; giving the proportions of 86 Deaths in every hundred thousand persons of both sexes, or 73 males and 97 females, in an equal number of either sex.

Dropsy and Cancer are the two most fatal of the diseases under this class. 1005 Deaths were registered as resulting from Dropsy—no particulars being given as to the cause of the Dropsy. Of these Deaths, 426 were males, and 579 females; giving the proportion of 32 males and 39 females falling victims to that disease in every hundred thousand of the respective sexes.

Cancer cut off 908 persons, of whom 278 were males, and 630 females; being in the proportion of 21 males to every 42 females in every hundred

thousand persons of the respective sexes. As the same result was noticed in the Report for 1855, it may be considered as an established fact that the female sex is just twice as prone to Cancer as the male; and the disease seems to be nearly equally prevalent in Town and Country.

Class III. *Tubercular Diseases.*

The Tubercular is next after the Zymotic the most fatal class of diseases to which the inhabitants of Scotland are liable. 9077 persons, of whom 4553 were males, and 4524 females, died from that class of diseases during 1856. This gives the proportion of 326 Deaths in every hundred thousand persons living, and the proportion of 346 males to 306 females in a like number of the respective sexes. In England, during the same year, the proportion was 339 Deaths from the Tubercular Class of Diseases, in every hundred thousand persons of both sexes—a proportion so very near that of Scotland, that it shows that both populations must, to a great extent, be subject to the same causes which give rise to these affections.

The division of the inhabitants of Scotland into Three Great Groups brings out prominently some of the conditions which seem to favour the development of that class of diseases. Thus, in the Insular Districts, these diseases proved fatal only in the proportion of 180 Deaths in every hundred thousand persons living. In the Mainland and Rural Districts, which include all the smaller Towns and Villages, the proportion was 260 Deaths in the same number of inhabitants; while in the Town Districts, the proportion rose to 453 Deaths from the Tubercular Class of Diseases in every hundred thousand of the population.

Here, then, is seen, in the most striking light, the hurtful effect of a Town residence on the constitution of the inhabitants, both in favouring the development, and in increasing, nay, more than doubling, the proportional mortality from diseases of the Tubercular Class. Were the whole of the smaller Towns taken away from the Mainland and Rural Districts, the mortality from the Tubercular Class of Diseases would be no higher in them than in the Insular Districts. So that it might be stated, as an ascertained fact, that the inhabitants of the Towns are cut off by Tubercular Diseases in twice the proportion they would have been had they resided in the Country. This fact fully bears out the late researches of physicians as to the causes of that class of diseases. It is now proved that they are truly diseases of debility and imperfect assimilation; and if means were used to bring a Town life more into harmony with one spent in the Country, by the inhalation of a purer and freer air both by day and night, and by the adoption of more active exercise, the mortality from that class of diseases in Towns might be very considerably diminished. Even in the Country, that class of diseases is encouraged by the complete want of the most distant attempts at making the dwelling house of the cottar, labourer, or even small farmer, comfortable and sweet, not to speak of the neglect of the most obvious sanitary precautions; and the wonder is, not that the mortality from that class of diseases is lower than in the Towns, but that it is not as high, or even higher.

The Tubercular Class includes that disease which is by far the most fatal to the inhabitants of Scotland—Consumption or Phthisis—a single disease which usually cuts off more than twice the numbers of the most fatal of the epidemics. During 1856, the Deaths from Consumption numbered 6247, of which 3006 were males, and 3241 females; giving the proportion of

224 Deaths from Phthisis in every hundred thousand persons, or 228 male Deaths from that disease in every hundred thousand males, and 220 female Deaths in a like number of females.

In the Insular Districts, the population was only cut off by Consumption in the proportion of 144 Deaths in every hundred thousand persons. In the Mainland and Rural Districts, in the proportion of 181 Deaths in a like population; but in the Town Districts, in the high proportion of 305 Deaths in every hundred thousand persons, or more than double the mortality of the Insular Districts.

In last Report, attention was directed to the fact of the low mortality from that disease prevailing over all the Western Isles, but more especially over the whole of Argyllshire; and it was suggested that sites on the western coasts of that County, sheltered from the north and east winds, might prove valuable places of resort for invalids threatened with Consumption, or with delicacy of the chest. The results of the Registrations of 1856 confirm the favourable opinion then entertained of that County, seeing they show that the population there was only cut off by Consumption in the very low proportion of 135 Deaths in every hundred thousand persons. Every one, however, who is acquainted with that County knows, that a large amount of that mortality might easily be prevented, could the natives be persuaded to improve their cottages, by the admission of air and light, by giving free vent to the smoke from their fires, and by the removal of the filthy puddle and other nuisances from their very doors. It is the want of these necessary sanitary improvements, which, at the present moment, causes Consumption to stalk through their cottages, and cut off the most promising of the youth of both sexes, entailing an immense amount of misery, unhappiness, and poverty.

The proportion of Phthisis or Consumption in a Town, particularly if found to be pretty constant annually, affords really as good an indication of its comparative sanitary condition as even epidemics themselves, it being always borne in mind, however, that the smaller Towns are almost invariably sure to prove exceptional, when taken year by year, and can only furnish reliable data when taken for a series of years. Thus, in the following Tables, the Eight Principal Towns of Scotland are arranged in two series, *first*, according to the order of the smallest number of Deaths from the Tubercular Class of Disease as compared with the population; and *secondly*, according to that of the smallest number of Deaths from Consumption.

Proportion of Deaths from the Tubercular Class of Diseases in every 100,000 persons in each of the Towns.	
Perth	338
Paisley	347
Leith	369
Dundee	444
Edinburgh	445
Aberdeen	451
Glasgow	519
Greenock	532

Proportion of Deaths from Consumption in every 100,000 persons in each of the Towns.	
Leith	225
Paisley	234
Perth	240
Aberdeen	267
Edinburgh	278
Dundee	314
Glasgow	357
Greenock	378

Of the other diseases belonging to the Tubercular Class, Scrofula proved fatal to 451 persons, Tabes Mesenterica to 519, and Hydrocephalus to 1860, being in the proportion of 16, 18, and 66 Deaths respectively in every hundred thousand of the population.

Class IV. *Diseases of the Brain and Nervous System.*

Diseases of the Brain and Nervous System proved fatal to 4501 persons, of whom 2357 were males, and 2144 females; which gives the proportion of 161 Deaths from that class in every hundred thousand of the population, or 179 male Deaths, but only 146 female Deaths, in a like number of either sex. The male sex, then, are more liable to that class of diseases than the female; and this does not appear to be confined to any particular age of life, seeing that, from earliest infancy, the proportion of Deaths under these diseases (even including Hydrocephalus) exceeds in the male the proportion which occurs in the female sex at the same period. From this fact, one would be induced to conclude, that the greater tendency to Brain and Nervous Diseases in the male resulted not from the Brain and Nervous System being more over-strained than in the female sex, but from original physical conformation. The next fact to be adduced apparently shows, however, that the higher intellectual life led in Towns, the greater and more stirring anxieties thereby caused, do increase, and that to a very large extent, the frequency and fatality of Brain Diseases. Thus, in the Insular Districts, the inhabitants were cut off by Brain Diseases at the low rate of 81 Deaths in every hundred thousand persons; but in the Mainland and Rural Districts, which include all the smaller Towns, the proportion was 143 Deaths in a like population; while in the Town Districts, 203 persons died from Brain Diseases in a like number of inhabitants. This fact, however, is not opposed to that first mentioned relative to the proportion of the Deaths from Brain Diseases in the different sexes; for in the Towns (although the relative proportion of males to females is somewhat higher than the proportion of the sexes in the Insular Districts), the proportion of female Deaths rises with that of the males, so that, while in the Insular Districts only 71 females died from Brain Diseases in every hundred thousand, in the Towns 174 females die in an equal number. View it, then, how we may, a residence in Towns is hurtful to life, wasting and consuming it with a rapidity nearly twice as great as if the life were spent in the open Country.

Paralysis was the most fatal of the Brain Diseases in 1856, cutting off 1418 persons, of whom 656 were males, and 762 females. It is rather a remarkable circumstance, that both in 1855 and 1856, the proportion of females dying from Paralysis should be greater in the Mainland and Rural Districts; while in both the Town and in the Insular Districts, during both of these years, the proportion of male Deaths from the same disease exceeded that of the female. Apoplexy cut off 975 persons, Epilepsy 166, and Convulsions 733, during the year, while Tetanus gave rise to 86 Deaths, and Delirium Tremens to 58.

It would be the subject of an interesting inquiry to ascertain what are the circumstances which cause the prevalence and fatality of Brain Diseases to be so very much higher in England than in Scotland. Thus, two years' observations in Scotland show that Brain and Nervous Diseases cut off the population in the proportion of 171 Deaths in 1855, and 161 Deaths in 1856, in every hundred thousand persons living; whereas in England, the proportions were 285 Deaths in 1855, and 268 Deaths in 1856, from these same diseases in a like population. Even in our Town Districts, this high proportion is not reached, seeing that, in 1855, the proportion was 206 Deaths, and in 1856 only 203 Deaths from these diseases in every hundred thousand persons living.

Class V. *Diseases of the Heart and Organs of Circulation.*

Diseases of Organs of the Circulation proved fatal to 1948 persons, of whom 948 were males, and 953 females, thus giving the proportion of 69 Deaths from that class of diseases in every hundred thousand persons; while the males and females retain nearly the same proportion to each other as in the Deaths from all causes.

Class VI. *Diseases of the Respiratory Organs.*

After the Zymotic and Tubercular Classes of Diseases, the Diseases of the Respiratory Organs prove most fatal, as a class, to the natives of Scotland. During the year 1856, 6142 persons died from that inflammatory class of complaints. This gives the proportion of 220 Deaths by such diseases in every hundred thousand persons, being considerably below the English proportion for the same year, which was at the rate of 281 Deaths from these diseases in every hundred thousand persons. The male sex seems to be most liable to that class of diseases; and, at first sight, many would be inclined to attribute this to the greater exposure of the male to the weather in the pursuit of his ordinary business. But this would scarcely account for the fact, because nearly a half of all the Deaths by these inflammatory affections of the Respiratory Organs occurs in infancy, when it cannot be supposed the children of one sex are more exposed than those of the other; so that we are thrown back on the conclusion, that it most probably depends on the peculiar physical conformation of the male, whereby he is more liable than the female to succumb under acute disease.

As remarked above, these inflammatory affections of the Respiratory Organs are most common in infancy. Hence it is found, that of the 6124 persons who fell victims to them during the year, 2621 were under 5 years of age; and of these, 1422 were under 1 year. Of the remaining cases, 1570 Deaths occurred between the 20th and 60th year of life, and 1550 Deaths above 60 years of age; while the healthiest period of life, or that at which the human frame seemed to be able best to resist the baneful influences which give rise to these inflammatory affections, was from the tenth to the twentieth year of life. No class of diseases is perhaps more under the influence of weather, or more especially temperature, than these affections of the Respiratory Organs. Just in proportion as the mean temperature falls, these affections increase in frequency and fatality in this country, and as winter melts away into summer, so do these affections and their consequent mortality decrease and disappear. Seeing then, that this close connection is invariably observed, seeing that every human being necessarily draws daily and hourly into his lungs such a large amount of the air which surrounds him, it need be no matter of surprise that inflammatory affections of the Respiratory Organs should be especially fatal to infants and very young children. Their circulation is not sufficiently strong to enable them to resist the depressing effects of the cold, and consequent chilling and partial congestion which it occasions: so they suffer just in proportion to their tenderness and youth. The corollary from these facts is, that very young or delicate children should never be exposed during keen frosty or windy weather; or, if obliged to be exposed, ought to have the body thoroughly protected, and the air, if possible, breathed through a woollen muffler or metallic respirator.

In the Three Great Groups into which the inhabitants of Scotland are divided, the greatest possible differences exist as to their liability to die under inflammatory affections of the Respiratory Organs. Thus, in the Insular Districts, where the temperature is far more equable, and where the colds are never so intense, the inhabitants were only cut off by these diseases in the low proportion of 100 Deaths in every hundred thousand persons. In the Mainland and Rural Districts, where the inhabitants are, generally speaking, more robust, and better able to withstand atmospheric changes than the inhabitants of Towns, 165 Deaths from diseases of the Respiratory Organs occurred in every hundred thousand persons; while the Town populations suffered so severely, that no less than 325 persons died from these affections out of every hundred thousand persons living.

In Scotland, Bronchitis is the most prevalent and fatal of the inflammatory affections of the Respiratory Organs, and during the year 1856 it cut off 2762 persons; being in the proportion of 99 Deaths in every hundred thousand persons of the population—the proportion of England for the same year being 114. Pneumonia, or Inflammation of the Lungs, the next most fatal disease of this class, cut off 1970 persons during the year; being in the proportion of 70 Deaths by Pneumonia in every hundred thousand persons of the population—the English proportion being 120.

As the results of the Registrations in Scotland agree then, for two successive years, it may be stated that England and Scotland appear to differ, not only in the larger amount in which these inflammatory affections of the Respiratory Organs prove fatal in England, but also in the fact regarding Bronchitis and Pneumonia, now for the second year made apparent, viz., that while the former seems to be normally the most fatal in Scotland, the latter is the most fatal in England. Supposing that the observations of subsequent years should confirm these results, the fact seems capable of explanation. The greater amount of moisture in the air of Scotland, from every portion of it being nearer the sea, and the whole country, in fact, being more subject to insular, and, of course, oceanic influences, have the effect of rendering bronchitic affections more common in Scotland than pneumonic attacks; while the greater breadth of England, the general greater dryness of the air, and its consequent greater assimilation to a continental climate, tends to favour a larger proportion of pneumonic attacks.

Class VII. *Diseases of the Organs of Digestion.*

4319 Deaths were caused by diseases connected with the various Organs of Digestion, being in the proportion of 155 Deaths from these causes in every hundred thousand persons living. This, as was also remarked in last year's Report, is very much above the proportion of Deaths from these diseases in England, which for 1856 was only at the rate of 120 Deaths in a like population. From taking too limited a view of the subject last year, it was surmised that this greater mortality from Stomach Affections in Scotland might be induced by the greater coarseness of the general food of the people, and their lesser attention to its cooking; but when the facts are minutely examined, they do not appear to confirm this conjecture, seeing that the whole excess of Deaths is produced by two classes of diseases alone, viz., Teething and Enteritis, the former of which has its mortality confined to those of so young an age, that the common coarse food of the adult population could have had no influence on their mortality; and the same remark applies to a large proportion of the Deaths from Enteritis.

This may be considered as the first opportunity which Scotland has possessed of endeavouring to investigate, medically, the apparent effect of the different alcoholic drinks used habitually by the great mass of the people in England and in Scotland. The class of drinks used in the two countries is quite different—beer being the natural drink of England—whisky that of Scotland; and it was thought that the comparative effects of these drinks on the people of the respective countries might be traced by estimating the comparative mortality in each from diseases of the Liver. The results last year were so startling, and apparently so different from what might have been anticipated, that it was deemed proper to omit all allusion to them in last year's Report, until it should be seen whether a subsequent year's Registration confirmed or confuted the deductions then arrived at. Even now the subject is only noticed with the view of inducing others to take it up and follow it out to all its legitimate conclusions.

It is known that alcoholic drinks, while they act primarily on the Brain, act secondarily on the Liver, and are the fruitful source of Jaundice, and all disorders of the Liver. Let it be assumed, then, in a comparison between the beer-drinking English and the whisky-drinking Scotch, that the Deaths from all diseases of the Liver give a fair estimate of the proportional baneful effects of the two classes of drink on that organ, and the comparison will be found to be greatly in favour of the Scottish drink; for, while all Liver Diseases cut off the English in the proportion of 35 in every hundred thousand persons in 1855, and 34 in 1856; the same diseases only cut off 27 Scotch out of the like population in 1855, and 26 Scotch in 1856.

Should subsequent observation confirm the conclusions here indicated, it would not only lead to a considerable modification of the opinions of medical men as to the proper form in which to administer stimulants in disease, but also those of our statesmen, who, impressed with the desirability of substituting beer for whisky, first reduced the Beer Tax, and latterly by reducing the Wine Duty, have been endeavouring to encourage the consumption of the light wines.

Of the individual diseases belonging to this class, Teething caused 1028 Deaths, Enteritis 847, Peritonitis 260, Ileus 267, Stomach Diseases 464, while Hepatitis, Jaundice, and all other diseases of the Liver caused 788 Deaths.

Class VIII. *Diseases of the Urinary Organs.*

Kidney and Urinary Diseases cut off 590 persons in Scotland in 1856, being in the proportion of 21 Deaths from that class of diseases in every hundred thousand persons. The disparity of the sexes who fell victims to these diseases was great, 434 being males, and 156 females; being in the proportion of 32 males, but only 10 females, in every hundred thousand of the respective sexes.

Class IX. *Uterine Diseases and Childbirth.*

This class of diseases proved fatal to 481 women during the year, being in the proportion of 17 Deaths to every hundred thousand of the whole population, or, more properly, 32 Deaths to every hundred thousand females living. The English proportion, during the same year, was 15 Deaths to every hundred thousand persons of the population; so that the Scottish mortality from that class of maladies seems to keep higher than that of

England. As showing the want of medical aid in the Insular Districts, it may be noted, that the proportion of Deaths in Childbed (including the cases of Metria) was not far short of that in the Town Districts, being 37 Deaths in the Insular, and 38 in the Town Districts in every hundred thousand women; whereas the proportion ought to have been very much lower in the Insular Districts, seeing that every affection proves much more fatal in the Town than in the Country. In the Mainland and Rural Districts, Childbirth (including Metria) only proved fatal to 29 in every hundred thousand females,—an effect partly produced by the more healthy life led in the Country, as contrasted with the Town; and the possibility of getting medical assistance in almost every case of difficulty or danger, as contrasted with the Insular Districts.

Class XII. *Debility—Premature Birth.*

The Deaths under this head amounted to 2744 during the year, being in the proportion of 98 Deaths in every hundred thousand of the population. As this class of Deaths included all those infants which die from being prematurely born, or which, from want of vitality, die shortly after Birth, it is generally found that the proportion of males greatly exceeds that of the females, as compared with the great mass of Deaths. Accordingly, during 1856, there were in the proportion of 129 males to every 100 females who died from that class of diseases—a fact which shows that the tendency to Death is much greater in the male than it is in the female, even from fœtal life.

Class XV. *Age.*

5702 Deaths from Age (or natural decay without apparent disease), were registered in Scotland during 1856, being in the proportion of 204 Deaths in every hundred thousand of the population,—the English proportion for the same population being only 127 during the same year. Of the 5702 persons who died from Age, 2178 were males, and 3524 females; thus showing that in every hundred thousand of the respective sexes, 165 males, but 239 females, died from Age.

Unlike the Deaths from disease, the proportion of persons dying from Age was highest in the Insular, next highest in the Mainland, and lowest in the Town Districts. Thus, while in every hundred thousand persons in the Insular Districts, 358 were cut off by Age, the proportion was 224 in a like population in the Mainland, but only 154 in the Town Districts.

Class XVII. *Violent Deaths.*

The Deaths by Violent Causes cut off 2003 persons in Scotland during the year 1856, being in the proportion of 71 Deaths in every hundred thousand persons. This is a proportion considerably lower than that of England for the same year, where the Deaths from Violent Causes were in the proportion of 79 Deaths in every hundred thousand persons.

One would be apt to imagine that the Deaths by Violent Causes would be much less frequent in the Insular than in the Mainland and Town Districts, seeing that, in these Districts, many of the agencies are absent which are the chief producers of Violent Deaths in the busy haunts of man. Experience does not, however, show that any great disparity exists, seeing

that if Fractures and Contusions are more frequent causes of Death in the Town Districts, Deaths by Drowning are proportionally much more numerous in the Insular Districts—the necessary traffic between Island and Island, and Islands and the Mainland, causing a very much larger portion of the Insular populations to risk their lives on the treacherous main.

As might reasonably be expected, Violent Causes cut off a much larger number of men than of women. Thus, while 1461 men died from Violent Causes, only 542 women fell victims to the same causes; being in the proportion of 111 Deaths in every hundred thousand men, but only 36 Deaths in a like number of women.

730 persons lost their lives in 1856 through Fractures and Contusions, being in the proportion of 26 Deaths in every hundred thousand persons living. As might be supposed, this class of injuries was most common in the Town Districts, where the crowding of human beings renders them more liable to injuries from machinery, horses, carriages, the fall of scaffolding, fires, etc. Thus, while in the Insular Districts only 5 died from Fractures and Contusions in every hundred thousand persons living, the proportion of Deaths in a like population was 27 in the Mainland and 27 in the Town Districts. Males suffered in a much higher proportion than females from these injuries; for, while the male Deaths from these Violent Causes numbered 603, the female Deaths only amounted to 127; being in the proportion of 45 male Deaths, but only 8 female, in every hundred thousand of the respective sexes.

520 persons died by Drowning during the year, being in the proportion of 18 Deaths in every hundred thousand persons. The proportion of Deaths by Drowning was far highest in the Insular Districts, but nearly equal in the Mainland and in the Town Districts. Thus, in every hundred thousand persons in the respective Districts, 41 died by Drowning in the Insular, 16 in the Mainland, and 18 in the Town Districts. Of the 520 persons who died by Drowning, 427 were males, and 93 females; being in the proportion of 32 males and 6 females in every hundred thousand persons of either sex.

303 persons died from the effects of Burns and Scalds, of whom 120 were males, and 183 females; so that females seem to be more liable to such injuries, in the proportion of 12 females to every 9 males. It is a rather remarkable fact, that the proportion of Deaths by Burns and Scalds is nearly uniform in the Insular and in the Town Districts, being 12 Deaths in the year in every hundred thousand persons in the Insular, and 13 Deaths in the Town Districts.

Some care has been taken to ascertain the number of Suicides during the year, but it is feared that all the cases have not been reported as such, so that a few may have in this manner escaped. 103 cases of Violent Deaths were entered on the Registers as cases of Suicide; giving the proportion of 34 Suicides in every million of the population. From the mode in which the returns of other countries are published, it is not easy to ascertain the proportion of Suicides to the population, in order to afford a comparison with Scotland. For England the last return of Suicides seems to be for 1840, and in that year the ascertained Suicides were in the proportion of 57 in every million of the population. In Sweden, from 1806 to 1830, the average annual number of Suicides was in the proportion of 41 Suicides in every million of the population, but the proportion was increasing. In Prussia, in 1841, the Suicides seem to have been in the proportion of 109 in every million of the population.

Of the 103 cases of Suicide in Scotland, in 1856, nearly one half—48—were by Hanging or Strangulation; 19 by Drowning; 12 by Cut-Throat; 5 by Poison; 3 by Wounds, the nature of which was not particularized; 2 by the deceased throwing themselves from a height; 2 by Gunshot Wounds; 1 was caused by the deceased throwing himself on the line of rails when a train was passing; 1 by Fracture (it not being stated how received); and in 10 instances the mode of death was not entered on the Register, but probably was by Hanging.

The accompanying Tables, showing the twelve diseases which prove most fatal in England and in Scotland, and the proportion to the respective population in which each proves fatal, are interesting, as exhibiting both the agreements and the differences of the two countries, in so far as the principal diseases are concerned.

The Twelve most fatal Diseases in SCOTLAND in 1856.

Diseases.	Proportion of Deaths to 100,000 living.
Phthisis	265
Bronchitis	113
Typhus	90
Scarlatina	79
Pneumonia	78
Hooping-cough	70
Hydrocephalus	70
Heart Disease	69
Paralysis	51
Diarrhœa	49
Small-pox	46
Dropsy	45

The Twelve most fatal Diseases in ENGLAND in 1856.

Diseases.	Proportion of Deaths to 100,000 living.
Phthisis	260
Convulsions	127
Pneumonia	120
Bronchitis	114
Typhus	81
Scarlatina	75
Diarrhœa	73
Heart Disease	68
Hooping-cough	49
Paralysis	45
Apoplexy	44
Dropsy	43

INFLUENCES OF EXTERNAL AGENCIES.

Various external agencies exert a powerful influence on the human race, their health and welfare; and it is now necessary to notice a few of these, in order to permit every one to trace their influence on the Births, Deaths, and Marriages, and the several modes in which they react on each of these events, and on the different forms of fatal disease.

The influence of these several external agencies on the number of Births, or on the proportion of the sexes at birth, has never yet been satisfactorily demonstrated. The only agency which has yet been shown powerfully to influence the number of Births, is the Mortality or Deaths; and it has been shown that, as a general rule, the Birth and the Death-rates maintain in each Town or locality a kind of natural balance—increasing and diminishing together.

The influence of external agencies on Marriages and on Deaths, is, however, of a much closer and more easily traced kind. When the demand for labour is good, when there is a demand for our manufactures, when the mining interest is in a prosperous condition, when building, and land-draining, and improvements of all kinds are progressing, when wages are good, and food cheap, then Marriages are observed to increase, and Mortality to diminish. But Marriages are observed to diminish in numbers and the Mortality fearfully increases should the price of provisions rise high, while the demand for labour is low, when the manufactories are not in full employ,

when mines are not fully worked, when money is scarce, and wages low. Famine, or under-feeding, fearfully aggravates the mortality of all diseases; and hence it happens in periods of extensive strikes, that, although provisions may be cheap (so many of the Town classes are, through their own folly, thrown out of employment and obliged to subsist on half-rations, or drag out a miserable existence on the the barest pittance which will sustain life), as great numbers die as if a pestilence raged among them. The strikers of work court disease and pestilence, and these are never so far away from them but that they are ready to fall on their heads the moment they allow their physical frames to become so debilitated as to allow them to take up their abode.

It is of some importance, therefore, to note the state of trade, the quantity of exports and imports, the prices of provisions, etc., year by year, in connection with the Births, Deaths, and Marriages, in order that, as facts accumulate, some general laws may be discovered which seem to regulate all these. Table XXVII., then, is intended to show some of these facts,

TABLE XXVII.—Showing the Quantity of Grains, etc., imported to Britain, the average Price of Grains, etc., the Price of 4lb. Loaf, etc., etc., in Scotland during the years 1854, 1855, 1856, and 1857.

		1854.	1855.	1856.	1857.
Nett Revenue of Great Britain, . . .	£	56,822,509	63,364,605	68,008,623	66,056,055
Expenditure, ...	£	60,031,568	84,505,788	78,113,035	66,019,958
Real Value of Total Imports, . . .	£	152,389,053	143,542,850	172,544,154	187,844,441
Real Value of Total Exports, . . .	£	115,821,092	116,691,300	139,220,353	146,174,301
Wheat imported, ...	Qrs.	3,431,227	2,667,702	4,072,833	3,437,957
All other Grains imported, ...	Qrs.	3,419,271	3,061,539	4,124,420	5,107,225
Wheat Flour imported, ...	Cwts.	3,646,505	1,904,224	3,970,100	2,178,148
All other kinds of Flour imported, . .	Cwts.	58,656	18,094	21,267	6,028
Eggs imported, ...	No.	121,946,801	99,732,800	117,230,600	126,818,600
Potatoes imported, ...	Cwts.	16,446	58,261	109,838	955,057
Rice imported, ...	Cwts.	1,342,748	2,238,158	3,692,001	3,432,154
Raw Sugar imported, ...	Cwts.	9,112,364	7,324,133	7,761,240	8,390,696
Average Price of Wheat, ...	per Qr.	72s. 5d.	74s. 8d.	69s. 2d.	56s. 4d.
——— Barley, ...	per Qr.	36s. 0d.	34s. 9d.	41s. 1d.	42s. 1d.
——— Oats, ...	per Qr.	27s. 11d.	27s. 5d.	25s. 2d.	25s. 0d.
——— Potatoes, ...	per Ton	131s. 3d.	100s. 4½d.	86s. 0d.	120s. 8½d.
——— Rye, ...	per Qr.	...	45s. 8d.	45s. 0d.	38s. 3d.
——— Beans, ...	per Qr.	...	46s. 6d.	43s. 11d.	43s. 0d.
——— Pease, ...	per Qr.	...	43s. 4d.	41s. 7d.	41s. 4d.
Land in Cultivation in Scotland, . .	Acres	...	3,530,068	3,545,191	3,556,572
Estimated produce of Wheat in Scotland,	Qrs.	...	5,063,074	7,270,952	6,154,986
——— Barley in do., . .	Qrs.	...	6,092,970	5,581,970	6,564,429
——— Oats in do., . . .	Qrs.	...	30,081,351	31,966,381	32,750,763
——— Beans and Pease in do.,	Qrs.	...	1,183,647	1,279,440	1,037,760
——— Bere in do., . .	Qrs.	...	556,957	501,106	671,778
——— Turnips in do., .	Tons	...	6,461,988	6,540,267	6,690,109
——— Potatoes in do., .	Tons	...	732,170	413,890	430,468
Number of Cattle in Scotland, . . .	No.	...	974,816	967,047	974,437
——— Sheep in do., ...	No.	...	5,694,900	5,816,560	5,683,168
——— Swine in do., ...	No.	...	134,350	126,924	146,354
Quantity of Coal raised in Scotland, .	Tons	7,448,000	7,325,000	7,500,000	8,211,473
——— Iron Ore raised in do., . .	Tons	...	2,400,000	2,201,250	2,500,000
——— Pig Iron made in do., . .	Tons	796,604	827,500	880,500	918,000
Cod and Ling taken on Coasts of do., .	Tons	...	170,498	162,593	147,473
Herrings taken on do., ...	Barrels	...	877,259	691,138	628,549
Contract Price of 4lb. Loaf to Troops in Scotland per half-year,	To 31st May	...	$7\frac{84}{100}$d.	$8\frac{6}{10}$d.	6½d.
	To 30th Nov.	...	$7\frac{9}{10}$d.	$6\frac{7}{10}$d.	6d.
Contract Price of Fresh Meat per lb. to Troops in Scotland for half-year,	To 31st May	...	$5\frac{69}{100}$d.	$5\frac{2}{10}$d.	$4\frac{4}{10}$d.
	To 30th Nov.	...	$5\frac{1}{10}$d.	$4\frac{7}{10}$d.	5d.
Savings' Banks, Scotland—Number of Accounts,		118,602	123,388	119,497	114,735
Savings' Banks—Amount owing to Depositors, ...	£	1,931,999	2,014,115	1,938,572	1,776,746
Number of Paupers in Scotland on 14th May,		78,929	79,887	79,973	79,217
Number of Ascertained Scottish Emigrants,		25,872	14,037	12,033	16,253

and it is necessary to embrace more than one year, in order to allow of its being seen whether the respective imports, exports, etc., had increased or diminished during the year in which we are more especially interested.

It is to be remembered that the Crimean war, which had been carried on in 1854 and 1855, was just brought to a conclusion in the beginning of the year 1856 (Sebastopol being taken in September 1855). The disturbing influence of this war on trade, etc., must be taken into account in instituting an inquiry into the influence of external agencies on the Marriages and Deaths, and may serve partly to account for some of the great fluctuations in the amount of certain imports during the years which it continued.

There is not, perhaps, a better mode of estimating correctly the comparative price of provisions than by taking the price of the 4lb. loaf of wheaten flour, as furnished by contract to the troops during any year. All other kinds of food rise and fall in price with bread; and as we find the price of wheat, oats, potatoes, pease, and butcher meat lower than in 1855, while the quantity of coal raised, and of iron manufactured, were greater in 1856 than in 1855, while the deposits in savings' banks were not materially lower, it may be safely assumed that there was no real want felt in the country, that the trading, mining, and manufacturing interests were prosperous, and that the year 1856 was, on the whole, a year of average prosperity.

It only remains now to point out the influence of the seasons on the mortality; and this influence will be seen at a glance in Table XXVIII., in which, in addition to showing the influence of season on the mortality over all Scotland, is also shown its effect on the Deaths in the Insular, the Mainland, and the Town Districts,—thus affording the means of closer comparison with the interesting series of French Tables given in the official "Statistique de la France."

In reading the accompanying Table, and in comparing it with that of

---

TABLE XXVIII. — Influence of Temperature on the Mortality in Scotland during 1856. Showing the per centage of Deaths in Scotland, and its Three Great Divisions, during each month of the year 1856—the months being all reduced to 30 days, and due correction made for the Deaths.

MONTHS.	ALL SCOTLAND.			Per cent. to the Total Corrected Deaths in each Great Division of Scotland.		
	Mean Temperature.	Corrected Deaths. Each Month reduced to 30 days.	Per cent. to the Total Corrected Deaths.	Insular Districts.	Mainland Districts.	Town Districts.
JANUARY	34·3	5298	9·2001	8·4385	9·1707	9·2909
FEBRUARY	39·6	5368	9·3211	9·3293	9·5445	9·0879
MARCH	39·4	5183	9·0003	10·8760	9·3540	8·4825
APRIL	44·3	5200	9·0298	9·3762	9·1812	8·8442
MAY	46·7	4845	8·4134	7·7822	8·6453	8·2204
JUNE	53·3	4478	7·7766	7·5987	7·9119	7·6484
JULY	56·4	4277	7·4270	7·7822	7·5101	7·3125
AUGUST	57·1	4067	7·0623	7·2195	6·8684	7·2533
SEPTEMBER	50·9	4239	7·3610	6·5164	7·2034	7·5929
OCTOBER	48·8	4198	7·2898	7·4540	7·1011	7·4749
NOVEMBER	39·7	4591	7·9723	7·2664	7·5665	8·4529
DECEMBER	37·9	5843	10·1463	10·3606	9·9429	10·3392
YEAR	45·7	57,587	100·0000	100·0000	100·0000	100·0000

other countries, it is necessary to bear in mind the conclusions which have been already arrived at relative to the influence of season on the mortality in this country, viz., that *cold* is the most fatal element to our population; and that, generally speaking, just in proportion to the intensity of the cold, the greater is the mortality. That, as a general rule, too, the mortality only materially rises under the influence of increase of temperature when the mean monthly temperature approaches 60° or exceeds it, when Bowel Complaints are induced, and a slight increase in the number of Deaths is noticed, analogous to that very large excess of Deaths which occurs in all warmer countries at that season, which, indeed, is with them the most deadly period of the year.

In Scotland, the month of March 1856 proved the driest on record within a period of 20 years; in many places the fall of rain was so small, that it did not affect the finest rain gauge, and over Scotland it only amounted to 0·26 of an inch; while the dryness of the air was so great, that over Scotland the humidity of the air was only 79, full saturation of the air with moisture being reckoned 100. What was a most unusual occurrence, too, notwithstanding the increasing power of the sun's rays during March, its mean temperature was somewhat lower than that of February; and what is very noteworthy is, that though over the mainland of Scotland this reduction in the temperature of the air did not make itself markedly felt on the mortality, yet on all the Insular Districts, where, from the want of breadth of land, the sun's rays have less power to counteract the evil influence of a lowered temperature of the atmosphere, the mortality increased, and actually attained its maximum for the year during March. The summer and autumn, speaking in a general way, proved cold and wet; winter came on prematurely; and snow storms, accompanied by frosts of great intensity, occurred at an unusually early period of the year. For instance, a severe snow storm, with keen frost, occurred the last week of October, after three weeks of unusually mild weather, while frequent falls of snow, followed by keen frosts, occurred at intervals during November and December, for the most part alternated by weather of extreme mildness. During December the mean temperature of one week was 13°·1, and the succeeding one 53°·7.

All Tables constructed to show the influence of weather, or season, on the mortality must be taken in connection with the similar Tables of the previous year, in order to trace the true influence of that compound cause. Thus, when the year 1855 closed, the mean temperature of December of that year had been 35°, and the corrected Deaths amounted to 5238. The year 1856 opened with January having a mean temperature of 34°·3, and this slightly lower temperature raised the corrected Deaths to 5289. During February no such great reduction of mean temperature occurred as during 1855, but the mean temperature continued low, and those previously debilitated by the winter's cold continued to drop off in increasing numbers, so that more died proportionally during February than during either January or March, though the temperature was higher than during either of these months. Indeed it was during February that the first maximum mortality for the year was noticed. This, however, was only for all Scotland; for when the inhabitants are divided into their Three Great Groups, according as they inhabit the Insular, the Mainland Rural, or the Town Districts, the influence of these several sites in modifying the effect of season is notably seen. A few words of explanation relative to the influence of these several sites may be given.

It is now an established fact that the Sea around the coasts of Scotland

attains its lowest temperature in the month of March.* The islands which are completely surrounded by that sea may, therefore, be supposed to attain their lowest temperature during the same month; hence it is not in the least surprising, but rather in strict accordance with what is observed over the Mainland of Scotland, to find that during March the mortality among the inhabitants of the Insular Districts attains its maximum. During the year 1856, at all events, this fact was noticed; for the absolutely greatest mortality during any month was observed in the Insular Districts during March, as will be seen by a reference to Table XXVIII. On the Mainland, however, and especially in the Town Districts, the influence of the sun's rays during March in heating the ground begins to be sensibly felt, so that the mortality in the Mainland Rural and in the Town Districts is sensibly less during March than during the previous month; the increasing warmth of the ground apparently enabling the inhabitants better to resist the inroads of disease.

Table XXVIII., then, appears to render it apparent that the first approach of severe wintry weather greatly increases the mortality; but, as might be expected, this influence increases with marked severity in proportion as that weather continues. The cold, in fact, takes a little time to produce its full fatal effects, as exhibited in the Tables; but if the Deaths had been abstracted according to the date of death, it would be seen that the Deaths bear the closest possible relation to the amount of cold; and that the day on which the temperature is lowest is also that on which the greatest absolute number of Deaths occurs.

During the year 1856, the greatest number of Deaths occurred during the month of December, reckoning all the months of equal length, and making the necessary corrections for this purpose. The next maximum for all Scotland was observed during February, which may be regarded as the maximum mortality of the winter 1855–56; whereas the mortality of December is not strictly comparable with it, seeing it belongs to the mortality of the next winter—a different winter, having its own series of phenomena. August proved the healthiest month of the year, that in which the fewest number of Deaths occurred; and even the Bowel Complaints induced by the heats of August, and the Deaths from which chiefly occurred in and were registered in September, raised but to a trifling extent the mortality of September above that of October, during which month the increasing fall of temperature began to tell on the mortality, increasing in severity as winter progressed.

I have the honour to be,

Sir,

Your most obedient Servant,

JAMES STARK.

General Registry Office of Births, etc.,
Edinburgh, 3*d September* 1861.

---

* See "On the Temperature of the Sea around the Coasts of Scotland, during the years 1857 and 1858, and the bearing of the facts on the Theory that the Mild Climate of Great Britain during Winter is dependent on the Gulf Stream." By James Stark, M.D., F.R.S.E. Edinburgh, 1859.

SUPPLEMENTAL TABLE FOR 1855.

1855. DEATHS.—Proportion of Deaths from different Diseases in every hundred thousand persons of the general Population in Scotland, and its Three Great Groups, the Insular, the Mainland, and the Town Districts, during the year 1855; distinguishing the proportional mortality in both Sexes, and in Males and Females—allowance being made for the causes of Death not specified.

1855.	Scotland.			Insular Districts.			Mainland Districts.			Town Districts.		
DISEASES.	Proportion of Deaths in every 100,000 of BOTH SEXES.	Proportion of Deaths in every 100,000 MALES.	Proportion of Deaths in every 100,000 FEMALES.	Proportion of Deaths in every 100,000 of BOTH SEXES.	Proportion of Deaths in every 100,000 MALES.	Proportion of Deaths in every 100,000 FEMALES.	Proportion of Deaths in every 100,000 of BOTH SEXES.	Proportion of Deaths in every 100,000 MALES.	Proportion of Deaths in every 100,000 FEMALES.	Proportion of Deaths in every 100,000 of BOTH SEXES.	Proportion of Deaths in every 100,000 MALES.	Proportion of Deaths in every 100,000 FEMALES.
All Causes . . .	2096	2181	2019	1640	1716	1576	1766	1827	1738	2682	2855	2532
1. Zymotic Class . .	505	511	454	343	345	342	408	399	417	688	726	655
2. Uncertain Seat . .	94	78	108	96	91	100	89	77	100	102	79	123
3. Tubercular Class .	375	392	353	240	276	210	290	304	278	522	563	493
4. Nervous System . .	171	195	149	99	123	78	150	172	135	206	253	183
5. Organs of Circulation	74	81	67	29	31	27	64	71	57	98	108	88
6. Respiratory Organs .	263	285	243	192	109	186	206	225	189	367	402	337
7. Organs of Digestion	161	160	146	100	127	83	147	157	126	202	218	187
8. Urinary Organs . .	25	38	13	24	46	4	24	37	12	26	37	16
9. Generative Organs .	18	–	41	21	–	40	16	–	33	19	–	36
10. Organs of Locomotion	10	11	9	12	9	14	11	12	9	9	10	9
11. Skin, &c.	2	2	2	2	2	1	2	2	2	3	2	3
12. Malformations . .	5	6	4	–	1	–	5	6	4	6	8	4
13. Premature Debility .	77	89	65	27	42	14	59	66	52	112	133	94
14. Atrophy	19	18	20	6	8	4	13	13	14	31	29	33
15. Age	211	163	251	366	293	427	220	174	262	180	140	213
16. Sudden Deaths . .	9	14	14	1	4	–	–	7	8	12	16	8
17. Violent Deaths . .	71	111	35	64	104	30	67	104	33	78	122	40
Small-pox	48	53	44	17	18	15	34	37	32	75	83	66
Measles	43	45	42	70	71	68	19	19	18	80	86	75
Scarlatina	79	84	75	10	14	6	72	74	70	101	109	93
Hooping-cough . .	70	63	77	21	18	24	56	49	63	101	94	107
Croup	32	37	28	27	31	22	26	28	25	42	52	33
Thrush	1	1	1	–	–	1	1	1	1	1	1	1
DIARRHŒA . . .	49	53	45	17	19	15	34	35	33	77	85	69
Dysentery	22	21	22	14	18	11	16	16	16	33	31	34
Cholera	8	8	8	1	1	1	11	11	10	6	5	6
Influenza	26	22	29	77	63	88	32	26	37	9	9	10
Infantile Fever . .	4	4	3	–	–	1	4	4	4	4	5	2
TYPHUS	90	92	88	60	63	58	74	72	77	118	127	108
Metria	6	–	11	6	–	1	5	–	9	9	–	16
Erysipelas	12	12	11	11	11	11	10	11	9	15	15	14
Dropsy	45	40	69	54	55	51	41	38	43	51	42	59
Cancer	32	20	43	30	18	40	32	22	42	32	17	45
Scrofula	16	21	11	12	14	10	14	18	10	22	27	14
Tabes Mesenterica .	19	21	18	6	4	6	15	17	13	28	31	26
PHTHISIS . . .	265	269	237	195	221	171	205	199	210	364	373	356
Hydrocephalus . .	70	80	61	25	31	20	49	55	43	112	131	96
Apoplexy	38	44	32	16	23	10	35	40	30	47	57	39
Paralysis	51	51	51	46	55	39	49	48	51	55	57	52
Epilepsy	7	7	6	3	2	2	7	7	6	8	9	7
Convulsions . . .	25	30	20	10	14	6	18	22	14	39	46	33
BRONCHITIS . .	113	112	113	73	61	83	87	87	86	161	160	161
Pneumonia . . .	78	94	62	35	46	25	56	69	45	118	145	95
Teething	37	40	35	6	6	4	22	25	19	67	71	63
Enteritis	31	34	29	17	26	7	28	31	25	39	39	38
CHILD-BIRTH. .	12	–	24	17	–	31	11	–	22	13	–	25
Burns and Scalds .	11	10	12	11	4	16	11	11	11	11	10	11
Drowning	16	29	4	26	55	1	16	28	4	15	27	5
Fracture & Contusion	22	40	7	10	19	2	21	37	6	26	46	8

SUPPLEMENTAL TABLE, 1855.

Showing the Corrected Population of Scotland and its Three Great Divisions in 1855, and the Number and Corrected Proportion to that Population of the Births, Deaths, and Marriages registered in Scotland during the year 1855.

1855. Districts.	Population 1855.			Births.		Deaths.						Marriages.	
	Males.	Females.	Total.	No.	Per cent. to Pop.	Number of Deaths.			Per cent. to Pop.			No.	Per cent. to Pop.
						Male.	Fem.	Total.	Male.	Fem.	Total.		
Insular . . .	75,319	88,807	164,126	3,733	2·292	1,293	1,400	2,693	1·716	1·576	1·640	724	0·441
Mainland and Rural . .	837,290	896,969	1,734,259	53,347	3·076	15,300	15,593	30,893	1·827	1·738	1·776	10,060	0·580
Town . . .	491,482	567,907	1,059,389	36,269	3·421	14,040	14,391	28,431	2·855	2·532	2·682	8,896	0·839
Scotland . .	1,404,091	1,553,683	2,957,774	93,349	3·156	30,626	31,378	62,004	2·181	2·019	2·096	19,680	0·665

ANNUAL ABSTRACTS

OF

BIRTHS, DEATHS, AND MARRIAGES,

1856.

Births, Deaths, and Marriages registered in Scotland during the Year 1856.

	1856.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.	Excess of Births over Deaths.	Number of Statute Acres.
		1851.	1861.	Males.	Fem.	Total	Mal.	Fem	Totl	Males.	Fem.	Total.			
	SCOTLAND, - -	2,888,742	3,061,329	52239	49582	101821	4478	4217	8695	29418	29111	58529	20740	43292	20,047,462
	DIVISIONS.														
1	NORTHERN, . . .	127,035	130,518	1809	1646	3455	100	83	183	745	868	1613	706	1842	2,651,769
2	NORTH-WESTERN, .	175,735	167,180	2276	2229	4505	116	133	249	1130	1204	2334	789	2171	4,739,876
3	NORTH-EASTERN, .	348,366	366,607	5902	5503	11405	870	752	1622	2853	2961	5814	2208	5591	2,429,594
4	EAST-MIDLAND, .	514,907	523,419	8582	8220	16802	818	744	1562	4777	4885	9662	3460	7140	2,784,119
5	WEST-MIDLAND, .	242,506	242,418	3857	3685	7542	287	267	554	2112	1979	4091	1475	3451	2,678,220
6	SOUTH-WESTERN, .	881,092	1,008,080	19824	18733	38557	1387	1287	2674	11709	11217	22926	8022	15631	1,431,875
7	SOUTH-EASTERN, .	383,217	409,024	6589	6336	12925	501	524	1025	4225	4156	8381	2816	4544	1,210,788
8	SOUTHERN, . . .	215,884	214,083	3400	3230	6630	399	427	826	1867	1841	3708	1264	2922	2,121,221
	COUNTIES.														
	I. NORTHERN.														
1	Shetland, . . .	31,078	31,678	423	402	825	18	16	34	176	225	401	199	424	988,873*
2	Orkney, . . .	31,455	32,416	429	359	788	22	16	38	154	207	361	159	427	
3	Caithness, . . .	39,782	42,304	642	616	1258	51	45	96	278	296	574	250	684	455,708
4	Sutherland, . . .	24,720	24,120	315	269	584	9	6	15	137	140	277	98	307	1,207,188
	II. NORTH-WESTERN.														
5	Ross and Cromarty, .	83,781	82,301	1160	1105	2265	38	48	86	575	597	1172	388	1093	2,016,375
6	Inverness, . . .	91,954	84,879	1116	1124	2240	78	85	163	555	607	1162	401	1078	2,723,501
	III. NORTH-EASTERN.														
7	Nairn, ...	8,076	8,349	124	112	236	7	8	15	62	42	104	37	132	137,500
8	Elgin (or Moray), . .	40,862	44,215	676	642	1318	79	72	151	333	314	647	247	671	340,000
9	Banff, ...	51,023	56,040	953	862	1815	138	119	257	404	440	844	351	971	439,219
10	Aberdeen, . . .	213,466	223,154	3645	3404	7049	581	491	1072	1812	1908	3720	1375	3329	1,260,625
11	Kincardine, . . .	34,939	34,849	504	483	987	65	62	127	242	257	499	198	488	252,250
	IV. EAST-MIDLAND.														
12	Forfar, ...	193,632	206,983	3575	3409	6984	398	341	739	2162	2201	4363	1568	2621	568,750
13	Perth, ...	136,305	132,780	1961	1768	3729	195	203	398	1096	1147	2243	812	1486	1,814,063
14	Fife, ...	153,789	154,806	2570	2604	5174	176	166	342	1275	1312	2587	910	2587	322,031
15	Kinross, ...	9,626	8,729	124	115	239	13	10	23	65	71	136	55	103	49,531
16	Clackmannan, . .	21,555	20,121	352	324	676	36	24	60	179	154	333	115	343	29,744
	V. WEST-MIDLAND.														
17	Stirling, . . .	84,861	88,273	1513	1482	2995	120	116	236	814	764	1578	576	1417	295,875
18	Dumbarton, . . .	46,995	54,181	906	909	1815	64	66	130	487	458	945	377	870	189,844
19	Argyll, ...	94,042	83,776	1235	1090	2325	90	73	163	664	625	1289	422	1036	2,083,126
20	Bute, ...	16,608	16,188	203	204	407	13	12	25	147	132	279	100	128	109,375
	VI. SOUTH-WESTERN.														
21	Renfrew, . . .	157,950	168,593	3244	3037	6281	206	193	399	1946	1886	3832	1309	2449	150,000
22	Ayr, ...	189,973	199,051	3789	3534	7323	336	309	645	2065	1919	3984	1512	3339	650,156
23	Lanark, ...	533,169	640,436	12791	12162	24953	845	785	1630	7698	7412	15110	5201	9843	631,719
	VII. SOUTH-EASTERN.														
24	Linlithgow, . . .	30,032	39,245	639	675	1314	55	49	104	297	317	614	231	700	64,375
25	Edinburgh, . . .	260,051	273,965	4431	4207	8638	312	325	637	3203	3122	6325	2048	2313	254,300
26	Haddington, . . .	36,363	37,615	652	598	1250	51	67	118	323	330	653	234	597	185,937
27	Berwick, . . .	36,165	36,489	525	522	1047	48	46	94	259	268	527	179	520	309,375
28	Peebles, . . .	10,804	11,300	176	161	337	21	16	37	78	56	134	62	203	226,488
29	Selkirk, . . .	9,802	10,410	166	173	339	14	21	35	65	63	128	62	211	170,313
	VIII. SOUTHERN.														
30	Roxburgh, . . .	51,225	53,712	849	809	1658	85	77	162	435	462	897	295	761	460,938
31	Dumfries, . . .	81,962	79,503	1295	1192	2487	163	175	338	785	706	1491	473	996	722,813
32	Kirkcudbright, . .	39,308	38,830	561	556	1117	63	78	141	332	308	640	222	477	610,734
33	Wigtown, . . .	43,389	42,038	695	673	1368	88	97	185	315	365	680	274	688	326,736

* The number of Statute Acres is given on the authority of the census of 1851; but the number of acres assigned to Shetland and Orkney is unquestionably much too high in consequence of the channels lying between the islands having been included in the estimated number of acres of land. Deducting these, the land of the Orkney and Shetland Islands may be estimated at 598,726 acres, thus making the extent of Scotland 19,657,315 Statute Acres.

	Parishes or Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
	I. NORTHERN.												
	1. Shetland.												
1	Bressay, etc.—												
	(1) Bressay, . .	906	915	13	7	20	1	–	1	10	7	17	3
	(2) Burra and Quarff,	906	890	11	10	21	1	1	2	1	6	7	6
2	Delting, . . .	2124	1975	21	30	51	1	1	2	10	16	26	10
3	Dunrossness, etc.—												
	(1) Dunrossness, .	1992	2119	21	30	51	1	–	1	11	12	23	20
	(2) Sandwick and Cunningsburgh, . .	2233	2334	27	34	61	–	3	3	17	11	28	22
	(3) Fair Isle, . .	280	380	13	7	20	–	–	–	2	1	3	1
4	Fetlar, etc.—												
	(1) Fetlar, . . .	658	548	6	9	15	–	–	–	3	5	8	6
	(2) North Yell, . .	998	932	13	10	23	–	1	1	6	4	10	6
5	Lerwick, . . .	3390	3637	41	42	83	5	2	7	23	34	57	28
6	Mid and South Yell, .	1741	1784	27	20	47	2	1	3	6	16	22	8
7	Nesting, etc.—												
	(1) Nesting, . .	814	855	16	15	31	–	–	–	4	5	9	2
	(2) Lunnasting, . .	822	880	12	13	25	–	–	–	3	6	9	3
	(3) Whalsay and Skerries	784	848	15	8	23	–	–	–	5	4	9	3
8	Northmavine, . .	2534	2585	41	32	73	1	1	2	13	21	34	12
9	Sandsting and Aithsting,	2603	2670	42	32	74	2	3	5	7	12	19	17
10	Tingwall, etc.—												
	(1) Tingwall, . .	1680	1554	25	19	44	–	–	–	21	17	38	16
	(2) Whiteness & Weesdale	1194	1143	13	17	30	3	2	5	4	3	7	4
11	Unst, ...	2977	3060	29	32	61	–	–	–	15	23	38	13
12	Walls, etc.—												
	(1) Walls, . . .	1224	1364	19	16	35	–	–	–	7	7	14	15
	(2) Sandness, . .	619	606	9	9	18	1	1	2	5	9	14	–
	(3) Papa-Stour, . .	359	366	6	7	13	–	–	–	3	5	8	–
	(4) Foula, . . .	240	233	3	3	6	–	–	–	–	1	1	4
			Total,	423	402	825	18	16	34	176	225	401	199
	2. Orkney.												
13	Birsay, ...	1749	1774	23	22	45	1	1	2	7	14	21	12
14	Deerness, . . .	786	813	13	11	24	1	–	1	1	7	8	3
15	Eday and Pharay, .	1016	979	13	13	26	–	–	–	6	3	9	5
16	Evie and Rendall, .	1446	1408	16	10	26	1	1	2	4	8	12	4
17	Firth and Stennes, .	1327	1493	20	12	32	–	1	1	6	8	14	8
18	Harray, . . .	750	819	11	7	18	–	–	–	4	5	9	3
19	Holm and Paplay, .	749	834	5	6	11	–	–	–	1	1	2	–
20	Hoy and Græmsay, .	615	556	7	6	13	–	–	–	6	5	11	–
21	Kirkwall and St Ola (incl. Burgh), . .	3990	4427	65	39	104	8	1	9	20	38	58	31
22	North Ronaldshay, .	526	531	6	5	11	–	–	–	6	1	7	4
23	Orphir, . . .	1157	1133	20	16	36	1	1	2	7	13	20	4
24	Rousay and Egilsay, .	1215	1152	22	9	31	1	–	1	4	4	8	7
25	St Andrews, . .	926	868	8	5	13	–	–	–	6	5	11	3
26	Sanday, . . .	2004	2145	31	27	58	1	2	3	12	11	23	10
27	Sandwick, . . .	1107	1226	15	16	31	–	1	1	7	8	15	3
28	Shapinshay, . . .	899	973	15	12	27	–	–	–	3	6	9	3
29	South Ronaldshay and Burray, . . .	3086	3282	42	46	88	2	5	7	19	18	37	19
30	Stromness, . . .	2770	2551	21	21	42	3	1	4	10	18	28	15
31	Stronsay, . . .	1211	1228	22	20	42	–	1	1	7	8	15	5

	Parishes or Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
32	Walls and Flotta, . .	1667	1679	17	26	43	1	1	2	7	7	14	3
33	Westray & Papa-Westray,	2459	2545	37	30	67	2	–	2	11	19	30	17
			Total,	429	359	788	22	16	38	154	207	361	159
	3. Caithness.												
34	Bower, ...	1658	1743	21	22	43	1	–	1	7	13	20	13
35	Canisbay, . . .	2437	2832	25	36	61	3	1	4	15	15	30	14
36	Dunnet, . . .	1868	1861	37	28	65	1	3	4	12	18	30	11
37	Halkirk, . . .	2918	2874	46	29	75	1	2	3	18	14	32	19
38	Latheron, . . .	8224	8566	134	129	263	19	10	29	50	59	109	53
39	Olrig, ...	1873	2059	31	25	56	1	1	2	7	10	17	9
40	Reay, ...	2506	2474	27	28	55	2	1	3	15	16	31	8
41	Thurso, . . .	5096	5563	78	84	162	5	8	13	42	45	87	29
42	Watten, . . .	1351	1491	22	20	42	–	–	–	6	7	13	14
43	Wick—												
	(1) Burgh of Wick, .	6722	7505	134	144	278	9	12	21	60	63	123	58
	(2) Landward, . .	5129	5336	87	71	158	9	7	16	46	36	82	22
			Total,	642	616	1258	51	45	96	278	296	574	250
	4. Sutherland.												
44	Assynt—												
	(1) Kirkton, . .	c. 1600	549	7	5	12	–	–	–	2	2	4	3
	(2) Stoer, . . .	c. 1389	2631	41	25	66	1	1	2	6	9	15	9
45	Clyne, ...	1933	1886	35	19	54	1	–	1	12	17	29	11
46	Criech—												
	(1) Bonar, . . .	c. 1714	1980	24	12	36	–	–	–	9	10	19	12
	(2) Rosehall, . .	c. 1000	539	8	12	20	1	–	1	7	6	13	2
47	Dornoch (incl. Burgh),	2981	2885	43	26	69	2	–	2	19	13	32	12
48	Durness, . . .	1152	1076	8	13	21	–	1	1	6	6	12	6
49	Eddrachillis—												
	(1) Scourie, . .	c. 900	731	15	3	18	–	–	–	8	5	13	4
	(2) Kinlochbervie, .	c. 676	909	16	12	28	–	–	–	3	5	8	4
50	Farr—												
	(1) Kirkton, . .	c. 1203	1251	13	17	30	–	1	1	7	9	16	2
	(2) Strathy, . .	c. 1000	852	2	11	13	–	1	1	1	6	7	3
51	Golspie, . . .	1529	1615	18	32	50	–	–	–	2	11	13	6
52	Kildonan, . . .	2288	2127	32	29	61	2	1	3	27	17	44	8
53	Lairg, ...	1162	961	7	5	12	1	1	2	8	4	12	2
54	Loth, ...	640	615	8	5	13	–	–	–	3	4	7	2
55	Rogart, ...	1535	1439	10	11	21	1	–	1	9	8	17	8
56	Tongue, ...	2018	2074	28	32	60	–	–	–	8	8	16	4
			Total,	315	269	584	9	6	15	137	140	277	98
	II. NORTH-WESTERN.												
	5. Ross and Cromarty.												
	Mainland.												
57	Alness, . . .	1240	1178	15	14	29	1	1	2	6	5	11	6
58	Applecross, . . .	2709	2545	28	31	59	2	1	3	14	23	37	12
59	Avoch, ...	2029	1788	28	27	55	–	1	1	15	18	33	5
60	Contin, . . .	1562	1509	16	29	45	–	–	–	5	2	7	6
61	Cromarty (incl. Burgh),	2727	2201	41	37	78	1	4	5	22	29	51	15
62	Dingwall (incl. Burgh),	2364	2412	26	27	53	1	3	4	16	14	30	3
63	Edderton, . . .	890	836	7	16	23	–	3	3	6	4	10	4
64	Fearn, ...	2122	2083	39	32	71	–	–	–	18	14	32	10
65	Fodderty, . . .	2342	2246	32	22	54	3	3	6	23	22	45	12
66	Gairloch, . . .	5162	5444	73	58	131	1	1	2	37	32	69	23
67	Glenshiel, . . .	573	484	4	7	11	1	1	2	4	2	6	2

	Parishes or Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
68	Killearnan,	1794	1460	22	13	35	3	1	4	10	21	31	11
69	Kilmuir-Easter,	1437	1286	15	18	33	1	2	3	7	12	19	2
70	Kiltearn,	1538	1634	20	14	34	1	2	3	15	14	29	7
71	Kincardine,	1896	1746	21	30	51	2	2	4	10	12	22	8
72	Kintail,	1009	896	7	4	11	–	1	1	5	5	10	1
73	Knockbain,	3005	2485	35	31	66	3	3	6	18	15	33	13
74	Lochalsh,	2299	2412	34	31	65	2	1	3	13	10	23	17
75	Lochbroom & Coigach,	4813	4860	81	61	142	3	2	5	41	33	74	23
76	Lochcarron,	1612	1600	27	14	41	1	–	1	12	8	20	10
77	Logie-Easter,	965	932	15	12	27	–	–	–	7	8	15	7
78	Nigg,	1457	1253	11	10	21	–	–	–	6	9	15	4
79	Resolis,	1551	1567	22	18	40	–	2	2	8	14	22	12
80	Rosemarkie (incl. Burgh of Fortrose),	1776	1545	17	19	36	–	1	1	10	17	27	7
81	Rosskeen,	3699	3775	39	57	96	2	5	7	25	25	50	19
82	Tain (incl. Burgh),	3574	3294	36	32	68	2	2	4	21	21	42	13
83	Tarbat,	2151	2268	34	42	76	1	–	1	12	20	32	7
84	Urquhart & Logie-Wester,	3153	3146	39	39	78	2	2	4	25	23	48	11
85	Urray,	2621	2355	28	39	67	–	2	2	16	17	33	13
	Insular.												
86	Barvas,	4189	4609	76	72	148	1	–	1	26	38	64	23
87	Lochs,	4256	4948	81	84	165	1	–	1	33	31	64	12
88	Stornoway,	8057	8664	142	127	269	2	2	4	66	55	121	51
89	Uig,	3209	2840	49	38	87	1	–	1	23	24	47	19
			Total,	1160	1105	2265	38	48	86	575	597	1172	388
	6. Inverness.												
	Mainland.												
90	Alvie,	914	833	13	9	22	2	2	4	5	3	8	4
91	Ardersier (incl. Fort-George),	1337	1239	23	33	56	1	1	2	15	14	29	15
92	Boleskine & Abertarff—												
	(1) Boleskine,	806	813	12	10	22	1	1	2	3	3	6	3
	(2) Fort-Augustus or Abertarff,	1200	941	9	13	22	1	–	1	3	4	7	2
93	Cromdale and Inverallan,	3990	3942	56	55	111	4	7	11	40	31	71	10
94	Croy and Dalcross,	1777	1871	20	21	41	2	4	6	15	18	33	2
95	Daviot and Dunlichty,	1857	1740	27	23	50	2	–	2	5	12	17	16
96	Dores,	1650	1506	16	16	32	–	–	–	9	13	22	4
97	Glenelg—												
	(1) Glenelg,	996	800	12	10	22	2	–	2	4	5	9	9
	(2) Knoydart,	935	574	5	8	13	–	1	1	5	5	10	–
	(3) North Morar,	539	469	8	8	16	–	–	–	4	6	10	5
98	Inverness (incl. Burgh),	16496	16149	222	213	435	17	20	37	119	133	252	94
99	Kilmonivaig—												
	(1) Glengarry,	c. 750	615	6	4	10	–	–	–	4	2	6	4
	(2) Lochaber,	c. 1833	1649	20	21	41	2	–	2	12	11	23	8
100	Kilmorack,	3007	2850	34	24	58	2	1	3	15	19	34	10
101	Kiltarlity,	2965	2841	31	45	76	2	4	6	7	18	25	8
102	Kingussie and Insh,	2201	2034	30	28	58	2	2	4	11	15	26	9
103	Kirkhill,	1730	1757	11	24	35	2	1	3	13	11	24	2
104	Laggan,	1223	987	15	14	29	–	1	1	4	8	12	4
105	Moy and Dalarossie,	1018	1026	10	15	25	–	–	–	–	4	4	–
106	Petty,	1784	1674	24	19	43	2	2	4	7	8	15	7
107	Urquhart, etc.—												
	(1) Urquhart,	c. 2580	2299	23	33	56	2	–	2	10	22	32	15
	(2) Glenmoriston,	c. 700	617	7	9	16	1	–	1	1	3	4	3

	Parishes or Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
	Insular.												
108	Barra, ...	1873	1858	26	31	57	3	3	6	8	14	22	5
109	Bracadale, . . .	1597	1335	12	20	32	2	1	3	7	12	19	5
110	Duirinish, . . .	5330	4769	72	53	125	2	2	4	33	23	56	15
111	Harris—												
	(1) Harris, . . .	3773	3842	60	66	126	5	5	10	20	24	44	12
	(2) Bernera, . .	477	336	6	6	12	1	1	2	5	1	6	2
112	Kilmuir—												
	(1) Kilmuir, . .	c. 1950	1555	13	21	34	–	2	2	11	9	20	13
	(2) Stenscholl, . .	c. 1227	1311	21	19	40	2	3	5	6	5	11	2
113	North Uist, . . .	3918	3968	50	50	100	3	2	5	22	28	50	20
114	Portree and Rasay, .	3557	3160	35	34	69	5	1	6	24	25	49	16
115	Sleat, ...	2531	2326	41	26	67	2	1	3	14	11	25	16
116	Small Isles, . . .	916	567	10	8	18	1	–	1	2	5	7	5
117	Snizort, ...	3101	2613	20	33	53	2	3	5	14	22	36	16
118	South Uist (Benbecula, Howmore, & Boisdale),	6173	5353	77	56	133	2	5	7	58	42	100	33
119	Strath, ...	3243	2660	39	46	85	1	9	10	20	18	38	7
	——		Total,	1116	1124	2240	78	85	163	555	607	1162	401
	III. NORTH-EASTERN.												
	7. Nairn.												
120	Ardclach, . . .	1278	1330	15	11	26	–	–	–	9	5	14	7
121	Auldearn, . . .	1480	1328	17	17	34	1	1	2	4	8	12	6
122	Cawdor, ...	1202	1203	13	11	24	–	–	–	5	5	10	4
123	Nairn (incl. Burgh), .	4116	4488	79	73	152	6	7	13	44	24	68	20
			Total,	124	112	236	7	8	15	62	42	104	37
	8. Elgin (or Moray).												
124	Abernethy & Kincardine,	1871	1928	27	22	49	8	5	13	16	14	30	12
125	Alves, ...	919	1010	21	12	33	1	–	1	7	7	14	6
126	Bellie, ...	c. 2025	1967	25	16	41	2	1	3	16	18	34	11
127	Birnie, ...	427	411	3	–	3	–	–	–	1	1	2	4
128	Boharm, ...	1368	1412	26	21	47	6	2	8	6	9	15	7
129	Dallas, ...	1226	1102	20	16	36	4	–	4	13	8	21	4
130	Drainy, ...	1856	3028	57	50	107	1	3	4	11	21	32	17
131	Duffus, ...	2983	3308	59	69	128	2	6	8	28	26	54	24
132	Duthil, etc.—												
	(1) Duthil, . . .	c. 1363	1606	24	19	43	1	2	3	8	4	12	9
	(2) Rothiemurchus, .	c. 425	319	5	5	10	2	2	4	–	1	1	–
133	Dyke, ...	1369	1247	11	16	27	1	1	2	9	8	17	9
134	Edinkillie, . . .	1343	1303	17	21	38	6	1	7	8	7	15	8
135	Elgin (incl. Burgh), .	8231	9866	107	108	215	12	13	25	69	63	132	51
136	New Spynie, . . .	445	518	56	38	94	7	6	13	16	13	29	11
137	Forres (incl. Burgh), .	4069	4112	52	56	108	9	13	22	30	41	71	20
138	Kinloss, ...	1370	1315	26	15	41	3	–	3	20	8	28	6
139	Knockando, . . .	1771	1736	23	26	49	4	3	7	13	8	21	9
140	Rafford, ...	1020	1055	19	20	39	–	3	3	14	6	20	6
141	Rothes, ...	2022	2407	30	34	64	5	1	6	19	16	35	10
142	St Andrews Lhanbryde (Landward), . .	1208	1344	14	21	35	1	2	3	3	10	13	4
143	Speymouth, . . .	685	694	14	14	28	1	1	2	6	4	10	7
144	Urquhart, . . .	2544	2527	40	43	83	3	7	10	20	21	41	12
			Total,	676	642	1318	79	72	151	333	314	647	247

	Parishes or Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
	9. Banff.												
145	Aberlour,	1447	1665	24	22	46	4	4	8	13	15	28	11
146	Alvah,	1402	1467	19	15	34	5	3	8	5	6	11	5
147	Banff—												
	(1) Burgh,	6000	6785	111	110	221	16	12	28	41	62	103	33
	(2) Landward,	953	949	16	13	29	3	2	5	4	6	10	11
148	Botriphnie,	713	867	10	13	23	3	2	5	2	5	7	3
149	Boyndie,	1564	1711	28	32	60	2	2	4	9	21	30	12
150	Cullen (Burgh),	1697	1818	33	38	71	3	2	5	19	13	32	11
151	Deskford,	917	1031	22	15	37	4	2	6	4	8	12	7
152	Enzie,	1994	2063	39	36	75	4	7	11	22	10	32	15
153	Fordyce,	3807	4145	66	82	148	11	19	30	23	37	60	35
154	Forglen,	695	783	10	11	21	3	–	3	4	5	9	4
155	Gamrie (Landward),	2758	3024	64	47	111	10	7	17	15	21	36	20
156	Grange,	1851	1909	32	27	59	6	2	8	10	16	26	16
157	Inveravon—												
	(1) Inveravon,	2714	868	10	12	22	–	2	2	8	3	11	3
	(2) Auchbreck,		1791	18	18	36	5	6	11	11	13	24	11
158	Inverkeithny,	835	880	16	18	34	2	2	4	6	6	12	3
159	Keith,	4986	5942	100	87	187	11	13	24	54	51	105	22
160	Kirkmichael, etc.—												
	(1) Kirkmichael,	1558	551	6	5	11	1	–	1	4	3	7	4
	(2) Tomintoul,		960	23	10	33	3	–	3	11	5	16	2
161	Marnoch,	2994	3290	62	42	104	6	5	21	28	34	62	16
162	Mortlach,	2804	3095	42	49	91	7	10	17	20	28	48	26
163	Ordiquhill,	644	764	14	13	27	2	4	6	4	7	11	4
164	Rathven,	?	4935	98	88	186	8	7	15	49	43	92	46
165	Rothiemay,	1413	1414	17	19	36	5	–	5	16	14	30	13
166	St Fergus,	1597	1608	30	19	49	3	4	7	13	6	19	5
167	Seafield,	?	1725	43	21	64	1	2	3	9	2	11	13
			Total,	953	862	1815	138	119	257	404	440	844	351
	10. Aberdeen.												
168	Aberdeen (Burgh)—												
	(1) St Nicholas,	41470	41937	750	735	1485	124	104	228	521	526	1047	292
	(2) Old Machar,	30503	31939	455	446	901	60	52	112	274	335	609	173
	(3) Landward,	1254	1298	13	15	28	2	2	4	4	4	8	4
169	Aberdour,	1857	1996	33	28	61	9	–	9	7	15	22	11
170	Aboyne,	1108	1159	11	13	24	1	5	6	3	4	7	7
171	Alford,	1143	1264	18	22	40	6	3	9	6	5	11	13
172	Auchindoir,	1369	1593	35	19	54	6	2	8	14	6	20	10
173	Auchterless,	1837	2010	34	35	69	4	3	7	18	13	31	15
174	Belhelvie,	1692	1807	34	22	56	2	2	4	9	16	25	9
175	Birse,	1533	1290	14	17	31	2	3	5	–	3	3	6
176	Bourtie,	529	547	8	8	16	–	2	2	4	–	4	5
177	Cabrach,	750	793	10	8	18	4	2	6	4	6	10	4
178	Cairney,	1565	1490	19	23	42	5	6	11	19	8	27	11
179	Chapel of Garioch,	2102	2023	27	23	50	1	7	8	11	11	22	18
180	Clatt,	543	511	7	6	13	2	–	2	–	1	1	3
181	Cluny,	1149	1254	20	20	40	4	4	8	9	15	24	9
182	Coull,	734	792	11	13	24	3	4	7	6	5	11	5
183	Crathie and Braemar,	1788	1486	27	26	53	4	2	6	10	8	18	9
184	Crimond,	893	888	9	14	23	1	1	2	5	3	8	6
185	Cruden,	2479	2741	40	31	71	7	4	11	28	10	38	17
186	Culsamond,	1042	1165	13	19	32	1	2	3	3	7	10	13
187	Daviot,	601	614	6	13	19	–	1	1	3	9	12	4
188	Drumblade,	949	926	15	10	25	6	2	8	3	9	12	10
189	Drumoak,	948	996	12	16	28	1	1	2	7	7	14	5
190	Dyce,	470	585	7	5	12	–	–	–	2	6	8	2
191	Echt,	1206	1287	11	9	20	3	2	5	14	7	21	7

	Parishes or Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
192	Ellon,	3324	3913	64	43	107	9	9	18	33	25	58	20
193	Fintray,	1080	1003	9	22	31	1	1	2	8	14	22	12
194	Forgue,	2626	2687	29	50	79	8	9	17	21	21	42	21
195	Foveran,	1638	1884	26	33	59	1	6	7	10	14	24	5
196	Fraserburgh,	4447	4505	91	94	185	7	10	17	25	40	65	30
197	Fyvie,	3927	4344	82	74	156	13	12	25	34	29	63	37
198	Gartly,	990	1029	20	10	30	5	1	6	4	5	9	5
199	Glass,	972	1049	15	14	29	3	–	3	7	8	15	9
200	Glenbucket,	542	552	7	8	15	–	2	2	1	4	5	3
201	Glenmuick, Tullich, and Glengairn,	1984	1670	21	23	44	5	3	8	12	18	30	10
202	Huntly,	4061	4329	75	78	153	17	18	35	38	40	78	31
203	Insch,	1519	1565	39	22	61	7	5	12	13	8	21	6
204	Inverury (incl. Burgh).	2829	2956	47	45	92	8	6	14	32	21	53	20
205	Keig,	772	811	11	12	23	1	2	3	5	7	12	5
206	Keith-hall,	920	933	16	14	30	1	2	3	3	7	10	7
207	Kemnay,	680	832	10	8	18	1	1	2	4	5	9	3
208	Kildrummy,	643	590	9	8	17	2	1	3	5	5	10	2
209	Kincardine O'Neil,	2098	2187	32	32	64	9	2	11	18	14	32	12
210	King-Edward,	2749	2843	49	41	90	10	14	24	12	18	30	13
211	Kinnellar,	590	691	7	6	13	1	–	1	3	2	5	1
212	Kinnethmont,	1108	1187	30	18	48	7	1	8	8	10	18	5
213	Kintore (part of)—(incl. Burgh),	c. 1162	1607	33	24	57	3	3	6	12	15	27	11
214	Leochel-Cushnie,	1068	1172	13	17	30	5	6	11	6	2	8	8
215	Leslie,	559	577	13	4	17	1	–	1	3	4	7	3
216	Logie-Buchan,	724	762	12	15	27	1	2	3	3	4	7	2
217	Logie-Coldstone,	889	932	12	19	31	3	4	7	9	10	19	8
218	Longside,	2952	3008	49	39	88	4	4	8	19	20	39	20
219	Lonmay,	1964	2142	29	33	62	5	5	10	8	11	19	18
220	Lumphanan,	1088	1252	24	12	36	6	–	6	11	8	19	6
221	Methlic,	1997	2157	43	26	69	9	1	10	14	12	26	15
222	Midmar,	1166	1091	16	25	41	2	6	8	13	7	20	7
223	Monquhitter,	2295	2580	40	37	77	7	8	15	17	22	39	17
224	Monymusk,	940	988	12	14	26	1	1	2	6	2	8	–
225	New Deer,	3973	4385	78	54	132	13	7	20	23	32	55	19
226	Newhills,	3325	3463	53	47	100	5	4	9	34	22	56	30
227	New Machar,	1298	1556	25	18	43	5	2	7	13	12	25	13
228	Old Deer,	4743	5174	69	70	139	8	10	18	39	42	81	25
229	Old Meldrum,	2002	2343	40	36	76	8	3	11	23	28	51	10
230	Oyne,	919	1127	24	21	45	–	3	3	11	7	18	5
231	Peterculter,	1351	1410	27	20	47	8	6	14	11	12	23	5
232	Peterhead—												
	(1) Burgh,	7298	9761	153	135	288	14	5	19	55	75	130	46
	(2) Landward,	2131		31	39	70	4	8	12	9	12	21	12
233	Pitsligo,	1801	1860	46	30	76	8	3	11	14	12	26	15
234	Premnay,	793	916	17	13	30	3	2	5	7	10	17	8
235	Rathen,	2368	2554	51	50	101	6	5	11	14	20	34	13
236	Rayne,	1550	1512	24	26	50	6	4	10	9	4	13	9
237	Rhynie,	1017	1061	16	20	36	3	8	11	9	10	19	8
238	Skene,	1862	1831	30	25	55	5	3	8	12	10	22	9
239	Slains,	1232	1266	13	16	29	2	2	4	6	4	10	7
240	Strathdon,	1531	1459	22	13	35	4	5	9	14	12	26	10
241	Strichen,	2283	2472	49	47	96	8	8	16	26	17	43	12
242	Tarland,	1197	1246	20	17	37	3	2	5	6	10	16	7
243	Tarves,	2469	2509	42	31	73	9	7	16	16	19	35	10
244	Tough,	891	874	17	11	28	4	1	5	2	5	7	5
245	Towie,	758	839	11	12	23	1	4	5	3	5	8	6
246	Tullynessle and Forbes,	930	957	16	10	26	3	1	4	4	3	7	3

	Parishes or Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
247	Turriff, ...	3584	3692	63	53	116	7	14	21	23	26	49	15
248	Tyrie, ...	2830	3043	56	56	112	17	9	26	17	21	38	28
249	Udny, ...	1513	1625	28	18	46	6	4	10	11	7	18	5
			Total,	3645	3404	7049	581	491	1072	1812	1908	3720	137
	11. Kincardine.												
250	Arbuthnot, . . .	1002	932	13	11	24	3	1	4	7	8	15	8
251	Banchory-Devenick, .	3073	2919	42	51	93	2	6	8	23	20	43	16
252	Banchory-Ternan, .	2462	2947	42	34	76	11	7	18	22	19	41	9
253	Benholm, . . .	1641	1574	22	19	41	3	1	4	20	19	39	6
254	Bervie (or Inverbervie)—(incl. Burgh), . .	1459	1561	18	20	38	2	4	6	11	22	33	15
255	Dunnottar, . .	1949	1828	27	26	53	1	3	4	9	22	31	17
256	Durris, ...	962	1109	21	17	38	3	2	5	8	7	15	2
257	Fettercairn, . . .	1741	1700	16	31	47	3	4	7	8	7	15	15
258	Fetteresso—(Fetteresso and Cookney), . .	5720	5527	84	67	151	9	7	16	42	46	88	26
259	Fourdoun, . . .	2386	2297	27	28	55	3	4	7	14	22	36	12
260	Garvock, . . .	457	458	6	4	10	–	–	–	4	1	5	2
261	Glenbervie, . . .	1239	1219	11	12	23	1	2	3	9	7	16	10
262	Kinneff and Catterline, .	1069	1054	24	10	34	–	2	2	10	3	13	4
263	Laurencekirk, . .	2125	2110	39	29	68	12	3	15	7	15	22	13
264	Maryculter, . . .	1055	1055	17	13	30	2	2	4	7	5	12	6
265	Marykirk, . . .	2232	2068	34	33	67	4	6	10	7	14	21	13
266	Nigg, ...	1841	2069	31	40	71	3	4	7	19	10	29	8
267	St Cyrus, . . .	1579	1552	20	23	43	1	2	3	8	4	12	6
268	Strachan, . . .	947	870	10	15	25	2	2	4	7	6	13	10
			Total,	504	483	987	65	62	127	242	257	499	198
	IV. EAST-MIDLAND.												
	12. Forfar.												
269	Aberlemno, . . .	1116	1054	18	19	37	4	1	5	6	6	12	7
270	Airlie, ...	856	845	16	11	27	1	2	3	13	4	17	6
271	Arbirlot, . . .	990	960	13	19	32	1	–	1	3	9	12	10
272	Arbroath (incl. Burgh),	17238	17829	337	285	622	39	19	58	176	178	354	148
273	Auchterhouse, . .	686	706	7	13	20	–	3	3	1	6	7	4
274	Barry, ...	2175	2466	28	26	54	3	2	5	15	16	31	18
275	Brechin (incl. Burgh),	8210	8811	154	134	288	23	21	44	69	85	154	61
276	Carmylie, . . .	1240	1286	16	18	34	–	1	1	3	11	14	14
277	Careston, . . .	207	225	2	3	5	–	1	1	1	2	3	2
278	Cortachy and Clova, .	722	653	14	9	23	1	2	3	6	4	10	3
279	Coupar-Angus (part of),	2685	2929	54	45	99	4	4	8	24	29	53	15
280	Craig (Landward), .	1780	1966	51	31	82	2	–	2	10	12	22	11
281	Dun (Landward), .	522	552	9	6	15	–	2	2	3	2	5	3
282	Dundee (Burgh)—												
	(1) First District (incl. Landward of Dundee),	c. 39561	44015	833	795	1628	54	58	112	521	502	1023	394
	(2) Second District, .	c. 34766	40821	768	744	1512	97	83	180	620	660	1280	384
	(3) Third (or Lochee) Dis.	c. 5700	6789	114	123	237	17	18	35	60	83	143	37
283	Dunnichen, . . .	1884	1932	18	21	39	1	3	4	10	14	24	15
284	Eassie and Nevay, .	706	748	14	9	23	1	1	2	2	3	5	4
285	Edzell, ...	1084	1025	13	10	23	2	1	3	8	6	14	8
286	Farnell, ...	650	703	9	7	16	1	1	2	5	3	8	2
287	Fearn, ...	392	439	10	5	15	–	–	–	3	1	4	2
288	Forfar (incl. Burgh),	11009	10839	182	184	366	33	25	58	117	88	205	69
289	Glammis, . . .	2152	1980	25	28	53	5	4	9	18	14	32	12

	Parishes or Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
290	Glenisla,	1050	998	14	11	25	1	–	1	12	4	16	5
291	Guthrie,	469	476	6	4	10	2	1	3	3	1	4	–
292	Inverarity,	948	961	17	18	35	3	2	5	2	11	13	7
293	Inverkeillor,	1871	1792	41	39	80	4	3	7	11	10	21	12
294	Kettins,	995	962	11	12	23	1	3	4	1	6	7	6
295	Kingoldrum,	429	475	7	4	11	2	1	3	5	–	5	5
296	Kinnell,	826	816	15	16	31	2	–	2	3	6	9	6
297	Kinnettles,	460	447	3	7	10	1	–	1	4	3	7	4
298	Kirkden,	1763	1862	30	31	61	4	2	6	20	16	36	11
299	Kirriemuir,	7617	7358	114	111	225	27	21	48	75	58	133	35
300	Lethnott and Navar,	408	446	9	7	16	–	1	1	2	2	4	4
301	Liff, Benvie, and Invergowrie (Landward),	1467	1430	19	23	42	2	2	4	10	8	18	6
302	Lintrathen,	926	898	8	18	26	–	5	5	6	7	13	5
303	Lochlee,	615	495	6	5	11	2	2	4	7	1	8	3
304	Logie-Pert,	1609	1483	18	28	46	2	1	3	6	10	16	3
305	Lunan,	279	259	2	4	6	–	1	1	1	1	2	2
306	Lundie,	450	442	9	5	14	2	–	2	2	1	3	3
307	Mains, etc.—												
	(1) Mains,	1299	1392	18	20	38	–	2	2	11	9	20	4
	(2) Strathmartine,	735	790	11	11	22	–	1	1	7	4	11	6
308	Marytown,	366	417	7	7	14	1	1	2	4	3	7	3
309	Menmuir,	693	796	11	13	24	–	1	1	4	5	9	6
310	Monifieth,	4267	5049	91	79	170	3	5	8	31	49	80	26
311	Monikie,	1317	1460	17	20	37	2	–	2	7	6	13	5
312	Montrose (incl. part of Burgh),	16037	15875	252	216	468	32	21	53	158	181	339	109
313	Murroes,	643	763	12	12	24	1	2	3	7	7	14	5
314	Newtyle,	1141	1137	17	20	37	2	1	3	9	10	19	7
315	Oathlaw,	424	399	1	3	4	–	–	–	3	2	5	2
316	Panbride,	1372	1299	21	22	43	1	1	2	12	8	20	6
317	Rescobie,	711	746	8	9	17	–	–	–	5	2	7	7
318	Ruthven,	503	265	6	3	9	–	–	–	2	2	4	1
319	St Vigeans (Landward),	2591	2555	35	45	80	3	3	6	19	13	32	21
320	Stracathro,	505	546	6	10	16	1	2	3	2	4	6	5
321	Tannadice,	1517	1438	20	20	40	7	3	10	9	7	16	7
322	Tealing,	844	883	8	11	19	1	1	2	8	6	14	2
			Total,	3575	3409	6984	398	341	739	2162	2201	4363	1568
	13. Perth.												
323	Aberdalgie,	343	295	6	1	7	–	–	–	2	1	3	3
324	Aberfeldy,	c. 2200	2412	25	36	61	2	2	4	11	23	34	8
325	Aberfoyle,	514	564	6	7	13	1	3	4	6	7	13	–
326	Abernethy,	2026	1957	26	33	59	4	2	6	14	17	31	5
327	Abernyte,	275	310	5	6	11	–	–	–	2	3	5	2
328	Alyth (part of),	3152	3421	49	39	88	6	7	13	23	26	49	17
329	Auchterarder,	4160	4198	64	56	120	8	5	13	48	27	75	23
330	Auchtergaven,	3232	2562	45	38	83	3	7	10	13	21	34	19
331	Balquhidder,	874	746	13	11	24	1	1	2	7	6	13	1
332	Bendochy (part of),	773	769	9	8	17	–	–	–	2	9	11	5
333	Blackford,	2012	2084	33	33	66	3	4	7	9	15	24	9
334	Blair-Athol (part of),	?	1664	23	23	46	4	3	7	14	15	29	6
335	Blairgowrie,	4297	4654	85	69	154	9	10	19	53	50	103	25
336	Callander,	1716	1676	18	14	32	4	1	5	10	21	31	8
337	Caputh (part of),	c. 2000	1771	34	24	58	7	1	8	16	14	30	11
338	Cargill,	1629	1647	25	19	44	5	3	8	7	4	11	7
339	Clunie,	723	699	13	13	26	3	2	5	3	–	3	9
340	Collace,	581	534	11	5	16	–	–	–	5	4	9	9

	Parishes or Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
341	Comrie,	2463	2223	31	32	63	4	6	10	18	22	40	17
342	Crieff,	4504	4490	61	55	116	7	6	13	39	52	91	25
343	Culross (incl. Burgh),	1487	1423	18	23	41	1	5	6	10	12	22	14
344	Dowally,	c. 558	486	5	4	9	–	1	1	3	3	6	2
345	Dron,	394	376	5	7	12	1	1	2	1	1	2	4
346	Dull (part of),	?	1386	20	23	43	2	10	12	12	14	26	6
347	Dunbarney,	1066	1035	10	9	19	–	1	1	2	10	12	2
348	Dunblane,	3213	3096	48	36	84	6	6	12	21	25	46	12
349	Dunkeld,	c. 1141	1086	13	18	31	1	2	3	10	10	20	4
350	Dunning,	2206	2084	32	27	59	1	4	5	21	27	48	7
351	Errol,	2796	2758	54	36	90	3	5	8	18	20	38	16
352	Findo-Gask,	405	399	8	9	17	1	–	1	4	5	9	–
353	Forgandenny,	828	739	13	11	24	1	–	1	3	3	6	6
354	Forteviot,	638	595	10	6	16	1	–	1	5	4	9	5
355	Fortingall,	?	1243	16	13	29	3	1	4	7	12	19	2
356	Fowlis-Easter,	300	317	6	6	12	–	1	1	3	2	5	–
357	Fowlis-Wester (part of),	1315	1278	19	11	30	5	1	6	16	8	24	3
358	Glendevon,	128	138	3	–	3	–	–	–	–	–	–	4
359	Inchture,	745	659	11	7	18	–	–	–	4	6	10	7
360	Kenmore,	c. 1746	1515	18	17	35	2	3	5	15	8	23	8
361	Killin,	c. 2289	2090	26	24	50	5	2	7	14	18	32	13
362	Kilmadock,	3659	3312	39	49	88	4	5	9	37	43	80	17
363	Kilspindie,	684	662	9	14	23	1	1	2	6	4	10	4
364	Kincardine,	1993	1798	31	33	64	–	3	3	8	19	27	9
365	Kinclaven,	881	758	9	13	22	2	1	3	3	2	5	1
366	Kinfauns,	650	657	5	9	14	1	–	1	2	11	13	6
367	Kinloch-Rannoch,	?	1148	11	15	26	2	1	3	13	9	22	–
368	Kinnaird,	370	318	10	7	17	–	1	1	5	2	7	3
369	Kinnoull (Landward),	771	796	7	7	14	–	2	2	5	4	9	2
370	Kirkmichael & Glenshee,	1280	1224	23	17	40	2	3	5	8	8	16	9
371	Lecropt,	442	538	9	7	16	–	–	–	3	5	8	3
372	Lethendy and Kinloch (part of),	556	542	8	7	15	–	–	–	4	2	6	4
373	Little Dunkeld (part of),	2155	2093	26	16	42	2	3	5	27	11	38	13
374	Logie (Landward),	1492	3348	39	37	76	–	4	4	33	18	51	21
375	Logiealmond,	?	815	5	15	20	–	–	–	4	9	13	2
376	Logierait (part of),	?	1901	26	14	40	4	1	5	11	17	28	11
377	Longforgan,	1787	1826	28	28	56	2	2	4	12	10	22	14
378	Madderty,	593	538	7	6	13	1	1	2	4	3	7	5
379	Meigle,	973	835	7	13	20	1	1	2	3	4	7	3
380	Methven (part of),	?	2291	33	32	65	2	4	6	11	17	28	13
381	Moneydie (part of),	?	252	6	2	8	–	–	–	–	1	1	1
382	Monzie (part of),	?	460	8	8	16	1	–	1	4	3	7	6
383	Monzievaird,	790	782	11	9	20	–	1	1	2	8	10	5
384	Moulin (part of),	?	1837	18	21	39	2	3	5	12	9	21	12
385	Muckhart,	685	615	11	2	13	4	–	4	8	4	12	–
386	Muthill,	2972	2808	43	41	84	7	3	10	21	20	41	17
387	Perth—												
	(1) Burgh,	23835	25294	408	351	759	32	33	65	270	269	539	232
	(2) Landward,	835	801	11	8	19	2	1	3	5	5	10	2
388	Port of Menteith,	1419	1375	16	14	30	1	2	3	9	5	14	6
389	Rattray (part of),	2336	2261	30	32	62	6	5	11	22	15	37	9
390	Redgorton (part of),	?	1593	32	22	54	3	1	4	12	10	22	11
391	Rhynd,	338	297	1	5	6	–	2	2	–	2	2	4
392	St Madoes,	288	280	4	4	8	–	–	–	1	2	3	1
393	St Martins,	983	902	10	13	23	–	2	2	6	4	10	4
394	Scone (Landward),	2332	2153	34	33	67	4	4	8	7	26	33	17
395	Tibbermore (Landward),	1469	1182	22	17	39	2	1	3	5	7	12	5
396	Trinity-Gask,	597	488	4	6	10	1	2	3	7	4	11	2

	Parishes or Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
397	Tulliallan,	3043	2406	36	28	64	2	4	6	34	27	61	14
398	Weem (part of),	c. 242	215	7	4	11	–	–	–	1	3	4	–
			Total,	1961	1768	3729	195	203	398	1096	1147	2243	812
	14. Fife.												
399	Abbotshall (Landward),	688	808	12	10	22	1	1	2	2	3	5	–
400	Abdie (part of),	1486	1381	22	17	39	2	3	5	13	14	27	6
401	Aberdour,	1945	1874	32	28	60	3	1	4	15	10	25	9
402	Anstruther-Easter (Burgh)	1161	1179	19	17	36	–	1	1	10	16	26	4
403	Anstruther-Wester (incl. Burgh),	443	438	6	8	14	–	–	–	10	9	19	1
404	Arngask,	689	705	9	5	14	2	3	5	2	4	6	3
405	Auchterderran,	3210	3457	89	93	182	3	2	5	36	33	69	31
406	Auchtermuchty (incl. Burgh),	3704	3285	45	55	100	5	6	11	31	41	72	16
407	Auchtertool,	517	609	14	10	24	2	2	4	5	1	6	6
408	Ballingry,	568	736	21	26	47	2	–	2	11	6	17	1
409	Balmerino,	945	815	13	16	29	–	2	2	8	13	21	3
410	Beath,	1252	2390	42	54	96	5	–	5	13	11	24	7
411	Burntisland (incl. Burgh)	3158	3650	63	64	127	3	4	7	27	36	63	22
412	Cameron,	1207	1362	18	23	41	1	1	2	11	2	13	14
413	Carnbee,	1129	1157	21	22	43	1	1	2	5	6	11	5
414	Carnock,	3191	2925	71	70	141	5	2	7	26	27	53	14
415	Ceres,	2833	2723	39	43	82	2	2	4	14	20	34	10
416	Collessie,	1520	1530	20	17	37	2	1	3	14	11	25	6
417	Crail (incl. Burgh),	1903	1931	22	22	44	–	2	2	15	17	32	8
418	Criech,	386	376	3	3	6	–	–	–	1	2	3	5
419	Cults,	915	800	11	16	27	1	–	1	3	8	11	3
420	Cupar (incl. Burgh),	7427	6750	107	91	198	10	14	24	70	58	128	48
421	Dairsie,	708	638	12	10	22	1	1	2	6	6	12	7
422	Dalgetty,	1513	1550	25	25	50	1	1	2	6	15	21	13
423	Dunbog,	412	207	6	5	11	–	–	–	1	3	4	2
424	Dunfermline—												
	(1) Burgh,	13836	13504	259	237	496	10	10	20	117	116	233	132
	(2) Landward,	7851	7509	176	156	332	10	6	16	64	71	135	21
425	Dunino,	289	370	5	3	8	1	1	2	3	–	3	2
426	Dysart (incl. Burgh),	8739	8843	185	152	337	14	13	27	84	59	143	55
427	Elie,	843	825	17	11	28	1	–	1	9	7	16	3
428	Falkland (incl. Burgh),	3102	2938	50	40	90	6	3	9	25	31	56	12
429	Ferry-Port-on-Craig,	2238	1994	38	29	67	–	1	1	14	11	25	8
430	Flisk (part of),	c. 134	313	3	7	10	–	–	–	2	1	3	–
431	Forgan,	1125	1326	16	12	28	1	2	3	5	13	18	7
432	Inverkeithing (incl. Burgh)	2499	3093	56	56	112	3	4	7	26	19	45	19
433	Kemback,	956	895	2	11	13	–	–	–	7	4	11	1
434	Kennoway,	2257	2012	32	29	61	6	2	8	15	19	34	14
435	Kettle,	2601	2474	36	32	68	3	4	7	17	17	34	15
436	Kilconquhar (incl. Burgh of Earlsferry),	2489	2431	41	38	79	3	3	6	19	19	38	16
437	Kilmany,	662	656	14	7	21	–	–	–	11	5	16	4
438	Kilrenny (incl. Burgh),	2194	2534	33	42	75	2	–	2	9	18	27	19
439	Kinghorn (incl. Burgh),	2455	2344	29	32	61	–	11	11	21	27	48	15
440	Kinglassie,	1186	1266	13	27	40	2	5	7	10	4	14	5
441	Kingsbarns,	893	937	9	14	23	–	–	–	3	7	10	8
442	Kirkcaldy (incl. Burgh),	10636	11148	189	158	347	8	5	13	88	106	194	73
443	Largo,	2800	2625	42	39	81	3	2	5	16	19	35	15
444	Leslie,	3800	4332	45	60	105	9	4	13	21	26	47	15

	Parishes or Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
445	Leuchars, . . .	1991	1903	25	25	50	3	2	5	15	12	27	9
446	Logie, ...	467	410	12	6	18	1	–	1	8	4	12	4
447	Markinch, . . .	5843	5375	97	76	173	6	6	12	51	45	96	35
448	Monimail, . . .	1102	1054	16	10	26	–	–	–	9	12	21	6
449	Moonzie, . . .	198	179	2	2	4	–	1	1	1	1	2	–
450	Newburgh (incl. Burgh),	2986	2698	46	38	84	6	4	10	35	41	76	18
451	Newburn, . . .	375	374	8	7	15	–	–	–	4	5	9	4
452	Pittenweem (incl. Burgh),	1473	1710	27	28	55	–	4	4	15	14	29	8
453	St Andrews and St Leonards (incl. Burgh),	7327	7601	115	98	213	8	7	15	57	61	118	28
454	St Monance (or Abercrombie), . . .	1241	1498	28	26	54	1	–	1	8	9	17	14
455	Saline, ...	1792	1609	36	27	63	3	2	5	20	7	27	7
456	Scoonie, . . .	3115	3257	61	61	122	3	3	6	28	36	64	25
457	Strathmiglo, . . .	2509	2261	43	36	79	7	2	9	14	18	32	7
458	Torryburn, . . .	1341	1229	18	17	35	1	1	2	8	18	26	10
459	Wemyss, . . .	5647	6003	114	105	219	3	8	11	61	58	119	32
			Total,	2570	2604	5174	176	166	342	1275	1312	2587	910
	15. Kinross.												
460	Cleish, ...	659	649	12	7	19	–	–	–	5	4	9	3
461	Fossoway and Tulliebole,	1621	1584	18	21	39	2	3	5	11	11	22	6
462	Kinross, . . .	3227	2649	35	36	71	5	1	6	23	20	43	18
463	Orwell, . . .	2569	2398	37	29	66	3	2	5	17	20	37	21
464	Portmoak, . . .	1550	1449	22	22	44	3	4	7	9	16	25	7
			Total,	124	115	239	13	10	23	65	71	136	55
	16. Clackmannan.												
465	Alloa, . . .	9493	8867	150	140	290	16	5	21	93	78	171	55
466	Clackmannan, . .	5802	4424	74	80	154	6	12	18	39	32	71	28
467	Dollar, ...	1574	1776	27	26	53	4	2	6	6	12	18	7
468	Tillicoultry, . .	4686	5054	101	78	179	10	5	15	41	32	73	25
			Total,	352	324	676	36	24	60	179	154	333	115
	V. WEST-MIDLAND.												
	17. Stirling.												
469	Airth, ...	1319	1194	16	14	30	–	1	1	11	13	24	10
470	Alva, ...	3204	3282	65	57	122	8	9	17	48	34	82	12
471	Baldernock, . . .	801	718	15	9	24	2	1	3	6	2	8	1
472	Balfron, . . .	1900	1517	25	30	55	4	7	11	17	16	33	14
473	Bothkennar, . . .	1179	1565	29	21	50	–	–	–	13	15	28	15
474	Buchanan, . . .	632	705	10	8	18	–	1	1	5	4	9	8
475	Campsie, . . .	6918	6485	126	122	248	9	11	20	68	63	131	50
476	Denny, . . .	4754	4978	85	74	159	10	2	12	40	46	86	33
477	Drymen, . . .	1481	1617	22	24	46	4	5	9	8	9	17	9
478	Dunipace, . . .	1472	1731	22	22	44	2	1	3	11	8	19	5
479	Falkirk—												
	(1) Burgh, . . .	8752	9029	170	166	336	8	15	23	63	101	164	59
	(2) Landward, . .	7686	8175	142	137	279	5	6	11	78	59	137	56
480	Fintry, ...	823	686	10	7	17	2	1	3	4	4	8	4
481	Gargunnock, . . .	754	728	10	10	20	3	1	4	5	5	10	5
482	Killearn, . . .	1176	1171	17	15	32	3	2	5	4	7	11	5
483	Kilsyth, . . .	5346	6111	121	124	245	11	18	29	70	63	133	34
484	Kippen, . . .	1892	1723	23	27	50	3	5	8	16	16	32	11
485	Larbert, . . .	4606	4999	77	102	179	12	6	18	33	32	65	32

	Parishes or Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
486	Muiravonside,	2647	2662	47	54	101	1	–	1	23	15	38	20
487	Polmont,	3764	4099	74	69	143	6	3	9	39	37	76	18
488	St Ninians (Landward),	7630	6649	108	99	207	6	3	9	70	52	122	27
489	Slamannan,	1655	2916	61	62	123	–	1	1	32	17	49	17
490	Stirling (incl. Burgh),	13460	14145	212	207	419	17	16	33	138	140	278	127
491	Strathblane,	1010	1388	26	22	48	4	1	5	12	6	18	4
			Total,	1513	1482	2995	120	116	236	814	764	1578	576
	18. Dumbarton.												
492	Arrochar,	562	628	3	8	11	–	1	1	2	5	7	6
493	Bonhill,	7819	8866	138	140	278	13	12	25	60	68	128	41
494	Cardross (Landward),	3402	4168	75	85	160	8	9	17	43	56	99	38
495	Cumbernauld,	3778	3513	60	50	110	5	6	11	25	22	47	27
496	Dumbarton (Burgh),	5445	8461	181	181	362	3	5	8	82	75	157	83
497	Kilmaronock,	1033	1085	17	15	32	1	1	2	7	5	12	3
498	Kirkintilloch,	8426	8179	159	146	305	14	15	29	101	76	177	58
499	Luss,	907	831	8	13	21	–	–	–	7	7	14	4
500	New, or East, Kilpatrick,	4286	4911	106	80	186	7	4	11	40	28	68	29
501	Old, or West, Kilpatrick	5921	5577	89	108	197	9	7	16	74	75	149	56
502	Roseneath,	1044	1626	8	12	20	1	1	2	9	7	16	9
503	Row,	4372	6336	62	71	133	3	5	8	37	34	71	23
			Total,	906	909	1815	64	66	130	487	458	945	377
	19. Argyll.												
	Mainland.												
504	Ardchattan,	1525	1381	13	10	23	–	–	–	7	5	12	3
505	Ardnamurchan—												
	(1) Aharacle,	c. 2179	1544	13	22	35	1	1	2	5	7	12	13
	(2) Arisaig,	c. 1089	1332	17	11	28	–	–	–	7	9	16	5
	(3) Sunart (or Strontian)	c. 1072	759	9	5	14	1	–	1	2	7	9	4
	(4) Western District,	c. 1106	1054	19	16	35	1	1	2	5	5	10	7
506	Ballachulish and Corran of Ardgour,	c. 1250	919	18	12	30	–	–	–	9	5	14	2
507	Campbeltown (including Burgh),	9381	8158	122	119	241	7	6	13	79	71	150	60
508	Craignish,	756	618	10	7	17	–	–	–	8	6	14	2
509	Cumlodden,	?	1039	16	17	33	–	2	2	9	10	19	7
510	Dunoon and Kilmun,	4518	5458	64	67	131	2	2	4	39	40	79	27
511	Glassary,	?	1800	30	23	53	–	–	–	20	7	27	21
512	Glenorchy and Inishail,	1450	1307	20	14	34	2	2	4	10	9	19	3
513	Inveraray (incl. Burgh),	2229	1649	19	17	36	2	1	3	17	23	40	6
514	Inverchaolain,	474	426	7	8	15	–	–	–	3	2	5	–
515	Kilbrandon & Kilchattan,	2375	2043	28	27	55	–	1	1	17	18	35	10
516	Kilcalmonell, etc. (part of)												
	(1) Kilcalmonell,	c. 1170	751	11	12	23	–	–	–	6	8	14	4
	(2) Kilberry,	c. 689	586	15	6	21	2	–	2	5	3	8	1
517	Kilchrenan, etc.—												
	(1) Kilchrenan,	494	385	6	3	9	3	2	5	3	2	5	4
	(2) Dalavich,	282	230	2	2	4	1	–	1	3	–	3	.
518	Kilfinan,	1695	1890	20	30	50	1	1	2	14	8	22	8
519	Killean and Kilchenzie,	2219	1890	30	26	56	1	2	3	7	13	20	9
520	Kilmallie,	c. 3985	3347	36	46	82	4	7	11	27	27	54	13
521	Kilmartin,	1144	951	12	14	26	–	2	2	4	8	12	3
522	Kilmodan,	500	433	5	7	12	–	1	1	3	1	4	4
523	Kilmore and Kilbride—												
	(1) Burgh of Oban,	1742	2083	17	16	33	3	1	4	17	15	32	6
	(2) Landward,	1389	864	9	8	17	–	1	1	8	12	20	2

	Parishes or Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
524	Kilninver, etc.—												
	(1) Kilninver, . .	449	313	1	5	6	–	–	–	2	3	5	1
	(2) Kilmelford, . .	265	486	9	8	17	–	–	–	3	2	5	2
525	Lismore, etc.—												
	(1) Lismore, . .	*c.* 1000	1023	18	14	32	1	1	2	14	5	19	4
	(2) Appin, . . .	*c.* 1200	825	12	3	15	1	–	1	6	8	14	11
	(3) Glencoe & Ballachulish, . . .	*c.* 1447	1321	47	34	81	–	1	1	19	15	34	2
	(4) Duror, . . .	*c.* 450	426	16	7	23	1	–	1	4	3	7	–
526	Lochgilphead, . .	?	3245	47	30	77	3	1	4	20	16	36	26
527	Lochgoilhead & Kilmorich,	834	702	11	5	16	–	–	–	6	5	11	2
528	Morvern, . . .	1517	1225	17	9	26	4	1	5	15	9	24	4
529	Muckairn, . . .	788	728	12	4	16	1	–	1	6	4	10	2
530	North Knapdale, . .	1666	1327	23	24	47	2	4	6	10	8	18	5
531	Saddell, etc. (part of)—												
	(1) Saddell, . . .	*c* 786	739	14	11	25	1	–	1	4	4	8	2
	(2) Skipness, . .	*c.* 710	533	10	5	15	1	–	1	4	5	9	3
532	Southend, . . .	1406	1214	25	18	43	4	2	6	10	16	26	3
533	South Knapdale (part of),	*c.* 1631	692	13	12	25	1	–	1	6	6	12	3
534	Stralachlan, etc.—												
	(1) Stralachlan, . .	397	307	4	1	5	–	1	1	3	1	4	–
	(2) Strachur . .	518	563	5	5	10	–	–	–	4	4	8	1
535	Tarbert, . . .	*c.* 1555	1626	24	29	53	–	1	1	21	17	38	16
	Insular.												
536	Bowmore (or Kilarrow), .	3469	2700	41	28	69	9	2	11	15	29	44	14
537	Gigha, ...	547	467	9	7	16	–	–	–	4	4	8	1
538	Iona, ...	604	743	19	13	32	1	2	3	8	–	8	4
539	Jura, etc.—												
	(1) Jura, . . .	1064	853	14	13	27	2	–	2	2	7	9	5
	(2) Colonsay, . .	837	598	9	8	17	1	–	1	7	5	12	3
540	Kilchoman, . . .	2873	2372	33	36	69	2	5	7	18	16	34	12
541	Kildalton, . . .	2424	2187	23	28	51	3	4	7	18	15	33	10
542	Kilfinichen & Kilvickeon,	2450	1791	25	22	47	–	2	2	4	9	13	7
543	Kilmeny, . . .	1413	1266	27	16	43	6	3	9	15	13	28	4
544	Kilninian and Kilmore, .	3954	1641	23	22	45	3	1	4	14	11	25	8
545	Kinlochspelvie, . .	?	428	7	7	14	–	–	–	2	2	4	2
546	Oa, ...	886	769	10	11	21	1	–	1	4	4	8	3
547	Portnahaven, . . .	1269	1058	23	19	42	4	1	5	8	8	16	8
548	Salen, ...	?	604	7	7	14	1	–	1	5	7	12	3
549	Tobermory, . . .	?	1564	17	20	37	1	2	3	14	8	22	7
550	Torosay, . . .	1361	548	7	10	17	–	1	1	6	6	12	6
551	Tyree, etc.—												
	(1) Tyree, . . .	3709	3214	53	42	95	5	4	9	27	23	50	13
	(2) Coll, . . .	1109	781	12	12	24	–	1	1	2	6	8	1
			Total,	1235	1090	2325	90	73	163	664	625	1289	422
	20. Bute.												
552	Cumbraes, . . .	1275	1246	16	12	28	–	–	–	10	4	14	8
553	Kilbride (part of), . .	2533	2226	20	34	54	3	3	6	11	13	24	8
554	Kilmory (part of), . .	3414	2515	31	26	57	3	1	4	21	26	47	6
555	Kingarth, . . .	1007	905	14	9	23	–	–	–	7	6	13	5
556	Lochranza, . . .	?	824	15	12	27	–	1	1	6	2	8	2
557	North Bute, . . .	1025	1097	16	12	28	–	–	–	13	6	19	13
558	Rothesay (incl. Burgh),	7354	7375	91	99	190	7	7	14	79	75	154	58
			Total,	203	204	407	13	12	25	147	132	279	100

	Parishes or Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
	VI. SOUTH-WESTERN.												
	21. Renfrew.												
59	Abbey—												
	(1) Abbey District (Burghal) — (portion of Burgh of Paisley), .	16319	15896	306	269	575	24	15	39	203	185	388	177
	(2) Do. (Landward), .	c. 5230	5670	110	98	208	6	7	13	48	46	94	37
	(3) Johnstone District,	c. 7000	8141	186	156	342	14	10	24	103	106	209	70
60	Cathcart, . . .	2916	3782	62	42	104	2	7	9	28	22	50	31
61	Eaglesham, . . .	2524	2328	31	33	64	3	4	7	16	13	29	7
62	Eastwood, . . .	9243	11314	210	187	397	20	17	37	100	112	212	63
63	Erskine, ...	1232	1452	25	25	50	–	2	2	10	8	18	6
64	Greenock (Burgh)—												
	(1) New, or Middle, Par.	9414	9738	251	215	466	18	20	38	154	153	307	55
	(2) East Parish (includ. Landward), . .	7704	11936	280	273	553	16	9	25	152	148	300	80
	(3) Old, or West, Parish (incl. Landward), .	20318	22109	432	444	876	8	9	17	326	303	629	298
65	Houston and Killellan, .	2753	2490	37	31	68	2	3	5	26	25	51	16
66	Inchinnan, . . .	649	619	12	9	21	–	–	–	3	2	5	3
67	Innerkip—												
	(1) Innerkip, . .	c. 1000	1184	22	9	31	–	–	–	10	6	16	4
	(2) Gourock, . .	c. 2018	2277	22	30	52	4	2	6	22	28	50	11
68	Kilbarchan, . . .	5474	6348	130	96	226	7	4	11	53	60	113	37
69	Kilmalcolm, . . .	1399	1454	16	12	28	1	–	1	13	11	24	5
70	Lochwinnoch, . .	4153	3821	70	58	128	7	5	12	35	35	70	20
71	Mearns, ...	3704	3546	53	42	95	2	3	5	25	18	43	20
72	Neilston, . . .	12233	11013	178	225	403	22	22	44	118	131	249	45
73	Paisley (Burgh)—(excl. of Abbey Parish)—												
	(1) High Church, .	14643	14899	244	257	501	13	13	26	159	137	296	123
	(2) Low Church, . .	7205	6716	125	116	241	8	11	19	80	82	162	42
	(3) Middle Church, .	9904	9916	178	174	352	8	12	20	129	124	253	56
74	Port-Glasgow (includ. Burgh), . . .	7017	7294	171	161	332	16	13	29	83	91	174	82
75	Renfrew (incl. Burgh),	3898	4650	93	75	168	5	5	10	50	40	90	21
			Total,	3244	3037	6281	206	193	399	1946	1886	3832	1309
	22. Ayr.												
76	Ardrossan, . . .	5581	6775	121	122	243	6	11	17	67	48	115	56
77	Auchinleck, . . .	3697	4213	85	77	162	5	4	9	53	41	94	25
78	Ayr (incl. Burgh), . .	18840	19660	379	366	745	34	34	68	252	233	485	171
79	Ballantrae, . . .	1801	1483	28	24	52	3	3	6	12	9	21	9
80	Barr, ...	907	910	19	13	32	2	1	3	5	–	5	2
81	Beith, ...	6425	5775	103	85	188	5	9	14	57	58	115	39
82	Colmonell, . . .	2934	2588	37	41	78	7	3	10	23	22	45	17
83	Coylton, ...	1542	1604	23	27	50	2	4	6	12	12	24	14
84	Craigie, ...	793	730	14	12	26	2	1	3	6	9	15	4
85	Dailly, ...	2413	2050	31	42	73	3	5	8	10	18	28	10
86	Dalmellington, . .	2910	4194	91	90	181	10	4	14	46	25	71	24
87	Dalry, ...	8865	11157	252	213	465	10	12	22	141	134	275	70
88	Dalrymple, . . .	1096	1325	23	26	49	2	2	4	10	11	21	10
89	Dreghorn, . . .	1828	3283	48	62	110	5	5	10	19	20	39	17
90	Dundonald (Landward),	4555	4696	85	81	166	8	9	17	39	30	69	27
91	Dunlop, . . .	1115	1038	21	8	29	–	1	1	11	12	23	13
92	Fenwick, . . .	1741	1531	22	18	40	6	–	6	15	16	31	10
93	Galston, . . .	4392	5254	107	78	185	10	10	20	39	37	76	24

	Parishes or Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
594	Girvan,	8588	7053	139	140	279	22	9	31	70	84	154	75
595	Irvine (incl. Burgh),	8463	8607	149	139	288	20	12	32	88	102	190	78
596	Kilbirnie,	5484	5265	109	111	220	6	4	10	78	75	153	30
597	Kilmarnock (incl. part of Burgh),	21287	23551	488	430	918	35	42	77	311	282	593	212
598	Kilmaurs,	3144	3526	62	63	125	4	6	10	28	29	57	22
599	Kilwinning,	6359	7717	150	141	291	6	10	16	74	82	156	47
600	Kirkmichael,	3262	2823	54	52	106	9	10	19	25	17	42	22
601	Kirkoswald,	2242	2061	42	35	77	5	3	8	10	11	21	14
602	Largs,	3715	3615	49	57	106	1	4	5	34	27	61	28
603	Loudoun,	4720	4840	80	73	153	7	3	10	43	27	70	32
604	Mauchline,	2470	2301	29	33	62	1	1	2	18	25	43	14
605	Maybole,	7615	6712	147	133	280	18	16	34	73	70	143	61
606	Monkton and Prestwick,	1960	1937	18	21	39	2	5	7	14	15	29	11
607	Muirkirk,	3423	3267	87	64	151	10	10	20	25	26	51	30
608	New Cumnock,	2759	2890	46	54	100	5	3	8	18	11	29	16
609	Ochiltree,	1787	1676	25	26	51	5	5	10	10	12	22	10
610	Old Cumnock,	3777	3721	77	74	151	8	3	11	31	26	57	36
611	Riccarton (incl. part of Kilmarnock Burgh),	4583	5627	91	100	191	9	9	18	60	43	103	47
612	St Quivox and Newton-upon-Ayr (Landward),	2231	1870	53	53	106	6	5	11	19	21	40	16
613	Sorn,	4174	4042	49	64	113	1	6	7	32	36	68	28
614	Stair,	820	743	15	10	25	2	2	4	7	5	12	7
615	Stevenston,	3811	5454	144	112	256	8	13	21	74	76	150	45
616	Stewarton,	4572	4449	79	55	134	7	3	10	46	47	93	39
617	Straiton,	1540	1544	25	24	49	4	4	8	13	11	24	14
618	Symington,	902	855	18	17	35	2	1	3	7	2	9	5
619	Tarbolton,	2824	2669	38	40	78	7	2	9	24	14	38	14
620	West Kilbride,	2021	1970	37	28	65	6	–	6	16	8	24	17
			Total,	3789	3534	7323	336	309	645	2065	1919	3984	1512
	23. Lanark.												
621	Avondale,	6451	6125	107	99	206	7	13	20	71	62	133	55
622	Barony (Landward)—												
	(1) Maryhill,	c. 5701	6844	162	137	299	8	4	12	73	74	147	48
	(2) Springburn,	c. 5349	8909	198	168	366	9	3	12	179	179	358	32
	(3) Shettleston,	c. 5000	6914	134	126	260	3	4	7	79	58	137	41
623	Biggar,	2049	2000	38	32	70	3	2	5	20	23	43	15
624	Blantyre,	2848	3096	49	42	91	1	3	4	28	30	58	17
625	Bothwell—												
	(1) Bothwell,	4657	7059	126	114	240	3	4	7	80	50	130	48
	(2) Holytown,	10626	10844	316	331	647	12	8	20	131	113	244	68
626	Cadder—(1) Western Dist.	c. 2014	3023	120	98	218	9	6	15	53	44	97	25
	(2) Eastern Dist.	c. 3000	2925										
627	Cambuslang,	3306	3647	78	80	158	3	5	8	27	15	42	34
628	Cambusnethan,	8621	14602	280	274	554	21	16	37	100	115	215	89
629	Carluke,	6283	6176	158	137	295	7	6	13	62	41	103	57
630	Carmichael,	805	836	16	10	26	4	–	4	6	5	11	7
631	Carmunnock,	710	734	9	9	18	1	1	2	6	7	13	2
632	Carnwath,	3551	3584	60	49	109	7	11	18	17	28	45	22
633	Carstairs,	1066	1345	15	24	39	2	3	5	14	13	27	9
634	Covington & Thankerton,	548	532	10	11	21	1	2	3	6	6	12	3
635	Crawford—(1) Crawford,	c. 750	694	23	27	50	5	4	9	16	12	28	9
	(2) Leadhills,	c. 920	896										
636	Crawfordjohn,	1112	980	17	12	29	2	2	4	9	7	16	6
637	Culter,	472	665	8	10	18	1	2	3	2	6	8	8

	Parishes or Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
638	Dalserf—												
	(1) Larkhall,	c. 2883	3628	51	61	112	5	4	9	36	30	66	27
	(2) Dalserf,	c. 700	1247	16	13	29	–	1	1	4	6	10	3
639	Dalziel,	2262	5438	117	84	201	4	1	5	47	36	83	16
640	Dolphington,	305	260	4	2	6	–	–	–	2	1	3	2
641	Douglas,	2611	2490	39	43	82	12	2	14	29	27	56	16
642	Dunsyre,	312	312	6	2	8	1	–	1	3	2	5	–
643	East Kilbride,	3760	4062	75	54	129	4	5	9	32	22	54	12
644	Glasgow (Burgh)—												
	(1) Central District,	c. 42500	49598	961	895	1856	71	89	160	797	826	1623	505
	(2) High Church,	c. 41000	48120	950	985	1935	68	68	136	891	786	1677	445
	(3) Bridgeton,	c. 34700	45485	842	786	1628	51	49	100	473	464	937	210
	(4) Calton,	c. 37244	36624	944	902	1846	160	124	284	578	581	1159	534
	(5) Clyde,	c. 32668	30073	622	599	1221	36	41	77	517	529	1046	246
	(6) Blythswood,	c. 24581	28697	434	393	827	15	11	26	253	253	506	544
	(7) Milton,	c. 26000	33327	718	648	1366	21	25	46	330	314	644	199
	(8) Anderston,	c. 27000	40882	715	723	1438	34	23	57	407	396	803	242
	(9) Tradeston,	c. 31000	38561	701	630	1331	33	34	67	436	429	865	415
	(10) Hutchesontown,	c. 32404	44018	872	850	1722	50	46	96	511	527	1038	186
645	Glassford,	1955	1938	28	43	71	4	3	7	17	12	29	12
646	Govan (Landward)—												
	(1) Govan,	c. 8326	13726	205	206	411	7	10	17	101	97	198	73
	(2) Partick,	c. 6670	14861	268	231	499	7	8	15	115	121	236	98
647	Hamilton (incl. Burgh),	11740	14045	245	240	485	11	18	29	159	135	294	134
648	Lanark (incl. Burgh),	8243	7892	135	133	268	25	19	44	106	100	206	95
649	Lesmahagow,	7746	9266	180	172	352	20	13	33	97	78	175	59
650	Libberton,	800	836	19	20	39	2	2	4	4	2	6	7
651	New Monkland—												
	(1) Burgh of Airdrie,	14435	12918	352	371	723	23	16	39	151	165	316	166
	(2) Landward,	8766	7634	193	186	379	18	17	35	110	94	204	45
652	Old Monkland—												
	(1) Western District,	c. 5740	6931	142	137	279	4	8	12	66	59	125	30
	(2) Middle District,	c. 14201	15305	374	399	773	22	22	44	176	187	363	114
	(3) Eastern District,	c. 7392	7308	223	199	422	10	9	19	84	68	152	9
653	Pettinain,	428	407	3	6	9	1	–	1	5	1	6	3
654	Rutherglen (incl. Burgh),	7954	9332	190	139	329	5	5	10	84	89	173	77
655	Shotts,	5982	7344	147	131	278	6	6	12	58	50	108	36
656	Stonehouse,	2781	3267	59	60	119	5	3	8	32	25	57	31
657	Symington,	536	528	11	7	18	–	2	2	2	3	5	3
658	Walston,	497	480	7	4	11	–	–	–	–	5	5	2
659	Wandell and Lamington,	369	380	7	3	10	1	1	2	1	2	3	2
660	Wiston and Roberton,	839	786	12	15	27	–	1	1	5	2	7	8
	——		Total,	12791	12162	24953	845	785	1630	7698	7412	15110	5201
	VII. SOUTH-EASTERN.												
	24. Linlithgow.												
661	Abercorn,	977	965	17	11	28	1	2	3	6	10	16	5
662	Bathgate,	4533	10132	150	182	332	8	11	19	98	91	189	52
663	Borrowstounness,	5192	5900	105	101	206	4	3	7	37	50	87	38
664	Carriden,	1724	1821	37	35	72	5	4	9	12	13	25	8
665	Dalmeny (Landward),	768	965	13	12	25	1	2	3	7	4	11	6
666	Ecclesmachen,	289	309	1	8	9	–	–	–	1	1	2	–
667	Kirkliston (part of),	1471	1907	31	35	66	3	3	6	19	17	36	10
668	Linlithgow—												
	(1) Burgh,	4213	3843	61	75	136	5	8	13	38	51	89	45
	(2) Landward (St Michael's Dist.),	1902	1941	30	24	54	4	3	7	10	9	19	10

	Parishes or Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
669	Livingstone, . . .	1289	1366	21	24	45	5	3	8	7	4	11	3
670	Queensferry (Burgh), .	1195	1230	22	17	39	5	2	7	7	6	13	5
671	Torphichen, . . .	1356	1848	28	24	52	3	4	7	17	15	32	12
672	Uphall, ...	1331	1507	23	24	47	4	–	4	10	11	21	8
673	Whitburn, . . .	3792	5511	100	103	203	7	4	11	28	35	63	29
			Total,	639	675	1314	55	49	104	297	317	614	231
	25. Edinburgh.												
674	Borthwick, . . .	1614	1542	36	36	72	2	3	5	21	21	42	9
675	Carrington, . . .	710	681	8	15	23	–	2	1	4	2	6	7
676	Cockpen, . . .	3228	2900	55	54	109	4	5	9	37	24	61	16
677	Colinton, . . .	2676	2656	36	47	83	3	3	6	18	17	35	14
678	Corstorphine, . . .	1499	1573	19	17	36	1	3	4	11	8	19	2
679	Cramond, . . .	2547	2695	44	55	99	1	3	4	32	19	51	14
680	Cranston, . . .	1235	1035	14	30	44	3	3	6	9	10	19	6
681	Crichton, . . .	1387	1304	33	25	58	2	3	5	14	9	23	10
682	Currie, ...	2190	2249	37	31	68	2	3	5	18	21	39	8
683	Dalkeith, . . .	6521	7114	114	115	229	4	10	14	106	90	196	60
684	Duddingston—												
	(1) Burgh of Portobello,	3497	4366	54	46	100	3	7	10	45	37	82	37
	(2) Landward, . .	966	857	20	10	30	1	–	1	6	5	11	9
685	Edinburgh (Burgh)—												
	(1) Dean & Morningside (incl. Landward of St Cuthberts), . .	c. 23000	170421	320	303	623	9	13	22	244	289	533	215
	(2) Newington & Grange,	c. 24000		416	326	742	17	10	27	244	252	496	145
	(3) Castle & Portsburgh,	c. 28000		553	500	1053	104	101	205	294	343	637	314
	(4) St Giles, . . .	c. 30000		453	466	919	31	31	62	580	435	1015	144
	(5) Holyrood & Canongate, ...	c. 24000		412	379	791	25	17	42	301	317	618	158
	(6) Calton & Bonnington,	c. 13648		278	247	525	12	14	26	181	201	382	218
	(7) Heriot & Warriston,	c. 19000		333	303	636	8	11	19	221	241	462	156
686	Fala and Soutra, . .	434	382	3	5	8	2	1	3	2	6	8	5
687	Glencross, . . .	1138	1217	10	19	29	–	4	4	3	6	9	4
688	Heriot, ...	352	407	5	9	14	–	–	–	3	5	8	2
689	Inveresk (incl. Burgh of Musselburgh), . .	8653	9515	127	147	274	11	9	20	121	103	224	61
690	Kirknewton and East-Calder, ...	2188	1549	27	28	55	4	2	6	23	17	40	6
691	Lasswade, . . .	5821	5685	88	96	184	8	6	14	57	56	113	30
692	Leith (Burgh)—												
	(1) North Leith, . .	c. 9451	11490	177	157	334	3	4	7	121	101	222	100
	(2) South Leith (incl. Landward), . .	c. 22768	24447	410	411	821	21	22	43	302	303	605	186
693	Liberton, . . .	3528	3510	48	48	96	7	5	12	28	51	79	13
694	Mid-Calder, . . .	1474	1389	19	22	41	1	3	4	6	8	14	7
695	Newbattle, . . .	2518	2837	52	46	98	7	4	11	34	16	50	26
696	Newton, ...	1780	1553	41	21	62	2	2	4	24	16	40	9
697	Penicuik, . . .	3003	3249	55	57	112	6	7	13	30	35	65	17
698	Ratho, ...	1718	1659	28	23	51	1	3	4	21	16	37	9
699	Stow, ...	1973	2171	46	47	93	1	2	3	6	7	13	8
700	Temple, ...	1414	1385	20	29	49	3	3	6	21	10	31	6
701	West-Calder, . . .	2120	1927	40	37	77	3	6	9	15	25	40	17
			Total,	4431	4207	8638	312	325	637	3203	3122	6325	2048

	Parishes or Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
	26. Haddington.												
02	Aberlady,	1099	1018	15	14	29	1	2	3	7	6	13	5
03	Athelstaneford,	971	902	11	16	27	2	3	5	9	4	13	6
04	Bolton,	373	332	3	7	10	–	–	–	–	4	4	1
05	Dirleton,	1634	1540	22	23	45	3	2	5	14	11	25	9
06	Dunbar (incl. Burgh),	4415	4939	81	72	153	5	5	10	40	43	83	25
07	Garvald,	869	891	11	11	22	–	3	3	5	7	12	7
08	Gladsmuir,	1780	1945	47	35	82	5	4	9	20	25	45	17
09	Haddington (incl. Burgh),	5525	5548	102	74	176	7	7	14	67	62	129	61
10	Humbie,	925	997	12	15	27	–	3	3	2	4	6	3
11	Innerwick,	1012	937	16	11	27	–	1	1	5	3	8	2
12	Morham,	249	281	2	4	6	–	1	1	2	1	3	4
13	North Berwick (includ. Burgh),	1643	2068	32	32	64	2	1	3	9	14	23	12
14	Oldhamstocks,	692	615	10	10	20	–	2	2	5	4	9	4
15	Ormiston,	811	914	13	14	27	1	2	3	4	6	10	5
16	Pencaitland,	1175	1187	24	23	47	2	2	4	21	19	40	5
17	Prestonkirk,	1894	1957	26	27	53	–	3	3	20	15	35	12
18	Prestonpans,	2123	2080	50	36	86	5	2	7	20	23	43	17
19	Salton,	697	712	5	21	26	2	5	7	5	5	10	2
20	Spott,	595	556	7	6	13	–	1	1	4	1	5	–
21	Stenton,	719	692	9	11	20	3	–	3	4	7	11	3
22	Tranent,	4158	4648	104	100	204	6	12	18	43	43	86	19
23	Whitekirk & Tynninghame,	1131	1113	22	12	34	4	2	6	8	12	20	3
24	Whittinghame,	671	710	15	9	24	1	1	2	5	3	8	3
25	Yester (or Gifford),	1202	1033	13	15	28	2	3	5	4	8	12	9
			Total,	652	598	1250	51	67	118	323	330	653	234
	27. Berwick.												
26	Abbey St Bathans,	155	179	1	3	4	–	–	–	1	1	2	1
27	Ayton,	1959	2014	31	25	56	2	1	3	24	18	42	12
28	Bunkle and Preston,	715	756	6	5	11	–	–	–	1	4	5	1
29	Channelkirk,	728	671	15	10	25	3	1	4	3	1	4	5
30	Chirnside,	1384	1502	25	23	48	1	2	3	5	17	22	7
31	Cockburnspath,	1196	1194	11	12	23	1	2	3	4	6	10	13
32	Coldingham,	3188	3237	57	46	103	8	2	10	20	18	38	11
33	Coldstream,	3245	2823	39	43	82	3	3	6	38	19	57	14
34	Cranshaws,	127	134	3	3	6	–	1	1	1	–	1	1
35	Dunse,	3407	3595	54	55	109	5	6	11	27	34	61	21
36	Earlston,	1819	1825	26	29	55	2	3	5	6	7	13	15
37	Eccles,	1892	1861	21	25	46	2	2	4	20	18	38	7
38	Edrom,	1474	1592	15	22	37	1	1	2	11	12	23	6
39	Eyemouth,	1488	1804	33	32	65	2	1	3	11	11	22	–
40	Fogo,	604	559	6	6	12	–	–	–	3	5	8	1
41	Foulden,	430	431	3	3	6	–	–	–	3	2	5	4
42	Gordon,	983	932	10	13	23	3	1	4	3	9	12	4
43	Greenlaw,	1378	1371	22	20	42	2	3	5	12	18	30	7
44	Hume,	406	420	9	7	16	–	2	2	1	2	3	3
45	Hutton,	1102	1067	18	14	32	3	1	4	10	4	14	7
46	Ladykirk,	561	565	7	10	17	–	1	1	5	7	12	–
47	Langton,	484	502	8	5	13	–	1	1	1	5	6	1
48	Lauder (incl. Burgh),	2154	2198	33	29	62	4	4	8	19	16	35	14
49	Legerwood,	587	599	11	13	24	–	1	1	8	3	11	4
50	Longformacus,	411	448	5	2	7	–	–	–	1	3	4	–
51	Merton,	692	730	9	8	17	1	2	3	5	4	9	1

	Parishes or Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
752	Mordington, . . .	427	377	8	7	15	–	–	–	1	2	3	3
753	Nenthorn, . . .	441	462	4	7	11	1	–	1	2	2	4	5
754	Polwarth . . .	331	251	3	3	6	–	–	–	2	3	5	2
755	Swinton, . . .	994	964	12	17	29	3	1	4	7	5	12	1
756	Westruther, . . .	791	786	8	12	20	–	1	1	3	9	12	4
757	Whitsome, . . .	612	640	12	13	25	1	3	4	1	3	4	4
			Total,	525	522	1047	48	46	94	259	268	527	179
	28. Peebles.												
758	Broughton, . . .	284	297	6	3	9	1	–	1	2	1	3	–
759	Drumelzier, . . .	244	209	2	5	7	–	–	–	–	2	2	1
760	Eddlestone, . . .	790	753	15	18	33	3	2	5	3	3	6	2
761	Glenholm, . . .	252	198	2	1	3	–	–	–	2	–	2	2
762	Innerleithen, . . .	1236	1823	20	20	40	1	–	1	14	9	23	11
763	Kilbucho, . . .	345	228	2	4	6	–	1	1	–	–	–	1
764	Kirkurd, . . .	326	362	5	3	8	–	–	–	3	2	5	–
765	Lyne, etc.—(1) Lyne, .	95	81	4	–	4	1	–	1	–	1	1	1
	(2) Meggat,	63	53	1	1	2	–	1	1	–	–	–	–
766	Manor, . . .	256	247	6	4	10	–	–	–	2	–	2	2
767	Newlands, . . .	950	987	20	12	32	2	3	5	4	6	10	1
768	Peebles (incl. Burgh), .	2673	2850	41	45	86	3	3	6	29	20	49	23
769	Skirling, . . .	316	317	6	3	9	1	1	2	1	1	2	–
770	Stobo, ...	478	478	4	10	14	–	–	–	4	–	4	2
771	Traquair, . . .	646	687	5	10	15	1	1	2	1	1	2	5
772	Tweedsmuir, . .	220	196	3	–	3	1	–	1	–	–	–	–
773	West Linton, . .	1630	1534	34	22	56	7	4	11	13	10	23	11
			Total,	176	161	337	21	16	37	78	56	134	62
	29. Selkirk.												
774	Ettrick, . . .	477	454	9	10	19	4	–	4	1	1	2	2
775	Galashiels, . .	3014	3379	58	54	112	1	5	6	33	31	64	24
776	Kirkhope, . . .	633	555	5	14	19	–	2	2	3	3	6	3
777	Roberton, . . .	670	640	13	11	24	2	3	5	4	7	11	3
778	Selkirk (incl. Burgh), .	4347	4739	73	78	151	7	11	18	21	19	40	25
779	Yarrow, . . .	661	643	8	6	14	–	–	–	3	2	5	5
			Total,	166	173	339	14	21	35	65	63	128	62
	VIII. SOUTHERN.												
	30. Roxburgh.												
780	Ancrum, . . .	1554	1511	17	36	53	–	3	3	7	12	19	11
781	Ashkirk, . . .	578	578	12	9	21	1	–	1	6	4	10	2
782	Bedrule, . . .	240	222	3	3	6	–	–	–	–	1	1	3
783	Bowden, . . .	981	864	7	7	14	–	1	1	6	4	10	4
784	Castleton, . . .	2130	3688	27	25	52	4	5	9	12	8	20	7
785	Cavers, . . .	1495	1824	30	20	50	7	2	9	5	9	14	7
786	Crailing, . . .	734	673	15	6	21	2	–	2	5	6	11	9
787	Eckford, . . .	1073	957	16	13	29	1	2	3	10	8	18	4
788	Ednam, . . .	658	599	6	9	15	1	1	2	5	6	11	3
789	Hawick, . . .	7801	8726	151	152	303	20	15	35	95	111	206	51
790	Hobkirk, . . .	720	771	13	9	22	1	3	4	7	4	11	1

	Parishes or Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
1	Hownam, . . .	252	289	11	2	13	–	–	–	1	–	1	1
2	Jedburgh (incl. Burgh),	5476	5264	96	71	167	12	9	21	53	41	94	40
3	Kelso, . . .	5634	5191	88	73	161	10	5	15	46	44	90	24
4	Kirktown, . . .	282	421	3	5	8	–	1	1	2	–	2	1
5	Lilliesleaf, . . .	798	772	15	16	31	2	3	5	3	5	8	3
6	Linton, . . .	630	608	8	10	18	1	1	2	–	3	3	2
7	Makerston, . . .	345	380	3	5	8	–	1	1	–	1	1	1
8	Maxton, . . .	550	497	9	14	23	–	–	–	4	6	10	4
9	Melrose—(1) Melrose,	3592	3557	58	64	122	3	6	9	27	36	63	21
	(2) Ladhope,	3773	4154	83	55	138	5	3	8	53	44	97	32
10	Minto, . . .	467	430	4	3	7	–	1	1	6	2	8	2
11	Morebattle, . . .	997	1031	9	15	24	1	2	3	7	12	19	7
12	Oxnam (part of), . .	669	627	10	14	24	–	–	–	3	3	6	4
13	Roxburgh, . . .	1141	1178	15	21	36	3	2	5	7	8	15	5
14	St Boswells, . . .	884	865	14	8	22	–	1	1	9	8	17	2
15	Smailholm, . . .	617	554	6	8	14	–	–	–	1	7	8	3
16	Southdean (part of), .	845	759	10	10	20	2	1	3	3	11	14	2
17	Sprouston, . . .	1424	1295	17	26	43	1	3	4	5	12	17	7
18	Stitchel, . . .	426	425	6	5	11	–	–	–	–	1	1	7
19	Teviothead, . . .	550	438	4	7	11	–	1	1	4	3	7	3
20	Wilton, . . .	2557	3357	73	59	132	6	3	9	40	29	69	17
21	Yetholm, . . .	1352	1207	10	29	39	2	2	4	3	13	16	5
			Total,	849	809	1658	85	77	162	435	462	897	295
	31. Dumfries.												
12	Annan (incl. Burgh), .	5848	5760	91	92	183	11	17	28	50	49	99	33
13	Applegarth, . . .	918	935	19	18	37	–	2	2	14	5	19	9
14	Canonbie, . . .	3163	3219	49	49	98	7	9	16	28	30	58	11
15	Carlaverock, . . .	1418	1248	23	17	40	–	1	1	15	8	23	12
16	Closeburn, . . .	1732	1655	27	20	47	2	1	3	9	15	24	7
17	Cummertrees (part of),	1386	1230	20	22	42	3	2	5	6	5	11	9
18	Dalton, . . .	761	680	8	11	19	2	2	4	7	4	11	3
19	Dornock, . . .	936	856	7	18	25	–	3	3	7	4	11	2
20	Dryfesdale, . . .	2409	2508	40	40	80	4	3	7	52	27	79	14
21	Dumfries—												
	(1) Burgh, . . .	13166	14034	240	224	464	32	36	68	157	155	312	125
	(2) Landward, . .	2945	3089	42	50	92	8	9	17	33	32	65	6
22	Dunscore, . . .	1578	1553	30	22	52	3	3	6	13	6	19	7
23	Durrisdeer, . . .	1795	1320	11	24	35	1	1	2	11	9	20	7
24	Eskdalemuir, . .	672	590	13	3	16	1	–	1	3	3	6	1
25	Ewes, ...	354	356	7	8	15	1	–	1	2	–	2	2
26	Glencairn, . . .	1980	1867	34	27	61	8	3	11	23	28	51	17
27	Graitney (or Gretna), .	1830	1620	33	22	55	5	3	8	7	13	20	8
28	Halfmorton, . . .	687	713	7	16	23	1	2	3	1	3	4	4
29	Hoddam (part of), . .	1797	1653	31	21	52	9	5	14	11	14	25	8
30	Holywood, . . .	1060	1113	24	20	44	2	2	4	14	7	21	7
31	Hutton, ...	836	876	10	10	20	3	2	5	8	1	9	5
32	Johnstone, . . .	1261	1149	16	17	33	3	3	6	6	7	13	7
33	Keir, ...	960	849	13	17	30	–	5	5	2	3	5	3
34	Kirkconnel, . . .	1245	996	13	8	21	1	–	1	4	3	7	7
35	Kirkmahoe, . . .	1553	1463	25	22	47	2	1	3	18	20	38	7
36	Kirkmichael, . . .	1124	1026	15	23	38	2	3	5	8	8	16	4
37	Kirkpatrick-Fleming, .	1829	1925	43	22	65	3	6	9	19	11	30	7
38	Kirkpatrick-Juxta, .	1097	1025	18	12	30	3	1	4	13	6	19	3
39	Langholm, . . .	2990	2979	53	46	99	11	7	18	18	38	56	13
40	Lochmaben (incl. Burgh),	3127	3095	54	40	94	5	2	7	47	44	91	17

	Parishes or Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
841	Middlebie,	2163	2001	33	24	57	3	4	7	18	13	31	13
842	Moffat,	2304	2232	29	34	63	5	2	7	34	23	57	13
843	Morton,	2482	2253	35	29	64	–	8	8	32	21	53	9
844	Mousewald,	686	633	6	13	19	–	–	–	4	8	12	5
845	Penpont,	1411	1325	17	11	28	2	1	3	16	12	28	6
846	Ruthwell,	1110	1041	13	16	29	2	3	5	6	3	9	3
847	St Mungo,	645	686	9	10	19	2	3	5	6	3	9	4
848	Sanquhar (part of)—(incl. Burgh),	4071	3570	69	55	124	5	9	14	32	30	62	23
849	Tinwald,	1080	1078	16	12	28	4	2	6	8	8	16	7
850	Torthorwald,	1313	1254	22	19	41	3	5	8	9	11	20	12
851	Tundergarth,	577	507	7	7	14	2	1	3	5	3	8	3
852	Tynron,	482	445	3	8	11	–	2	2	2	6	8	1
853	Wamphray,	523	559	12	8	20	1	–	1	3	2	5	3
854	Westerkirk,	658	537	8	5	13	1	1	2	4	5	9	6
			Total,	1295	1192	2487	163	175	338	785	706	1491	473
	32. Kirkcudbright.												
855	Anwoth,	900	893	13	15	28	1	2	3	7	5	12	7
856	Balmaclellan (part of),	c. 928	887	8	16	24	–	3	3	9	10	19	5
857	Balmaghie,	1217	1225	14	27	41	1	5	6	8	4	12	15
858	Borgue,	1043	1159	19	17	36	2	4	6	4	9	13	1
859	Buittle,	1042	1155	20	12	32	1	–	1	10	12	22	4
860	Carsphairn,	855	553	12	9	21	1	–	1	3	5	8	2
861	Colvend,	1398	1365	20	14	34	2	–	2	9	7	16	8
862	Corsock-Bridge,	c. 551	544	7	10	17	4	2	6	2	8	10	3
863	Crossmichael,	1362	1536	23	26	49	3	8	11	18	7	25	15
864	Dalbeattie,	c. 1879	2054	25	27	52	–	1	1	22	9	31	16
865	Dalry,	1238	1148	19	12	31	2	2	4	8	11	19	7
866	Girthon,	1787	1705	24	19	43	2	2	4	12	6	18	11
867	Irongray,	918	913	11	6	17	1	2	3	7	7	14	7
868	Kells (incl. Burgh of New-Galloway),	1091	1169	27	11	38	2	2	4	6	6	12	3
869	Kelton,	3186	3434	47	46	93	6	4	10	23	26	49	20
870	Kirkbean,	982	942	16	9	25	–	1	1	9	4	13	4
871	Kirkcudbright (includ. Burgh),	3555	3407	48	39	87	5	7	12	36	34	70	17
872	Kirkgunzeon,	734	793	7	9	16	–	2	2	10	8	18	1
873	Kirkmabreck,	2266	1851	27	29	56	4	4	8	21	24	45	9
874	Kirkpatrick-Durham (part of),	c. 1364	1323	19	22	41	4	3	7	18	15	33	8
875	Lochrutton,	726	669	7	7	14	–	–	–	3	6	9	5
876	Minnigaff,	2054	1804	29	36	65	4	4	8	17	18	35	14
877	New Abbey,	1098	1062	10	17	27	1	2	3	12	14	26	6
878	Parton (part of),	c. 541	572	8	10	18	1	1	2	3	2	5	–
879	Rerrick,	1725	1727	23	24	47	2	5	7	14	13	27	5
880	Terregles (Landward),	566	559	4	8	12	1	1	2	4	2	6	3
881	Tongland,	924	892	17	16	33	3	5	8	7	13	20	7
882	Troqueer (Landward),	1130	1144	16	17	33	1	–	1	4	11	15	3
883	Twynholm,	782	815	8	18	26	–	3	3	7	4	11	4
884	Urr (part of),	c. 1484	1530	33	28	61	9	3	12	19	8	27	12
			Total,	561	556	1117	63	78	141	332	308	640	222

	Parishes or Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
	33. Wigtown.												
885	Glasserton, . . .	1487	1472	34	30	64	–	7	7	7	3	10	8
886	Inch (Landward), . .	2579	2459	39	41	80	6	4	10	14	14	28	12
887	Kirkcolm, . . .	2018	1862	19	32	51	2	3	5	13	14	27	9
888	Kirkcowan, . . .	1541	1434	25	23	48	2	3	5	11	17	28	7
889	Kirkinner, . . .	1914	1716	29	27	56	1	5	6	18	20	38	9
890	Kirkmaiden, . . .	2681	2325	46	41	87	3	6	9	25	17	42	18
891	Leswalt (Landward), .	1703	1417	25	29	54	1	1	2	5	13	18	9
892	Mochrum, . . .	2946	2694	32	37	69	5	6	11	21	25	46	20
893	New Luce, . . .	791	731	15	10	25	3	–	3	3	7	10	3
894	Old Luce (or Glenluce), .	2841	2797	44	53	97	9	11	20	12	27	39	16
895	Penninghame, . .	4155	4057	71	66	137	6	9	15	42	31	73	40
896	Portpatrick, . . .	1963	2156	23	28	51	4	6	10	17	20	37	10
897	Sorbie, ...	1886	1814	35	30	65	3	4	7	15	14	29	10
898	Stoneykirk, . . .	3321	3229	58	61	119	6	8	14	23	20	43	21
899	Stranraer (Burgh), .	5738	6310	105	87	192	22	17	39	59	69	128	49
900	Whithorn (incl. Burgh), .	3001	2930	47	44	91	7	4	11	15	24	39	18
901	Wigtown (incl. Burgh),	2824	2635	48	34	82	8	3	11	15	30	45	15
			Total,	695	673	1368	88	97	185	315	365	680	274

SUMMARY.

DISTRICTS.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
	1851.	1861.	Mal.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem.	Total.	
Insular, ...	166,487	160,580	2244	2076	4320	128	112	240	1042	1124	2166	841
Mainland—Rural, . .	1,714,522	1,763,868	29042	27663	56705	2753	2620	5373	14560	14265	28825	10428
Town, ...	1,007,733	1,136,881	20953	19843	40796	1597	1485	3082	13816	13722	27538	9471
SCOTLAND, . .	2,888,742	3,061,329	52239	49582	101821	4478	4217	8695	29418	29111	58529	20740

MARRIAGES registered in SCOTLAND in 1856, and the Number of Persons who signed the Register by Marks.

COUNTY.	Regular Marriages according to the Rites of								Irregular Marriages.	Signed the Register by Marks.		
	Established Church.	Free Church.	United Presbyterian Church.	Episcopalians.	Roman Catholics.	Other Denominations.	Not Stated.	TOTAL.		Males.	Females.	TOTAL.
Shetland	166	17	2	–	–	14	–	199	–	26	86	112
Orkney	60	31	53	–	–	15	–	159	–	3	9	12
Caithness	48	184	13	–	–	5	–	250	–	14	43	57
Sutherland	9	89	–	–	–	–	–	98	–	24	44	68
Ross and Cromarty	74	308	2	2	–	2	–	388	–	137	203	340
Inverness	170	157	10	5	57	2	–	401	–	137	239	376
Nairn	13	21	2	–	–	1	–	37	–	4	9	13
Elgin	107	99	24	6	5	6	–	247	–	11	32	43
Banff	220	100	7	5	17	2	–	351	–	16	46	62
Aberdeen	851	342	49	53	27	52	1	1375	–	31	140	171
Kincardine	145	37	1	13	–	2	–	198	–	5	22	27
Forfar	743	302	213	52	189	69	–	1568	–	202	401	603
Perth	415	244	97	9	18	24	5	812	–	26	77	103
Fife	519	131	204	6	21	21	8	910	–	65	134	199
Kinross	24	12	19	–	–	–	–	55	–	1	2	3
Clackmannan	41	30	34	–	–	10	–	115	–	6	18	24
Stirling	282	111	101	3	61	17	1	576	–	68	121	189
Dumbarton	176	68	57	1	71	4	–	377	–	79	118	197
Argyll	262	105	17	12	18	7	1	422	–	71	149	220
Bute	43	37	5	–	9	6	–	100	–	11	15	26
Renfrew	641	227	183	18	193	45	–	1307	2	239	512	751
Ayr	878	280	205	12	102	34	1	1512	–	222	445	667
Lanark	1895	930	902	75	881	515	3	5201	–	825	1688	2513
Linlithgow	128	39	39	–	17	6	1	230	1	28	49	77
Edinburgh	954	424	333	76	159	82	3	2031	17	106	183	289
Haddington	138	43	21	1	30	–	–	233	1	26	48	74
Berwick	90	26	51	2	–	1	–	170	9	2	4	6
Peebles	28	8	20	–	2	4	–	62	–	2	4	6
Selkirk	22	13	25	2	–	–	–	62	–	–	1	1
Roxburgh	149	42	67	2	18	14	–	292	3	12	33	45
Dumfries	261	98	74	3	23	11	–	470	3	7	27	34
Kirkcudbright	142	39	16	1	17	7	–	222	–	12	18	30
Wigtown	169	51	29	1	18	6	–	274	–	37	48	85
SCOTLAND	9863	4645	2875	360	1953	984	24	20704	36	2455	4968	7423

Ages and Condition of Persons married in Scotland in 1856.

Condition combined with Age.	Total.	Ages of Parties at Marriage.																				
		Under 15	16	17	18	19	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	Age not stated.
Bachelors and Spinsters.	17035	–	–	–	17	137	451	7371	5452	1976	895	370	179	84	35	14	7	2	1	–	–	44
	17035	1	8	63	279	771	1326	8692	4122	1110	391	125	32	7	3	4	1	–	–	–	–	100
Bachelors and Widows.	536	–	–	–	–	–	2	99	164	101	74	51	26	7	5	2	3	1	–	–	–	1
	536	–	–	–	–	–	1	55	153	136	102	60	24	1	3	–	–	–	–	–	–	1
Widowers and Spinsters.	1721	–	–	–	–	–	1	44	200	315	322	286	212	132	106	55	28	10	2	1	–	7
	1721	–	–	–	9	14	32	343	434	381	239	138	71	38	3	5	1	–	–	–	–	13
Widowers and Widows.	605	–	–	–	–	–	–	10	26	60	80	110	117	85	72	27	9	5	1	–	–	3
	605	–	–	–	–	–	–	10	84	120	123	125	81	37	13	4	–	1	–	–	–	7
Condition not stated. Males.	843	–	–	–	1	8	21	271	231	151	54	48	29	11	2	4	1	–	–	–	–	11
Condition not stated. Females.	843	–	–	2	9	29	43	346	211	113	46	16	5	3	–	–	–	–	–	–	–	20
Total Males	20740	–	–	–	18	145	475	7795	6073	2603	1425	865	563	319	220	102	48	18	4	1	–	66
Total Females ...	20740	1	8	65	297	814	1402	9446	5004	1860	901	464	213	86	22	13	2	1	–	–	–	141

AGES of MALES married in Scotland in 1856.

	Total Males.	Ages of Males at Marriage.																				
		Under 15	16	17	18	19	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	Age not stated.
Scotland . .	20740	–	–	–	18	145	475	7795	6073	2603	1425	865	563	319	220	102	48	18	4	1	–	66
DIVISIONS.																						
1. Northern .	706	–	–	–	–	3	8	197	248	98	62	32	25	10	13	2	2	1	–	–	–	5
2. North-Western	789	–	–	–	–	–	4	151	229	187	92	45	35	24	9	8	3	–	–	–	–	2
3. North-Eastern	2208	–	–	–	–	8	40	722	704	335	181	84	48	36	23	14	7	2	1	–	–	3
4. East-Midland .	3460	–	–	–	6	23	86	1344	994	396	214	152	103	55	38	21	10	4	–	–	–	14
5. West-Midland	1475	–	–	–	1	9	26	538	403	219	126	62	37	25	10	4	6	3	–	–	–	6
6. South-Western	8022	–	–	–	7	71	218	3356	2303	832	465	316	196	108	79	30	14	5	1	1	–	20
7. South-Eastern	2816	–	–	–	2	18	55	1026	820	381	195	128	82	45	25	17	4	3	1	–	–	14
8. Southern . .	1264	–	–	–	2	13	38	461	372	155	90	46	37	16	23	6	2	–	1	–	–	2
COUNTIES.																						
Shetland . .	199	–	–	–	–	1	–	60	70	23	19	10	6	3	2	2	1	–	–	–	–	2
Orkney . .	159	–	–	–	–	1	3	55	46	21	10	9	8	–	4	–	1	–	–	–	–	1
Caithness . .	250	–	–	–	–	1	3	70	95	32	19	6	9	7	5	–	–	1	–	–	–	2
Sutherland . .	98	–	–	–	–	–	2	12	37	22	14	7	2	–	2	–	–	–	–	–	–	–
Ross and Cromarty	388	–	–	–	–	–	2	81	111	93	42	27	14	9	4	4	–	–	–	–	–	1
Inverness . .	401	–	–	–	–	–	2	70	118	94	50	18	21	15	5	4	3	–	–	–	–	1

AGES of MALES married in Scotland in 1856.

Nairn . . .	37	–	–	–	–	1	–	6	10	6	3	3	1	4	1	1	1	–	–	–	–	–
Elgin . . .	247	–	–	–	–	–	3	76	80	44	18	11	5	3	5	–	–	–	–	–	–	2
Banff . . .	351	–	–	–	–	–	5	121	133	43	21	12	6	4	3	3	–	–	–	–	–	–
Aberdeen . .	1375	–	–	–	–	7	27	451	422	210	125	55	33	20	12	8	4	–	1	–	–	–
Kincardine . .	198	–	–	–	–	–	5	68	59	32	14	3	3	5	2	2	2	2	–	–	–	1
Forfar . .	1568	–	–	–	4	17	49	622	439	165	87	71	53	26	16	12	1	1	–	–	–	5
Perth . . .	812	–	–	–	2	1	11	274	242	113	69	38	23	15	10	4	2	1	–	–	–	7
Fife . . .	910	–	–	–	–	5	24	375	267	95	53	37	21	9	12	4	5	1	–	–	–	2
Kinross . .	55	–	–	–	–	–	–	19	18	8	3	2	2	1	–	1	1	–	–	–	–	–
Clackmannan .	115	–	–	–	–	–	2	54	28	15	2	4	4	4	–	–	1	1	–	–	–	–
Stirling . .	576	–	–	–	1	4	15	258	130	66	43	18	16	8	5	3	4	1	–	–	–	4
Dumbarton . .	377	–	–	–	–	3	9	160	111	51	20	12	4	3	2	–	1	1	–	–	–	–
Argyll . .	422	–	–	–	–	2	1	94	129	85	53	26	15	10	2	1	1	1	–	–	–	2
Bute . . .	100	–	–	–	–	–	1	26	33	17	10	6	2	4	1	–	–	–	–	–	–	–
Renfrew . .	1309		–		–	5	33	527	394	142	71	52	26	26	19	7	4	–	–	1	–	2
Ayr . . .	1512	–	–	–	4	19	42	627	439	147	84	58	35	22	12	6	4	3	–	–	–	10
Lanark . .	5201	–	–	–	3	47	143	2202	1470	543	310	206	135	60	48	17	6	2	1	–	–	8
Linlithgow . .	231	–	–	–	–	–	6	101	66	30	12	8	1	–	3	1	–	–	–	–	–	3
Edinburgh . .	2048	–	–	–	2	15	39	738	584	273	143	103	64	37	19	14	3	3	1	–	–	10
Haddington .	234	–	–	–	–	1	4	87	68	33	18	9	6	5	1	1	–	–	–	–	–	1
Berwick . .	179	–	–	–	–	1	1	51	67	27	13	6	8	2	1	1	1	–	–	–	–	–
Peebles . .	62	–	–	–	–	1	3	18	20	10	4	2	2	1	1	–	–	–	–	–	–	–
Selkirk . .	62	–	–	–	–	–	2	31	15	8	5	–	1	–	–	–	–	–	–	–	–	–
Roxburgh . .	295	–	–	–	–	4	4	105	102	34	18	9	9	2	4	2	2	–	–	–	–	–
Dumfries . .	473	–	–	–	1	4	13	171	128	62	40	18	16	5	12	1	–	–	1	–	–	1
Kirkcudbright .	222	–	–	–	–	2	6	78	65	33	11	10	5	5	4	2	–	–	–	–	–	1
Wigtown . .	274	–	–	–	1	3	15	107	77	26	21	9	7	4	3	1	–	–	–	–	–	–

AGES of FEMALES married in Scotland in 1856.

	Total Females.	Ages of Females at Marriage.																				
		Under 15	16	17	18	19	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	Age not stated.
Scotland . .	20740	1	8	65	297	814	1402	9446	5004	1860	901	464	213	86	22	13	2	1	–	–	–	141
DIVISIONS.																						
1. Northern . .	706	–	–	1	4	9	36	293	216	84	40	8	6	4	–	–	–	–	–	–	–	5
2. North-Western	789	–	–	–	5	12	29	296	261	111	42	18	8	3	–	–	–	–	–	–	–	4
3. North-Eastern	2208	–	–	4	25	74	121	999	581	224	94	40	24	10	1	2	–	–	–	–	–	9
4. East-Midland .	3460	–	1	5	35	110	215	1592	855	311	177	73	35	19	6	1	–	–	–	–	–	25
5. West-Midland .	1475	–	3	4	21	54	96	685	356	134	65	27	9	5	2	–	–	–	–	–	–	14
6. South-Western	8022	1	4	41	157	412	660	3771	1721	578	294	197	87	32	8	7	1	1	–	–	–	50
7. South-Eastern	2816	–	–	9	34	99	163	1234	708	288	142	66	32	8	2	3	1	–	–	–	–	27
8. Southern . .	1264	–	–	1	16	44	82	576	306	130	47	35	12	5	3	–	–	–	–	–	–	7
COUNTIES.																						
Shetland . .	199	–	–	–	–	1	6	78	65	30	13	3	–	1	–	–	–	–	–	–	–	2
Orkney . .	159	–	–	–	–	2	11	61	52	15	13	2	–	2	–	–	–	–	–	–	–	1
Caithness . .	250	–	–	–	4	5	13	112	73	23	10	2	5	1	–	–	–	–	–	–	–	2
Sutherland . .	98	–	–	1	–	1	6	42	26	16	4	1	1	–	–	–	–	–	–	–	–	–
Ross and Cromarty	388	–	–	–	3	7	13	146	134	53	16	7	5	1	–	–	–	–	–	–	–	3
Inverness . .	401	–	–	–	2	5	16	150	127	58	26	11	3	2	–	–	–	–	–	–	–	1

AGES of FEMALES married in Scotland in 1856.

Nairn . . .	37	–	–	–	2	–	–	16	6	2	6	3	–	2	–	–	–	–	–	–	–	–
Elgin . . .	247	–	–	1	2	6	12	104	76	27	7	5	3	2	–	–	–	–	–	–	–	2
Banff . . .	351	–	–	1	3	6	18	171	103	31	10	4	3	1	–	–	–	–	–	–	–	–
Aberdeen . .	1375	–	–	2	17	57	77	619	347	142	62	25	13	4	1	2	–	–	–	–	–	7
Kincardine . .	198	–	–	–	1	5	14	89	49	22	9	3	5	1	–	–	–	–	–	–	–	–
Forfar .	1568	–	–	3	19	52	100	755	352	142	69	36	15	8	4	1	–	–	–	–	–	12
Perth . .	812	–	–	2	8	23	40	337	240	78	46	19	6	3	–	–	–	–	–	–	–	10
Fife . . .	910	–	1	–	8	29	62	419	223	73	57	18	10	6	2	–	–	–	–	–	–	2
Kinross . .	55	–	–	–	–	2	3	24	14	8	3	–	1	–	–	–	–	–	–	–	–	–
Clackmannan .	115	–	–	–	–	4	10	57	26	10	2	–	3	2	–	–	–	–	–	–	–	1
Stirling . .	576	–	2	1	7	28	45	292	107	47	28	7	3	2	–	–	–	–	–	–	–	7
Dumbarton .	377	–	1	3	11	16	30	181	86	24	12	6	2	1	2	–	–	–	–	–	–	2
Argyll . .	422	–	–	–	3	9	18	167	136	47	22	9	4	2	–	–	–	–	–	–	–	5
Bute . . .	100	–	–	–	–	1	3	45	27	16	3	5	–	–	–	–	–	–	–	–	–	–
Renfrew . .	1309	–	–	4	14	50	107	633	292	96	47	32	16	6	2	2	1	1	–	–	–	6
Ayr . . .	1512	1	–	7	36	77	140	703	306	96	55	44	21	3	1	2	–	–	–	–	–	20
Lanark . .	5201	–	4	30	107	285	413	2435	1123	386	192	121	50	23	5	3	–	–	–	–	–	24
Linlithgow . .	231	–	–	1	3	14	17	116	47	18	9	1	1	1	–	–	–	–	–	–	–	3
Edinburgh . .	2048	–	–	7	27	70	121	884	503	213	113	54	27	6	2	2	1	–	–	–	–	18
Haddington .	234	–	–	–	1	2	7	107	70	27	8	6	2	–	–	–	–	–	–	–	–	4
Berwick . .	179	–	–	–	1	5	7	74	57	20	10	2	–	1	–	–	–	–	–	–	–	2
Peebles . .	62	–	–	–	1	3	4	27	16	6	2	2	–	–	–	1	–	–	–	–	–	–
Selkirk . .	62	–	–	1	1	5	7	26	15	4	–	1	2	–	–	–	–	–	–	–	–	–
Roxburgh . .	295	–	–	1	6	7	21	139	77	25	9	8	–	–	1	–	–	–	–	–	–	1
Dumfries . .	473	–	–	–	5	13	24	223	106	54	21	15	4	3	2	–	–	–	–	–	–	3
Kirkcudbright .	222	–	–	–	–	7	14	95	66	18	11	5	4	1	–	–	–	–	–	–	–	1
Wigtown . .	274	–	–	–	5	17	23	119	57	33	6	7	4	1	–	–	–	–	–	–	–	2

DEATHS at Different Ages in SCOTLAND during the YEAR 1856.—BOTH SEXES.

	Population 1851.	Population 1861.	BOTH SEXES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
SCOTLAND .	2888742	3061329	58529	6024	1869	4165	5283	2871	1771	1389	2995	1505	1828	2116	1988
Insular . .	166487	160580	2166	205	38	93	111	75	22	23	64	50	75	88	96
Mainland .	2714522	1762724	28825	2829	793	1626	2031	1156	733	605	1428	857	938	1082	970
Towns . .	1007733	1138025	27538	2990	1038	2446	3141	1640	1016	761	1503	598	815	946	922
Shetland . .	31078	31678	401	33	7	10	7	6	3	2	6	7	9	16	22
Orkney . .	31455	32416	361	27	4	11	9	5	1	3	11	5	9	12	14
Caithness .	39782	42304	574	50	21	27	23	13	8	13	15	18	28	33	26
Sutherland .	24720	24120	277	21	4	12	8	3	4	–	5	8	11	14	15
Ross & Cromarty	83781	82301	1172	134	31	50	76	32	16	13	29	22	29	45	41
Inverness . .	91954	84879	1162	108	23	64	45	29	15	16	31	23	35	41	38
Nairn . .	8076	8349	104	13	–	3	9	2	1	2	2	2	–	1	3
Elgin . .	40862	44215	647	61	16	20	35	22	11	9	22	18	15	21	24
Banff . .	51023	56040	844	88	25	31	30	19	12	8	27	22	33	25	37
Aberdeen .	213466	223154	3720	355	95	173	210	109	94	62	183	119	136	143	141
Kincardine .	34939	34849	499	40	7	11	16	15	14	9	32	15	14	16	12
Forfar . .	193632	206696	4363	484	169	328	418	244	159	107	243	108	117	146	105
Perth . .	136305	133067	2243	167	46	70	102	62	35	40	82	44	85	93	84
Fife . . .	153789	154806	2587	234	70	151	214	107	64	59	133	70	78	75	70
Kinross . .	9626	8729	136	8	4	9	9	2	1	1	7	1	6	2	7
Clackmannan .	21555	20121	333	38	8	25	26	15	11	7	12	10	10	13	9
Stirling . .	84861	88273	1578	153	57	98	138	73	41	28	85	43	42	62	64
Dumbarton .	46995	54181	945	113	30	72	83	51	21	24	38	22	33	50	40
Argyll . .	94042	83776	1289	107	15	36	68	36	27	17	58	37	50	50	51
Bute . .	16608	16188	279	15	4	14	9	21	3	5	14	12	17	16	12
Renfrew . .	157950	168593	3832	429	137	329	397	228	145	116	239	95	126	130	119
Ayr . .	189973	199051	3984	459	134	319	415	208	119	107	264	132	156	174	122
Lanark . .	533169	640436	15110	1779	595	1536	1967	908	530	407	767	336	445	556	518
Linlithgow .	30032	39245	614	61	28	51	85	31	20	12	25	17	15	17	23
Edinburgh .	260051	273965	6325	531	204	443	565	418	275	193	390	158	168	203	230
Haddington .	36363	37615	653	81	17	43	45	23	23	21	36	18	19	20	16
Berwick . .	36164	36489	527	50	11	31	21	12	9	12	27	18	18	16	12
Peebles . .	10805	11300	134	15	1	9	5	3	2	1	–	5	5	6	1
Selkirk . .	9802	10410	128	13	1	5	12	7	5	4	7	10	5	3	2
Roxburgh .	51225	53712	897	95	27	55	82	50	25	14	53	23	19	23	32
Dumfries . .	81962	79503	1491	127	39	78	101	60	42	46	77	43	46	53	62
Kirkcudbright	39308	38830	640	59	23	26	27	23	16	18	48	24	20	23	18
Wigtown . .	43389	42038	680	76	16	25	26	34	19	13	27	20	29	18	18

DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1856.—BOTH SEXES.

Inverness .	16496	16149	252	32	7	20	8	3	–	5	1	2	7	7	5
Aberdeen .	71973	73876	1656	149	56	99	131	63	49	41	101	44	57	59	60
Arbroath .	17238	17829	354	49	17	18	22	10	12	3	20	10	18	15	11
Dundee . .	80027	91625	2446	290	106	248	321	198	109	75	141	48	50	67	50
Forfar . .	11009	10839	205	19	6	9	9	7	7	5	9	3	11	10	6
Montrose .	16191	15663	339	25	12	17	23	5	14	7	27	13	14	9	12
Perth . .	23835	25294	539	50	16	21	35	21	14	15	20	10	20	19	20
Dunfermline .	13836	13504	233	25	5	12	26	11	6	3	9	6	4	8	5
Kirkcaldy .	10636	11148	194	20	5	20	14	9	10	4	16	4	8	4	5
Stirling . .	13460	14145	278	30	13	16	21	11	7	4	20	5	7	7	14
Greenock .	37436	43783	1236	143	50	110	124	65	44	37	81	22	39	43	40
Paisley . .	48071	47427	1099	125	28	92	116	69	43	43	65	27	33	24	36
Ayr . .	18840	19660	485	63	19	27	49	21	24	20	36	23	17	25	17
Kilmarnock .	21443	23551	593	59	20	64	77	44	12	19	50	18	25	17	12
Glasgow . .	329097	395385	10298	1226	414	1073	1400	622	376	286	504	209	299	381	363
Barony . .	16050	22667	642	66	23	59	65	33	21	12	26	19	23	32	21
Govan . .	14996	28587	434	52	21	51	56	27	9	10	19	4	10	14	14
Hamilton . .	11740	14045	294	33	11	22	38	21	11	9	19	6	8	8	14
Airdrie . .	14435	12918	316	29	20	31	44	21	14	6	26	5	12	8	12
Coatbridge, etc.	14201	15305	363	39	15	53	68	30	12	13	23	14	7	13	10
Edinburgh .	161648	170421	4143	362	137	288	382	274	175	108	209	78	122	139	147
Leith . .	32219	35937	827	69	29	75	84	63	40	30	71	25	17	24	33
Dumfries .	13166	14024	312	35	8	21	28	12	7	6	10	3	7	13	15

DEATHS at Different Ages in SCOTLAND during the YEAR 1856.—BOTH SEXES.

	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
SCOTLAND . . .	1824	1683	1712	1709	1828	2019	2319	2351	2713	2675	2006	1195	419	132	34	106
Insular . . .	73	51	64	52	63	87	114	134	153	130	137	91	41	20	8	8
Mainland . . .	864	758	724	833	914	1013	1238	1360	1661	1759	1340	842	286	93	17	75
Towns . . .	887	874	924	824	851	919	967	857	899	786	529	262	92	19	9	23
Shetland . . .	16	10	12	9	11	15	20	39	33	26	37	30	9	4	–	2
Orkney . . .	10	11	7	9	8	22	18	26	33	33	32	30	8	3	–	–
Caithness . . .	9	6	8	19	20	22	21	24	43	39	36	33	7	9	1	2
Sutherland . .	4	4	11	5	7	15	11	21	20	23	28	12	6	1	4	–
Ross and Cromarty .	38	22	25	32	46	45	59	55	72	95	82	43	26	11	2	1
Inverness . . .	33	38	38	32	40	52	59	73	87	64	94	40	26	13	4	1
Nairn . . .	1	6	5	2	1	3	10	5	8	9	9	5	1	–	–	1
Elgin . . .	20	24	19	13	19	25	23	42	44	62	46	24	7	5	–	–
Banff . . .	35	20	19	28	24	32	47	45	64	71	45	41	10	3	1	2
Aberdeen . . .	103	112	108	106	131	158	150	179	244	224	169	140	52	10	4	10
Kincardine . .	21	14	12	15	9	19	32	30	34	40	35	23	12	1	–	1
Forfar . . .	122	110	117	128	167	179	163	159	188	175	121	69	25	5	1	6
Perth . . .	70	65	76	79	82	94	110	121	182	188	149	71	30	10	3	3
Fife	77	63	67	73	90	98	121	133	160	168	108	76	15	5	2	6
Kinross . . .	2	3	2	6	6	7	8	5	15	13	9	–	2	1	–	–
Clackmannan . .	13	8	9	11	15	13	19	13	21	16	5	4	2	–	–	–
Stirling . . .	41	49	43	71	52	54	61	73	71	74	56	29	14	1	1	4
Dumbarton . .	29	31	25	29	32	26	39	29	38	32	25	18	2	1	–	12
Argyll . . .	47	41	30	31	45	57	68	74	76	98	83	35	25	15	4	8
Bute . . .	14	5	7	7	7	12	16	17	14	20	7	7	2	1	–	1
Renfrew . . .	111	109	114	119	107	114	145	111	134	125	82	37	17	4	2	11
Ayr	116	99	106	109	89	93	117	133	159	141	116	68	17	6	–	6
Lanark . . .	521	458	477	428	422	439	493	413	412	337	210	114	25	6	3	8
Linlithgow . .	13	14	15	13	6	15	29	26	25	32	20	13	3	1	–	2
Edinburgh . .	209	228	236	184	220	232	255	252	238	226	150	79	26	5	2	5
Haddington . .	16	7	22	15	28	17	23	31	44	30	31	17	9	–	–	1
Berwick . . .	10	19	13	19	18	20	22	37	34	46	27	18	4	1	–	2
Peebles . . .	5	4	2	3	8	6	4	9	8	11	19	2	–	–	–	–
Selkirk . . .	7	3	1	1	3	2	9	9	4	5	6	2	–	–	–	2
Roxburgh . .	22	20	22	33	32	21	29	46	49	54	34	29	6	–	–	2
Dumfries . . .	49	46	41	40	46	53	76	54	89	99	62	40	17	3	–	2
Kirkcudbright . .	19	12	10	19	20	27	32	30	39	41	35	20	5	2	–	4
Wigtown . . .	19	22	13	21	17	32	30	37	31	58	38	26	9	5	–	1
DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1856.—BOTH SEXES.																
Inverness . . .	9	15	6	12	8	8	13	14	18	18	22	6	5	1	–	–
Aberdeen . . .	44	51	57	54	65	61	64	77	93	75	57	35	9	2	1	2
Arbroath . . .	10	9	4	12	13	16	16	16	19	15	12	6	1	–	–	–
Dundee . . .	65	65	67	61	90	91	77	54	59	49	36	16	8	1	1	3
Forfar . . .	2	–	6	10	11	18	11	12	9	11	9	4	1	–	–	–
Montrose . . .	10	11	10	11	7	17	15	18	18	19	12	8	1	2	–	2
Perth . . .	15	19	23	26	26	21	23	29	36	32	23	3	2	–	–	–
Dunfermline . .	8	10	11	10	13	9	7	14	14	8	4	4	1	–	–	–
Kirkcaldy . . .	2	1	5	2	4	7	5	11	11	12	10	5	–	–	–	–
Stirling . . .	6	9	10	5	13	11	10	10	14	13	9	8	4	1	–	–
Greenock . . .	45	40	53	42	38	41	51	28	32	23	20	9	6	1	2	7
Paisley . . .	20	31	31	42	29	32	43	39	47	45	21	8	7	2	–	1
Ayr . . .	11	11	10	13	11	14	16	12	14	18	11	2	1	–	–	–
Kilmarnock . .	15	10	19	19	6	15	14	13	26	13	19	5	1	–	–	1
Glasgow . . .	379	309	351	308	285	298	322	261	242	180	126	61	17	3	–	3
Barony . . .	28	20	19	19	25	20	28	23	23	23	5	6	2	–	1	–
Govan . . .	15	26	15	12	8	13	16	12	10	10	6	4	–	–	–	–
Hamilton . . .	6	11	8	4	8	12	9	9	8	9	6	1	–	–	2	1
Airdrie . . .	6	10	10	6	10	6	6	5	11	11	6	1	–	–	–	–
Coatbridge, etc. .	4	9	13	5	7	5	8	5	5	2	1	1	–	1	–	–
Edinburgh . .	150	176	158	117	143	160	173	161	154	157	95	54	17	4	2	1
Leith . . .	22	21	28	22	22	31	25	26	21	23	13	8	4	–	–	1
Dumfries . . .	15	10	10	12	9	13	15	8	15	20	6	7	5	1	–	1

MALE DEATHS at Different Ages in SCOTLAND during the YEAR 1856.—MALES.

	Male Population 1851.	Male Population 1861.	MALES.													
			ALL AGES.	AGE UNDER												
				MONTHS.												
				3	6	12	2	3	4	5	10	15	20	25	30
SCOTLAND .	1375479	1447015	29418	3418	1058	2203	2668	1463	943	722	1578	795	961	1115	974
Insular . .	76760	73153	1042	119	16	49	59	46	8	11	41	26	40	58	52
Mainland .	831110	847527	14560	1634	464	877	1011	598	387	301	731	452	525	596	485
Towns . .	468609	526335	13816	1665	578	1277	1598	819	548	410	806	317	396	461	437
Shetland . .	13145	13041	176	21	3	5	3	3	1	1	5	4	5	6	12
Orkney . .	14350	14921	154	10	1	4	6	3	–	1	6	–	2	8	6
Caithness .	18809	19827	278	28	12	17	11	6	4	3	9	8	20	21	13
Sutherland .	11437	11008	137	11	2	8	6	–	3	–	4	4	7	5	8
Ross & Cromarty	39489	38281	575	81	18	25	39	19	3	6	12	9	10	31	22
Inverness .	42814	39432	555	56	14	41	18	14	11	7	15	12	25	23	15
Nairn . .	3831	3975	62	9	–	2	6	1	–	–	2	2	–	1	2
Elgin . .	19104	20719	333	37	6	11	18	12	4	4	12	11	11	10	14
Banff . .	24034	26377	404	45	19	15	19	9	7	5	11	8	18	12	16
Aberdeen .	100938	105019	1812	203	58	85	106	53	46	36	100	64	67	68	66
Kincardine .	17185	16914	242	22	5	4	8	6	7	4	15	8	10	8	7
Forfar . .	89399	93056	2162	293	89	165	227	116	78	58	121	62	52	69	44
Perth . .	65266	63000	1096	93	27	40	46	30	22	21	37	17	44	51	42
Fife . . .	73305	72363	1275	130	46	82	103	52	38	27	70	31	38	41	33
Kinross . .	4660	4134	65	2	2	5	7	2	–	1	4	–	4	1	2
Clackmannan .	10634	9713	179	20	6	14	14	9	5	3	8	5	4	5	4
Stirling . .	41563	43507	814	89	29	45	74	43	22	14	44	26	26	39	31
Dumbarton .	23340	26418	487	63	15	36	43	24	7	13	24	11	21	30	20
Argyll . .	46197	40772	664	68	7	19	36	17	13	11	27	22	29	37	31
Bute . .	7518	7043	147	7	2	7	6	13	1	2	10	8	8	12	10
Renfrew . .	74224	79121	1946	250	71	168	187	115	82	54	127	49	62	74	60
Ayr . .	92993	96865	2065	279	80	166	201	106	67	62	135	71	89	81	54
Lanark . .	258450	307985	7698	1015	334	819	975	455	278	214	415	184	232	268	252
Linlithgow .	15137	20230	297	29	13	28	41	13	7	2	12	11	13	12	12
Edinburgh .	119713	126256	3203	264	128	240	293	227	161	101	214	83	84	115	115
Haddington .	17592	17842	323	42	10	18	25	11	11	13	18	10	8	9	8
Berwick . .	17367	17332	259	27	5	19	7	7	7	6	11	10	10	7	5
Peebles . .	5400	5593	78	11	1	7	2	2	2	1	–	2	2	4	1
Selkirk . .	4836	5065	65	6	–	3	7	6	3	3	2	7	–	2	1
Roxburgh .	25002	26565	435	53	18	31	41	29	13	9	27	9	9	15	15
Dumfries .	38922	37244	785	82	20	43	65	35	22	27	46	22	26	23	35
Kirkcudbright	19501	18086	332	32	9	14	19	14	10	7	23	14	14	12	12
Wigtown .	20335	19311	315	40	8	17	9	11	8	6	12	11	11	15	6

MALE DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1856.

Inverness .	7401	7245	119	17	5	11	4	2	–	3	–	1	4	3	1
Aberdeen .	31746	32468	795	78	34	45	68	30	24	24	58	26	22	23	25
Arbroath .	7866	7755	176	32	8	10	12	4	3	3	13	5	8	7	3
Dundee . .	36364	40245	1201	168	57	121	179	95	57	43	64	28	20	30	20
Forfar . .	5017	4718	117	12	5	6	5	3	4	2	7	2	5	7	4
Montrose .	7131	6730	158	14	6	9	8	2	8	3	15	6	7	4	3
Perth . .	11282	11541	270	26	8	10	16	9	11	7	7	2	13	10	11
Dunfermline .	6901	6438	117	16	2	5	16	7	5	2	6	2	1	3	1
Kirkcaldy .	4906	5096	88	7	2	10	7	3	4	–	10	3	3	3	3
Stirling . .	6348	6860	138	15	6	7	10	5	3	2	11	3	4	5	7
Greenock .	17905	21445	632	81	29	53	62	29	24	15	45	9	14	26	20
Paisley . .	22608	21872	571	71	12	49	56	36	27	24	37	17	19	15	20
Ayr . .	8670	9092	252	41	7	13	24	10	14	11	15	8	11	13	8
Kilmarnock .	10237	11385	311	35	11	31	35	23	7	16	32	14	12	8	4
Glasgow . .	154930	185327	5193	698	227	579	719	316	190	153	273	110	149	172	166
Barony . .	8090	11309	331	37	16	32	27	17	13	7	15	12	13	12	9
Govan . .	7286	13602	216	32	10	26	31	13	4	7	7	2	3	7	6
Hamilton .	5576	6777	159	22	6	13	15	11	6	4	12	3	8	6	11
Airdrie . .	7405	6224	151	15	10	12	17	10	10	2	17	2	8	4	5
Coatbridge, etc.	7684	8143	176	20	8	24	26	14	6	7	12	7	4	9	8
Edinburgh .	72067	75919	2065	176	86	158	201	149	104	52	112	37	55	79	68
Leith . .	15482	17891	423	28	19	40	42	25	20	21	34	16	11	13	24
Dumfries .	5848	6253	157	24	4	13	18	6	4	2	4	2	2	2	10

MALE DEATHS at Different Ages in SCOTLAND during the YEAR 1856.—MALES.

	MALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
SCOTLAND . . .	869	779	848	862	919	1009	1094	1118	1224	1241	826	487	141	36	12	55
Insular . . .	37	22	25	26	27	38	44	58	57	66	48	39	17	4	5	4
Mainland . . .	419	353	360	429	493	518	595	671	754	827	563	337	109	29	4	38
Towns . . .	413	404	463	407	399	453	455	389	413	348	215	111	15	3	3	13
Shetland . . .	7	2	3	6	3	6	11	14	11	12	14	14	3	–	–	1
Orkney . . .	4	4	2	3	5	9	6	10	12	19	12	14	6	1	–	–
Caithness . . .	5	4	5	6	10	14	8	11	17	15	13	12	1	5	–	–
Sutherland . .	2	1	6	1	3	10	4	11	9	9	10	6	4	1	2	–
Ross and Cromarty .	23	12	9	14	28	19	16	33	25	50	35	19	12	3	1	1
Inverness . . .	21	16	19	17	20	26	20	36	37	29	37	13	9	2	1	1
Nairn . . .	1	2	5	2	–	1	4	3	7	4	4	3	–	–	–	1
Elgin . . .	15	12	10	5	10	15	13	21	18	33	19	8	3	1	–	–
Banff . . .	18	13	13	7	14	15	23	22	27	35	19	12	1	–	–	1
Aberdeen . . .	46	61	47	51	72	79	73	82	97	102	72	55	16	1	1	5
Kincardine . .	9	7	5	9	7	9	17	14	18	13	15	9	5	–	–	1
Forfar . . .	64	38	52	68	76	78	83	75	81	83	47	28	11	1	–	3
Perth . . .	31	32	37	36	37	57	58	47	81	96	65	26	16	5	1	1
Fife . . .	28	26	32	45	42	50	62	65	80	80	33	33	2	1	–	5
Kinross . . .	1	3	1	2	3	5	4	1	6	4	4	–	1	–	–	–
Clackmannan . .	8	4	4	9	9	9	10	4	12	6	4	3	–	–	–	–
Stirling . . .	20	25	20	30	29	30	29	38	29	38	24	12	5	–	–	3
Dumbarton . .	16	15	10	22	20	11	17	13	20	14	11	3	2	–	–	6
Argyll . . .	27	22	12	18	23	30	33	35	38	42	31	17	8	7	3	1
Bute	8	4	5	4	3	6	3	12	6	8	–	–	1	–	–	1
Renfrew . . .	57	49	64	62	51	62	69	53	67	56	32	14	3	–	1	7
Ayr	57	40	58	58	47	42	61	71	67	69	61	31	6	3	–	3
Lanark . . .	229	208	232	205	211	222	243	198	195	153	93	56	6	2	1	3
Linlithgow . .	6	7	7	4	4	8	16	14	11	15	8	3	–	–	–	1
Edinburgh . .	106	108	129	100	104	112	98	112	114	94	61	33	4	–	1	2
Haddington . .	6	4	13	8	15	10	12	15	24	11	12	6	4	–	–	–
Berwick . . .	2	9	10	8	8	7	14	20	12	24	12	8	2	–	–	2
Peebles . . .	3	2	1	2	5	1	4	6	3	6	9	1	–	–	–	–
Selkirk . . .	–	2	1	1	2	–	6	5	2	2	1	1	–	–	–	2
Roxburgh . .	9	8	9	14	14	10	13	18	18	28	14	9	2	–	–	–
Dumfries . . .	24	21	15	21	23	27	37	28	44	48	30	16	4	–	–	1
Kirkcudbright . .	6	8	5	11	11	14	16	14	22	17	11	11	2	2	–	2
Wigtown . . .	10	10	7	13	10	15	11	17	14	26	13	11	2	1	–	1
MALE DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1856.																
Inverness . . .	6	4	3	6	5	4	3	5	10	6	10	2	3	1	–	–
Aberdeen . . .	20	29	26	25	34	29	30	33	28	39	25	18	1	–	–	1
Arbroath . . .	7	4	4	6	4	5	8	8	9	3	5	5	–	–	–	–
Dundee . . .	32	17	29	30	38	39	44	24	20	24	13	5	3	–	–	1
Forfar . . .	1	–	2	8	6	9	6	4	5	8	4	2	–	–	–	–
Montrose . . .	7	6	4	6	2	8	3	10	9	8	3	5	–	1	–	1
Perth . . .	6	12	12	15	8	16	14	12	17	15	11	1	1	–	–	–
Dunfermline . .	4	4	5	4	5	5	3	7	9	1	1	3	–	–	–	–
Kirkcaldy . . .	–	–	3	2	–	4	3	4	8	5	3	1	–	–	–	–
Stirling . . .	4	6	5	1	8	7	5	3	8	7	3	2	1	–	–	–
Greenock . . .	26	18	33	23	17	23	30	11	17	8	10	4	–	–	1	4
Paisley . . .	9	16	14	24	13	19	23	22	24	18	3	1	1	–	–	1
Ayr . . .	5	7	4	7	6	4	11	8	6	13	4	1	1	–	–	–
Kilmarnock . .	6	3	12	7	3	7	6	5	15	7	9	2	–	–	–	1
Glasgow . . .	166	136	169	146	137	146	155	117	107	81	51	29	–	–	–	1
Barony . . .	10	12	8	9	16	10	15	18	11	8	1	2	1	–	–	–
Govan . . .	5	13	5	7	3	9	6	7	3	5	4	1	–	–	–	–
Hamilton . . .	1	5	3	1	3	6	5	5	3	4	3	1	–	–	1	1
Airdrie . . .	2	3	7	4	3	3	2	2	6	6	1	–	–	–	–	–
Coatbridge . .	1	6	6	1	3	3	1	3	2	2	1	1	–	1	–	–
Edinburgh . .	73	86	88	57	74	76	71	66	76	61	39	18	2	–	1	–
Leith . . .	16	12	18	13	8	14	4	10	11	11	7	5	–	–	–	1
Dumfries . . .	6	5	3	5	3	7	7	5	9	8	4	2	1	–	–	1

FEMALE DEATHS at Different Ages in SCOTLAND during the YEAR 1856.—FEMALES.

	Female Population 1851.	Female Population 1861.	FEMALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
SCOTLAND .	1513263	1614314	29111	2606	811	1962	2615	1408	828	667	1417	710	867	1001	1014
Insular . .	89727	87427	1124	86	22	44	52	29	14	12	23	24	35	30	44
Mainland .	883412	915197	14265	1195	329	749	1020	558	346	304	697	405	413	486	485
Towns . .	539124	611690	13722	1325	460	1169	1543	821	468	351	697	281	419	485	485
Shetland . .	17933	18637	225	12	4	5	4	3	2	1	1	3	4	10	10
Orkney . .	17105	17495	207	17	3	7	3	2	1	2	5	5	7	4	8
Caithness .	20973	22477	296	22	9	10	12	7	4	10	6	10	8	12	13
Sutherland .	13283	13112	140	10	2	4	2	3	1	–	1	4	4	9	7
Ross & Cromarty	44292	44020	597	53	13	25	37	13	13	7	17	13	19	14	19
Inverness .	49140	45447	607	52	9	23	27	15	4	9	16	11	10	18	23
Nairn . .	4245	4374	42	4	–	1	3	1	1	2	–	–	–	–	1
Elgin . .	21758	23496	314	24	10	9	17	10	7	5	10	7	4	11	10
Banff . .	26989	29663	440	43	6	16	11	10	5	3	16	14	15	13	21
Aberdeen .	112528	118135	1908	152	37	88	104	56	48	26	83	55	69	75	75
Kincardine .	17754	17935	257	18	2	7	8	9	7	5	17	7	4	8	5
Forfar . .	104232	113640	2201	191	80	163	191	128	81	49	122	46	65	77	61
Perth . .	71039	70067	1147	74	19	30	56	32	13	19	45	27	41	42	42
Fife . .	80484	82443	1312	104	24	69	111	55	26	32	63	39	40	34	37
Kinross . .	4966	4595	71	6	2	4	2	–	1	–	3	1	2	1	5
Clackmannan .	10921	10408	154	18	2	11	12	6	6	4	4	5	6	8	5
Stirling . .	43298	44766	764	64	28	53	64	30	19	14	41	17	16	23	33
Dumbarton .	23655	27763	458	50	15	36	40	27	14	11	14	11	12	20	20
Argyll . .	47845	43004	625	39	8	17	32	19	14	6	31	15	21	13	20
Bute . .	9090	9145	132	8	2	7	3	8	2	3	4	4	9	4	2
Renfrew . .	83726	89472	1886	179	66	161	210	113	63	62	112	46	64	56	59
Ayr . .	96980	102186	1919	180	54	153	214	102	52	45	129	61	67	93	68
Lanark . .	274719	332451	7412	764	261	717	992	453	252	193	352	152	213	288	266
Linlithgow .	14895	19015	317	32	15	23	44	18	13	10	13	6	2	5	11
Edinburgh .	140338	147709	3122	267	76	203	272	191	114	92	176	75	84	88	115
Haddington .	18771	19773	330	39	7	25	20	12	12	8	18	8	11	11	8
Berwick . .	18798	19157	268	23	6	12	14	5	2	6	16	8	8	9	7
Peebles . .	5404	5707	56	4	–	2	3	1	–	–	–	3	3	2	–
Selkirk . .	4966	5345	63	7	1	2	5	1	2	1	5	3	5	1	1
Roxburgh .	26223	27147	462	42	9	24	41	21	12	5	26	14	10	8	17
Dumfries .	43040	42254	706	45	19	35	36	25	20	19	31	21	20	30	27
Kirkcudbright	20807	20744	308	27	14	12	8	9	6	11	25	10	6	11	6
Wigtown .	23054	22727	365	36	8	8	17	23	11	7	15	9	18	3	12

FEMALE DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1856.

Inverness .	9095	8904	133	15	2	9	4	1	–	2	1	1	3	4	4
Aberdeen .	40227	41408	861	71	22	54	63	33	25	17	43	18	35	36	35
Arbroath .	9372	10074	178	17	9	8	10	6	9	–	7	5	10	8	8
Dundee . .	43663	51380	1245	122	49	127	142	103	52	32	77	20	30	37	30
Forfar . .	5992	6121	88	7	1	3	4	4	3	3	2	1	6	3	2
Montrose .	9060	8933	181	11	6	8	15	3	6	4	12	7	7	5	9
Perth . .	12553	13753	269	24	8	11	19	12	3	8	13	8	7	9	9
Dunfermline .	6935	7066	116	9	3	7	10	4	1	1	3	4	3	5	4
Kirkcaldy .	5730	6052	106	13	3	10	7	6	6	4	6	1	5	1	2
Stirling . .	7112	7285	140	15	7	9	11	6	4	2	9	2	3	2	7
Greenock .	19531	22338	604	62	21	57	62	36	20	22	36	13	25	17	20
Paisley . .	25463	25555	528	54	16	43	60	33	16	19	28	10	14	9	16
Ayr . .	10170	10568	233	22	12	14	25	11	10	9	21	15	6	12	9
Kilmarnock .	11206	12166	282	24	9	33	42	21	5	3	18	4	13	9	8
Glasgow . .	174167	210058	5105	528	187	494	681	306	186	133	231	99	150	209	197
Barony . .	7960	11358	311	29	7	27	38	16	8	5	11	7	10	20	12
Govan . .	7710	14985	218	20	11	25	25	14	5	3	12	2	7	7	8
Hamilton .	6164	7268	135	11	5	9	23	10	5	5	7	3	–	2	3
Airdrie . .	7030	6694	165	14	10	19	27	11	4	4	9	3	4	4	7
Coatbridge, etc.	6517	7162	187	19	7	29	42	16	6	6	11	7	3	4	2
Edinburgh .	89581	94502	2078	186	51	130	181	125	71	56	97	41	67	60	79
Leith . .	16737	18046	404	41	10	35	42	38	20	9	37	9	6	11	9
Dumfries .	7318	7771	155	11	4	8	10	6	3	4	6	1	5	11	5

FEMALE DEATHS at Different Ages in SCOTLAND during the YEAR 1856.—FEMALES.

	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
SCOTLAND . . .	955	904	864	847	909	1010	1225	1233	1489	1434	1180	708	278	96	22	51
Insular . . .	36	29	39	26	36	49	70	76	96	64	89	52	24	16	3	4
Mainland . . .	445	405	364	404	421	495	643	689	907	932	777	505	177	64	13	37
Towns . . .	474	470	461	417	452	466	512	468	486	438	314	151	77	16	6	10
Shetland . . .	9	8	9	3	8	9	9	25	22	14	23	16	6	4	–	1
Orkney . . .	6	7	5	6	3	13	12	16	21	14	20	16	2	2	–	–
Caithness . . .	4	2	3	13	10	8	13	13	26	24	23	21	6	4	1	2
Sutherland . .	2	3	5	4	4	5	7	10	11	14	18	6	2	–	2	–
Ross and Cromarty .	15	10	16	18	18	26	43	22	47	45	47	24	14	8	1	–
Inverness . . .	12	22	19	15	20	26	39	37	50	35	57	27	17	11	3	–
Nairn . . .	–	4	–	–	1	2	6	2	1	5	5	2	1	–	–	–
Elgin . . .	5	12	9	8	9	10	10	21	26	29	27	16	4	4	–	–
Banff . . .	17	7	6	21	10	17	24	23	37	36	26	29	9	3	1	1
Aberdeen . . .	57	51	61	55	59	79	77	97	147	122	97	85	36	9	3	5
Kincardine . .	12	7	7	6	2	10	15	16	16	27	20	14	7	1	–	–
Forfar . . .	58	72	65	60	91	101	80	84	107	92	74	41	14	4	1	3
Perth	39	33	39	43	45	37	52	74	101	92	84	45	14	5	2	2
Fife	49	37	35	28	48	48	59	68	80	88	75	43	13	4	2	1
Kinross . . .	1	–	1	4	3	2	4	4	9	9	5	–	1	1	–	–
Clackmannan . .	5	4	5	2	6	4	9	9	9	10	1	1	2	–	–	–
Stirling . . .	21	24	23	41	23	24	32	35	42	36	32	17	9	1	1	1
Dumbarton . .	13	16	15	7	12	15	22	16	18	18	14	15	–	1	–	6
Argyll . . .	20	19	18	13	22	27	35	39	38	56	52	18	17	8	1	7
Bute	6	1	2	3	4	6	13	5	8	12	7	7	1	1	–	–
Renfrew . . .	54	60	50	57	56	52	76	58	67	69	50	23	14	4	1	4
Ayr	59	59	48	51	42	51	56	62	92	72	55	37	11	3	–	3
Lanark . . .	292	250	245	223	211	217	250	215	217	184	117	58	19	4	2	5
Linlithgow . .	9	7	8	9	2	7	13	12	14	17	12	10	3	1	–	1
Edinburgh . .	103	120	107	84	116	120	157	140	124	132	89	46	22	5	1	3
Haddington . .	10	3	9	7	13	7	11	16	20	19	19	11	5	–	–	1
Berwick . . .	8	10	3	11	10	13	8	17	22	22	15	10	2	1	–	–
Peebles . . .	2	2	1	1	3	5	–	3	5	5	10	1	–	–	–	–
Selkirk . . .	7	1	–	–	1	2	3	4	2	3	5	1	–	–	–	–
Roxburgh . . .	13	12	13	19	18	11	16	28	31	26	20	20	4	–	–	2
Dumfries . . .	25	25	26	19	23	26	39	26	45	51	32	24	13	3	–	1
Kirkcudbright . .	13	4	5	8	9	13	16	16	17	24	24	9	3	–	–	2
Wigtown . . .	9	12	6	8	7	17	19	20	17	32	25	15	7	4	–	–
FEMALE DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1856.																
Inverness . . .	3	11	3	6	3	4	10	9	8	12	12	4	2	–	–	–
Aberdeen . . .	24	22	31	29	31	32	34	44	65	36	32	17	8	2	1	1
Arbroath . . .	3	5	–	6	9	11	8	8	10	12	7	1	1	–	–	–
Dundee . . .	33	48	38	31	52	52	33	30	39	25	23	11	5	1	1	2
Forfar . . .	1	–	4	2	5	9	5	8	4	3	5	2	1	–	–	–
Montrose . . .	3	5	6	5	5	9	12	8	9	11	9	3	1	1	–	1
Perth . . .	9	7	11	11	18	5	9	17	19	17	12	2	1	–	–	–
Dunfermline . .	4	6	6	6	8	4	4	7	5	7	3	1	1	–	–	–
Kirkcaldy . .	2	1	2	–	4	3	2	7	3	7	7	4	–	–	–	–
Stirling . . .	2	3	5	4	5	4	5	7	6	6	6	6	3	1	–	–
Greenock . . .	19	22	20	19	21	18	21	17	15	15	10	5	6	1	1	3
Paisley . . .	11	15	17	18	16	13	20	17	23	27	18	7	6	2	–	–
Ayr	6	4	6	6	5	10	5	4	8	5	7	1	–	–	–	–
Kilmarnock . .	9	7	7	12	3	8	8	8	11	6	10	3	1	–	–	–
Glasgow . . .	213	173	182	162	148	152	167	144	135	99	75	32	17	3	–	2
Barony . . .	18	8	11	10	9	10	13	5	12	15	4	4	1	–	1	–
Govan . . .	10	13	10	5	5	4	10	5	7	5	2	3	–	–	–	–
Hamilton . . .	5	6	5	3	5	6	4	4	5	5	3	–	–	–	1	–
Airdrie . . .	4	7	3	2	7	3	4	3	5	5	5	1	–	–	–	–
Coatbridge, etc. .	3	3	7	4	4	2	7	2	3	–	–	–	–	–	–	–
Edinburgh . . .	77	90	70	60	69	84	102	95	78	96	56	36	15	4	1	1
Leith	6	9	10	9	14	17	21	16	10	12	6	3	4	–	–	–
Dumfries . . .	9	5	7	7	6	6	8	3	6	12	2	5	4	1	–	–

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1856.—BOTH SEXES.

DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
ALL CAUSES	[illegible]	461	381	574	277	1172	1162	104	647	844	3720	499	4363	2243	2587	136
SPECIFIED CAUSES	[illegible]	551	337	516	248	990	1054	94	589	759	3528	483	4171	2151	2424	132
I. Zymotic Class	[illegible]	29	39	95	22	197	157	12	77	112	726	104	1246	374	546	20
II. Diseases of Uncer. Seat	[illegible]	17	21	27	9	48	45	5	29	34	195	32	188	129	143	11
III. Tubercular Class	[illegible]	46	44	62	46	114	123	15	93	94	602	66	644	320	301	17
IV. Brain and Nervous Sys.	[illegible]	9	26	42	13	49	69	6	57	85	324	47	323	219	215	18
V. Organs of Circulation	[illegible]	3	7	8	2	14	31	3	17	32	126	18	177	122	99	8
VI. Respiratory Organs	[illegible]	16	30	60	18	72	108	4	51	62	375	37	387	199	264	11
VII. Organs of Digestion	[illegible]	30	14	34	19	50	76	7	34	64	291	32	311	169	214	16
VIII. Urinary Organs	[illegible]	11	9	15	5	10	6	–	11	17	75	5	43	20	26	–
IX. Organs of Generation	481	9	4	1	2	8	16	–	6	15	26	4	27	19	21	2
X. Organs of Locomotion	[illegible]	5	3	3	1	2	8	1	–	6	21	1	20	18	11	1
XI. Skin, etc.	50	–	1	–	–	–	1	–	–	1	5	–	4	2	1	–
XII. Malformation	119	–	–	–	–	1	1	–	–	1	7	–	13	7	5	–
XIII. Premature Debility	2744	22	13	23	10	82	59	7	27	40	166	26	209	87	111	2
XIV. Atrophy	461	1	2	2	–	1	4	1	3	6	19	6	20	21	26	2
XV. Age	[illegible]	132	109	123	87	310	290	30	152	150	458	83	351	361	331	22
XVI. Sudden Deaths	[illegible]	3	4	4	7	4	9	1	5	5	2	1	30	13	13	–
XVII. Violent Deaths	2003	18	11	17	7	28	51	2	27	35	110	21	118	71	97	2
I. Small Pox	1306	5	–	3	–	7	13	–	–	7	79	7	259	45	52	1
Measles	1022	1	–	9	2	75	50	–	31	1	10	–	181	6	25	–
Scarlatina	3011	1	–	8	–	4	2	–	3	9	111	37	232	42	144	1
Hooping Cough	[illegible]	–	15	–	1	30	16	–	1	12	112	7	168	37	39	10
Croup	1020	1	1	9	7	26	14	2	9	6	52	4	99	52	75	1
Thrush	27	–	–	–	–	–	3	–	–	–	4	2	1	–	1	–
Diarrhœa	[illegible]	1	3	10	1	5	5	6	8	7	42	5	47	36	41	1
Dysentery	392	2	–	2	–	–	10	–	2	8	24	–	23	19	15	1
Cholera	88	–	–	–	–	1	–	–	–	1	–	2	5	2	3	–
Influenza	244	–	4	3	1	10	5	1	2	8	38	8	23	15	5	–
Purpura	[illegible]	–	–	–	–	–	–	–	–	–	3	1	4	–	–	–
Ague	[illegible]	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Worms	[illegible]	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–
Infantile Fever	196	–	1	–	1	–	1	1	1	1	4	1	3	8	11	–
Typhus	2362	12	11	49	5	33	24	1	15	33	198	19	172	89	109	4
Metria	143	1	–	–	1	2	–	–	–	6	10	2	6	8	4	–
Rheumatic Fever	58	1	–	–	2	1	3	–	2	5	5	–	2	4	4	–
Erysipelas	288	4	4	–	1	1	11	1	2	7	26	9	14	9	14	–
Syphilis	81	–	–	2	–	2	–	–	1	1	6	–	3	1	3	1
Noma	20	–	–	–	–	–	–	–	–	–	1	–	3	–	–	–
Hydrophobia	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
II. Hæmorrhage	[illegible]	3	–	4	–	3	5	–	3	3	14	1	13	13	10	–
Dropsy	1005	10	11	10	4	18	20	2	8	7	79	6	91	46	71	4
Abscess	110	1	1	–	–	–	–	–	–	2	12	3	3	4	2	1
Ulcer	28	–	–	–	–	–	–	–	–	–	4	–	4	2	–	–
Fistula	[illegible]	–	–	–	–	–	–	–	–	–	2	–	–	1	–	1
Mortification	163	–	–	2	–	3	1	–	2	1	10	4	10	14	10	1
Cancer	908	3	9	11	5	24	19	3	16	21	74	18	67	49	50	4
Gout	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	[illegible]	2	4	3	3	4	6	1	6	11	55	6	24	18	14	–
Tabes Mesenterica	519	1	–	3	1	3	2	–	4	3	20	4	21	13	25	1
Phthisis	6247	49	34	45	41	99	108	11	57	71	379	45	468	237	208	12
Hydrocephalus	[illegible]	5	6	11	1	8	7	3	26	9	148	11	131	52	54	4

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1856.—BOTH SEXES.

DISEASES.	Clackmannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
ALL CAUSES . .	333	1578	945	1283	279	3832	3984	15110	614	3525	653	527	134	128	897	1491	640	680
SPECIFIED CAUSES .	313	1481	850	1131	267	3552	3752	14297	566	3021	591	512	131	125	873	1340	567	609
Zymotic Class . .	77	292	189	194	32	1029	1081	4081	142	1785	168	105	14	41	204	345	127	116
Uncertain Seat . .	15	66	36	62	13	146	157	467	20	244	27	30	9	7	54	57	30	30
Tubercular Class .	43	254	166	163	67	657	760	2546	81	1016	79	68	19	20	136	217	85	113
Brain, etc. . .	30	128	85	118	20	252	274	1048	39	527	47	60	11	11	95	130	54	55
Heart, etc. . .	14	62	20	38	18	85	89	410	31	296	31	23	9	3	39	56	26	31
Respiratory Organs .	32	179	65	107	18	402	376	1983	63	742	59	62	19	13	75	129	51	55
Digestive Organs .	26	139	82	82	18	298	289	1226	52	361	40	48	7	9	78	112	47	49
Urinary Organs . .	1	14	4	9	4	24	28	85	4	100	3	12	3	1	13	15	11	6
Generative Organs .	5	12	7	10	1	22	31	137	6	48	3	3	3	–	7	13	3	10
Locomotive Organs .	–	7	8	3	1	26	7	59	–	24	7	3	–	–	2	6	2	1
Skin	–	2	1	1	–	4	1	13	1	9	–	1	–	–	1	1	–	–
Malformation . .	–	5	1	1	–	12	12	29	–	10	3	1	–	–	3	7	–	–
Premature Debility .	17	54	40	31	8	180	177	833	29	237	33	23	11	6	43	43	18	17
Atrophy . . .	4	13	8	9	3	52	30	145	3	44	2	2	1	–	12	7	7	5
Age	31	137	81	227	36	232	270	709	61	365	61	47	22	8	82	166	85	93
Sudden Deaths . .	1	19	3	2	–	8	7	31	–	24	–	1	–	–	2	4	2	1
Violent Deaths .	17	66	54	70	19	123	163	495	34	189	27	17	3	6	27	32	19	27
Small Pox . . .	–	11	25	17	2	88	157	302	7	172	1	–	1	–	16	24	1	4
Measles . . .	19	41	9	14	2	86	40	199	32	134	15	6	–	–	35	7	2	1
Scarlatina . . .	7	46	22	37	11	207	204	545	12	900	73	33	5	23	58	157	68	9
Hooping Cough .	8	23	44	17	–	156	213	1145	40	87	3	4	1	8	20	48	17	37
Croup . . .	6	31	11	29	4	72	65	278	12	91	13	9	–	1	9	13	9	9
Thrush . . .	–	–	–	–	–	3	2	7	–	1	–	1	–	–	2	–	–	–
Diarrhœa . . .	6	39	19	9	4	80	83	481	6	91	8	6	–	1	13	19	7	8
Dysentery . . .	8	4	8	3	3	23	23	156	2	31	6	–	4	1	2	10	1	1
Cholera . . .	–	4	–	2	–	8	8	42	1	7	–	2	–	–	–	–	–	–
Influenza . . .	–	8	7	6	–	11	20	40	1	13	1	4	–	–	–	1	1	8
Purpura . . .	–	–	–	–	–	2	5	11	–	5	1	–	–	1	1	1	1	–
Ague . . .	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Worms . . .	–	1	–	1	–	6	5	3	–	1	–	–	–	–	7	2	5	7
Infantile Fever . .	5	7	–	4	2	18	41	51	2	17	4	4	–	1	3	3	–	1
Typhus . . .	16	62	42	44	3	226	166	663	23	167	30	28	2	5	29	50	10	23
Metria . . .	1	4	1	3	–	9	18	35	–	18	3	3	–	–	1	3	2	2
Rheumatic Fever .	–	–	–	3	–	1	4	10	–	3	1	1	–	–	–	2	1	3
Erysipelas . . .	1	2	–	5	1	22	19	77	3	34	4	4	1	–	6	3	2	1
Syphilis . . .	–	1	1	–	–	10	6	26	–	12	–	–	–	–	1	2	–	2
Noma . . .	–	2	–	–	–	1	1	10	1	1	–	–	–	–	–	–	–	–
Hydrophobia . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage . .	–	7	5	8	3	8	15	24	3	18	–	–	–	–	3	2	4	–
Dropsy . . .	7	25	18	22	3	69	60	220	7	71	15	12	1	1	32	22	17	16
Abscess . . .	2	6	–	2	–	6	11	29	–	11	–	2	1	–	3	5	2	1
Ulcer . . .	–	–	1	4	–	3	1	7	–	2	–	–	–	–	–	–	–	–
Fistula . . .	–	–	1	2	–	1	–	2	–	4	–	–	–	–	–	1	–	–
Mortification . .	2	3	2	4	–	8	10	34	2	23	4	2	–	3	3	–	1	4
Cancer . . .	4	25	9	21	7	51	69	151	8	114	8	14	7	3	13	26	6	9
Gout . . .	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–
Scrofula . . .	4	15	9	11	4	29	44	95	8	41	4	4	1	1	10	6	5	3
Tabes Mesenterica .	2	17	3	5	6	25	47	183	6	78	4	4	2	3	11	16	4	2
Phthisis . . .	27	162	115	121	42	451	515	1718	52	634	55	48	11	11	98	166	68	98
Hydrocephalus . .	10	60	39	26	15	152	154	550	15	263	16	12	5	5	17	29	8	10

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1856.—BOTH SEXES. (*Continued.*)

	DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
IV.	Cephalitis	363	1	2	8	4	11	6	–	4	8	26	4	14	15	11	1
	Apoplexy	975	2	7	14	1	5	12	4	12	22	70	16	65	55	51	7
	Paralysis	1418	4	10	12	2	22	19	–	17	25	77	13	105	84	83	7
	Delirium Tremens	58	–	–	–	–	–	1	–	–	2	1	–	5	1	4	–
	Chorea	9	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–
	Epilepsy	166	–	1	3	1	1	9	–	1	3	10	2	6	10	6	–
	Tetanus	86	–	1	1	–	2	–	–	1	4	6	1	4	4	4	–
	Insanity	55	1	2	2	–	–	2	–	1	1	4	–	3	4	3	–
	Convulsions	733	1	2	1	1	3	15	2	9	14	81	2	81	19	19	1
	Brain Disease	638	–	1	1	4	5	5	–	12	6	49	9	38	27	34	2
V.	Pericarditis	68	–	–	2	–	1	1	–	–	1	4	–	2	5	3	–
	Aneurism	66	–	–	1	–	–	2	–	1	–	3	3	7	2	3	–
	Heart Disease	1814	3	7	5	2	13	28	3	16	31	119	15	168	115	93	8
VI.	Laryngitis	114	–	–	2	1	–	2	–	–	2	12	1	6	4	4	–
	Bronchitis	2762	7	6	28	4	16	42	2	23	27	197	16	150	93	110	6
	Pleurisy	337	2	1	3	1	5	23	1	5	4	30	4	21	20	24	–
	Pneumonia	1970	4	10	18	2	17	18	–	16	16	89	10	116	57	105	4
	Asthma	610	2	7	8	9	32	17	1	4	7	24	5	67	17	9	1
	Lung Disease	331	1	6	1	1	2	6	–	3	6	23	1	27	8	12	–
VII.	Teething	1028	4	3	6	2	4	18	1	5	11	61	2	97	17	43	3
	Quinsey	54	1	2	2	–	2	–	–	–	–	6	–	3	3	4	–
	Gastritis	164	1	1	2	2	2	2	–	1	1	9	1	15	15	10	–
	Enteritis	847	–	1	8	5	11	14	2	9	2	34	8	38	28	41	3
	Peritonitis	260	–	–	9	3	1	5	–	–	8	20	1	8	14	23	1
	Ascites	109	–	–	–	–	1	2	2	–	3	2	1	6	9	4	–
	Ulceration of Intestines	175	–	–	–	–	2	7	–	1	7	22	4	10	5	7	1
	Hernia	96	–	–	–	–	2	4	–	2	4	7	2	9	4	8	–
	Ileus	267	5	2	–	1	9	5	1	4	11	41	4	17	11	9	4
	Intussusception	39	–	–	–	–	1	1	–	–	2	2	–	1	1	3	–
	Stricture of Intestines	14	–	–	–	–	1	–	–	–	–	1	–	2	1	–	–
	Stomach Disease	464	8	2	3	3	1	6	1	3	9	37	4	48	14	20	–
	Pancreas Disease	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Hepatitis	149	4	–	2	–	1	3	–	2	–	7	1	13	10	6	–
	Jaundice	179	2	–	–	1	3	2	–	1	1	18	1	17	14	9	1
	Liver Disease	460	4	3	2	2	9	7	–	6	5	23	3	26	23	25	3
	Spleen Disease	13	–	–	–	–	–	–	–	–	–	1	–	1	–	2	–
VIII.	Nephritis	44	–	1	–	–	1	–	–	1	1	1	–	1	2	3	–
	Nephria	106	–	–	2	–	–	1	–	4	3	9	–	3	2	3	–
	Ischuria	40	3	–	2	1	1	1	–	–	1	5	1	1	2	2	–
	Diabetes	54	–	–	2	1	2	–	–	1	2	4	2	3	–	4	–
	Stone	68	7	2	3	1	3	–	–	2	3	14	1	6	2	1	–
	Cystitis	33	–	3	1	–	–	1	–	1	–	5	–	6	2	–	–
	Stricture of Urethra	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Kidney Disease	243	1	3	5	2	3	2	–	2	7	37	1	23	10	13	–
IX.	Paramenia	14	–	–	–	–	–	–	–	3	–	4	–	–	2	1	–
	Ovarian Dropsy	37	–	3	–	–	1	–	–	–	3	3	–	3	1	3	–
	Childbirth	351	9	1	1	2	7	14	–	3	9	13	3	21	12	12	1
	Uterine Disease	79	–	–	–	–	–	2	–	–	3	6	1	3	4	5	1
X.	Arthritis	15	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
	Rheumatism	114	4	3	2	1	2	6	–	–	6	7	1	11	9	5	1
	Joint and Bone Disease	128	1	–	1	–	–	2	1	–	–	14	–	8	8	6	–
XI.	Carbuncle	18	–	1	–	–	–	1	–	–	–	1	–	1	1	–	–
	Phlegmon	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Skin Disease	27	–	–	–	–	–	–	–	–	1	4	–	3	1	1	–
XII.	Cyanosis	26	–	–	–	–	–	–	–	–	–	–	–	6	–	–	–
	Spina Bifida	31	–	–	–	–	–	1	–	–	–	1	–	1	2	2	–
	Other Malformations	62	–	–	–	–	1	–	–	–	1	6	–	6	5	3	–
XVII.	Intemperance	78	–	–	–	–	–	–	–	–	1	4	–	7	2	–	–
	Privation	6	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–
	Want of Breast Milk	26	–	–	1	–	–	–	–	1	–	1	1	6	–	1	–
	Neglect	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Cold	21	–	–	–	–	–	1	–	–	1	4	1	–	–	–	–
	Poison	44	–	–	–	–	3	–	–	1	–	2	1	3	–	–	–
	Burns and Scalds	303	7	3	3	–	5	10	–	5	6	17	2	14	9	12	–
	Hanging, etc.	54	–	1	–	–	1	1	–	1	1	1	–	6	3	9	–
	Suffocation	76	–	–	1	–	1	1	–	–	2	10	3	3	4	–	–
	Drowning	520	10	–	6	3	14	27	1	10	11	23	4	32	19	18	1
	Fracture and Contusion	730	1	2	6	3	3	7	1	8	11	38	9	40	29	48	1
	Wounds	57	–	3	–	–	–	1	–	–	–	2	–	1	4	3	–
	Other Violent Causes	84	–	2	–	1	1	3	–	1	2	7	–	6	1	5	–
	Not Specified	3774	50	24	58	29	182	108	10	58	85	192	16	192	92	163	4

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1856.—BOTH SEXES. (*Continued.*)

DISEASES.	Clackmannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
Cephalitis	–	12	8	8	6	16	21	102	8	35	2	3	1	–	4	14	4	4
Apoplexy	6	28	18	28	9	58	66	204	4	107	10	12	3	3	16	32	16	12
Paralysis	15	40	28	50	5	87	83	267	10	181	20	32	3	6	32	41	21	17
Delirium Tremens	–	1	1	1	1	7	3	7	3	13	–	2	–	–	2	2	1	–
Chorea	–	–	–	–	–	2	–	3	–	–	–	–	–	–	–	2	–	–
Epilepsy	–	5	–	4	–	2	14	41	1	26	–	5	–	–	3	6	1	5
Tetanus	–	1	4	8	1	2	6	18	2	6	1	–	–	–	2	3	1	3
Insanity	1	–	1	2	–	2	3	11	–	7	–	1	–	–	1	3	–	–
Convulsions	3	13	16	9	1	30	52	228	7	62	9	8	1	1	21	11	3	7
Brain Disease	5	28	9	8	6	46	26	167	4	90	5	3	3	1	14	16	7	7
Pericarditis	1	2	–	1	1	4	4	10	–	14	1	4	–	1	2	1	1	2
Aneurism	–	2	–	2	–	3	2	11	1	20	–	–	–	–	–	2	–	1
Heart Disease	13	58	20	35	17	78	83	389	30	262	30	19	9	2	37	53	25	28
Laryngitis	–	6	–	–	–	4	7	37	2	15	1	3	–	–	2	2	1	–
Bronchitis	13	66	26	45	7	197	159	886	45	391	30	21	10	7	31	53	27	21
Pleurisy	1	10	6	5	–	15	23	48	2	38	5	5	3	–	12	9	5	6
Pneumonia	14	69	17	23	6	125	117	754	9	201	15	21	4	6	23	54	14	16
Asthma	3	11	10	28	1	48	44	164	4	48	2	10	1	–	5	5	4	12
Lung Disease	1	17	6	6	4	13	26	94	1	49	6	2	1	–	2	6	–	–
Teething	3	33	28	5	1	131	53	387	9	63	5	3	1	–	12	9	3	5
Quinsey	1	1	1	–	–	3	2	13	–	6	–	–	–	–	2	–	1	1
Gastritis	1	6	4	5	1	4	15	33	–	8	1	9	–	–	4	2	4	5
Enteritis	5	15	7	13	8	59	72	303	14	63	6	8	2	3	16	23	14	12
Peritonitis	–	12	2	5	–	8	19	62	3	28	1	6	–	1	4	9	5	2
Ascites	2	3	1	5	–	5	7	25	1	18	1	2	–	–	–	9	–	–
Ulceration of Intestines	3	5	1	4	1	5	9	32	–	26	3	4	–	3	2	8	1	2
Hernia	2	10	2	1	1	6	6	12	2	8	–	1	–	–	–	2	1	–
Ileus	1	8	5	12	–	3	19	59	1	15	4	1	–	–	3	6	2	4
Intussusception	–	2	2	3	–	–	2	9	–	4	1	–	–	1	1	3	–	–
Stricture of Intestines	1	–	–	1	–	–	–	4	–	3	–	–	–	–	–	–	–	–
Stomach Disease	2	14	19	12	1	21	39	106	8	32	5	3	3	–	14	11	7	8
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	3	1	1	4	1	12	13	29	3	8	5	–	–	–	3	10	4	3
Jaundice	1	4	3	4	–	6	15	39	3	17	3	2	–	–	4	3	2	3
Liver Disease	1	16	5	12	4	35	17	112	8	60	3	9	1	1	12	16	3	4
Spleen Disease	–	–	1	–	–	–	1	1	–	2	2	–	–	–	1	1	–	–
Nephritis	–	3	–	1	–	1	2	9	1	9	–	–	–	–	1	3	1	2
Nephria	–	3	–	–	1	3	3	16	1	37	–	3	2	–	2	3	4	1
Ischuria	–	2	–	3	–	1	1	5	–	2	1	2	–	–	3	–	–	–
Diabetes	–	3	–	–	1	5	3	8	–	8	1	1	–	–	1	2	–	–
Stone	–	–	1	4	1	4	6	4	–	1	1	–	–	–	–	1	–	–
Cystitis	–	–	–	–	–	1	2	6	–	1	–	2	–	–	–	1	1	–
Stricture of Urethra	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	3	3	1	1	8	11	37	2	42	–	4	1	1	6	5	5	3
Paramenia	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	1	–	–
Ovarian Dropsy	–	–	1	–	–	2	2	5	–	3	1	–	–	–	2	4	–	–
Childbirth	2	8	6	9	–	20	25	107	4	39	1	2	2	–	3	5	3	7
Uterine Disease	3	4	–	1	–	–	3	24	2	6	1	1	1	–	2	3	–	3
Arthritis	–	–	–	–	–	3	2	7	–	–	1	–	–	–	–	–	–	–
Rheumatism	–	3	2	3	1	13	1	20	–	9	1	–	–	–	1	2	–	–
Joint Disease	–	4	6	–	–	10	4	32	–	15	5	3	–	–	1	4	2	1
Carbuncle	–	–	1	1	–	2	–	3	–	5	–	1	–	–	–	–	–	–
Phlegmon	–	1	–	–	–	1	–	2	–	–	–	–	–	–	1	–	–	–
Skin Disease	–	1	–	–	–	1	1	8	1	4	–	–	–	–	–	1	–	–
Cyanosis	–	2	–	–	–	1	4	5	–	2	1	–	–	–	2	3	–	–
Spina Bifida	–	2	–	–	–	6	3	10	–	1	1	–	–	–	1	–	–	–
Other Malformations	–	1	1	1	–	5	5	14	–	7	1	1	–	–	–	4	–	–
Intemperance	2	6	1	1	–	4	8	16	–	14	4	–	–	1	2	2	–	3
Privation	–	–	–	–	–	1	–	3	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	1	–	–	–	–	3	9	–	2	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–	–	–
Cold	–	2	2	5	1	1	–	1	1	1	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	2	7	12	–	6	–	–	–	–	3	1	1	2
Burns and Scalds	1	8	2	7	3	16	27	84	5	31	4	4	–	1	2	8	5	2
Hanging, etc.	1	–	1	3	–	3	1	13	–	5	2	–	–	–	–	–	1	–
Suffocation	–	3	1	2	–	5	10	10	–	10	3	1	–	–	1	1	2	2
Drowning	1	16	29	36	12	41	24	104	9	30	6	6	2	1	3	5	4	12
Fracture and Contusion	12	25	16	11	2	42	72	214	12	72	5	4	1	2	11	11	5	6
Wounds	–	2	–	1	1	4	3	10	1	11	2	2	–	1	2	3	–	–
Other Violent Causes	–	3	2	4	–	4	8	15	6	7	1	–	–	–	3	1	1	–
Not Specified	20	147	95	158	12	280	232	813	48	304	62	15	3	3	24	151	73	71

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1856.—MALES.

DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
ALL CAUSES	29418	176	154	278	137	575	555	62	333	404	1812	242	2162	1096	1275	65
SPECIFIED CAUSES	27417	146	139	254	124	480	510	57	302	359	1706	229	2063	1040	1196	63
I. Zymotic Class	6919	13	18	53	13	92	84	9	35	42	348	45	644	185	269	11
II. Diseases of Uncer. Seat	973	9	4	15	5	23	21	1	9	6	67	15	74	51	58	6
III. Tubercular Class	4553	17	18	37	24	59	67	11	57	54	321	32	287	157	142	9
IV. Brain and Nervous Sys.	2357	3	12	26	6	27	38	3	31	51	165	24	169	100	107	9
V. Organs of Circulation	995	–	1	6	1	5	19	1	11	12	56	7	88	73	50	3
VI. Respiratory Organs	3250	8	15	27	7	40	51	3	26	37	185	19	184	111	142	4
VII. Organs of Digestion	2207	16	6	16	12	29	45	3	18	32	149	18	166	79	108	10
VIII. Urinary Organs	434	10	7	9	4	7	5	–	8	12	52	5	36	13	18	–
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	133	3	2	2	1	–	4	1	–	3	11	1	8	10	5	1
XI. Skin, etc.	31	–	–	–	–	–	1	–	–	–	3	–	4	2	1	–
XII. Malformation	68	–	–	–	–	1	–	–	–	–	4	–	5	4	3	–
XIII. Premature Debility	1548	11	4	12	7	50	29	6	19	20	92	13	161	46	69	–
XIV. Atrophy	207	–	–	–	–	–	1	1	–	4	10	2	8	7	10	–
XV. Age	2178	44	45	40	34	124	100	15	64	55	166	32	130	147	133	8
XVI. Sudden Deaths	103	2	2	–	4	3	6	1	2	2	2	1	14	3	10	–
XVII. Violent Deaths	1461	10	5	11	6	20	39	2	22	29	75	15	85	52	71	2
I. Small Pox	711	3	–	1	–	4	9	–	–	2	43	5	135	22	28	–
Measles	521	1	–	6	1	37	23	–	16	1	6	–	92	2	15	–
Scarlatina	1585	1	–	4	–	2	2	–	1	2	47	13	127	22	59	1
Hooping Cough	1044	–	6	–	1	12	6	–	–	7	54	1	80	18	16	6
Croup	554	–	1	7	5	11	7	1	6	1	29	3	60	31	41	1
Thrush	13	–	–	–	–	–	2	–	–	–	2	1	–	–	–	–
Diarrhœa	570	–	–	5	1	3	3	5	2	4	16	1	26	16	24	1
Dysentery	188	1	–	1	–	–	5	–	–	6	10	–	14	10	7	–
Cholera	44	–	–	–	–	–	–	–	–	1	–	–	2	1	2	–
Influenza	118	–	2	1	1	3	2	1	–	1	19	4	8	6	3	–
Purpura	22	–	–	–	–	–	–	–	–	–	3	1	2	–	–	–
Ague	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Worms	21	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–
Infantile Fever	109	–	–	–	–	–	1	–	–	1	3	1	1	4	7	–
Typhus	1174	6	7	27	3	18	17	1	7	11	91	9	84	43	58	2
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	26	–	–	–	1	1	1	–	1	3	3	–	1	–	–	–
Erysipelas	161	1	2	–	–	–	6	1	1	1	17	6	7	9	7	–
Syphilis	45	–	–	1	–	1	–	–	1	1	4	–	2	–	1	–
Noma	10	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–
Hydrophobia	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
II. Hæmorrhage	103	2	–	2	–	1	4	–	2	2	4	–	9	8	5	–
Dropsy	426	5	–	5	2	8	10	–	1	2	28	4	33	18	36	2
Abscess	53	1	–	–	–	–	–	–	–	–	7	2	2	1	1	1
Ulcer	12	–	–	–	–	–	–	–	–	–	1	–	2	1	–	–
Fistula	13	–	–	–	–	–	–	–	–	–	2	–	–	1	–	1
Mortification	87	–	–	1	–	1	1	–	1	1	6	2	8	10	3	1
Cancer	278	1	4	7	3	13	6	1	5	1	19	7	20	12	13	1
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	266	1	1	3	1	3	5	–	5	6	32	3	13	11	10	–
Tabes Mesenterica	283	–	–	3	1	2	1	–	2	2	14	2	13	4	17	1
Phthisis	3006	13	15	24	21	53	59	9	35	40	191	23	198	112	85	7
Hydrocephalus	998	3	2	7	1	1	2	2	15	6	84	4	63	30	30	1

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1856.—MALES.

DISEASES.	Clackmannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
ALL CAUSES . .	179	814	487	664	147	1946	2065	7698	297	3203	323	259	78	65	435	785	332	315
SPECIFIED CAUSES .	164	727	439	585	143	1805	1941	7261	275	3034	288	250	77	65	421	694	298	282
Zymotic Class . .	37	147	87	95	16	527	547	2014	67	932	85	49	9	20	107	191	73	55
Uncertain Seat . .	4	25	12	26	4	66	71	192	10	99	12	10	5	4	17	25	16	11
Tubercular Class .	21	134	96	89	40	315	375	1246	38	537	43	35	13	12	61	103	45	58
Brain, etc. . . .	16	59	42	66	14	142	145	577	25	267	17	41	4	5	48	71	19	28
Heart, etc. . .	7	36	12	22	9	35	42	212	15	158	21	11	4	1	16	33	18	10
Respiratory Organs .	18	101	32	57	13	218	212	1079	43	371	28	22	15	7	42	73	30	30
Digestive Organs .	15	63	52	47	11	145	153	626	20	171	19	23	4	4	42	57	22	26
Urinary Organs . .	1	10	2	8	3	17	21	62	4	71	3	9	3	1	10	10	9	4
Generative Organs .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs .	–	2	4	1	–	11	3	34	–	11	4	2	–	–	1	5	2	1
Skin	–	–	1	–	–	4	1	8	1	3	–	–	–	–	1	1	–	–
Malformation . .	–	3	1	1	–	9	5	18	–	6	1	1	–	–	1	5	–	–
Premature Debility .	10	37	22	20	5	101	109	461	11	116	18	13	8	2	26	29	11	10
Atrophy . . .	2	2	4	4	1	27	9	70	–	23	1	1	–	–	6	5	6	3
Age	16	54	30	91	12	83	127	273	18	136	22	19	9	4	25	61	35	26
Sudden Deaths . .	1	4	2	1	–	8	3	14	–	12	–	–	–	–	2	3	1	–
Violent Deaths . .	16	50	40	57	15	97	118	375	23	121	14	14	3	5	16	22	11	20
Small Pox . . .	–	3	11	9	1	48	87	161	5	107	–	–	1	–	10	13	–	3
Measles . . .	10	19	4	7	–	36	19	95	13	79	9	4	–	–	22	3	1	–
Scarlatina . . .	4	21	17	17	6	123	108	287	4	470	38	14	3	13	32	102	41	4
Hooping Cough .	2	14	20	8	–	71	101	499	18	38	3	2	1	3	12	21	7	17
Croup . . .	5	21	3	12	2	40	35	151	3	49	5	6	–	–	4	8	4	2
Thrush . . .	–	–	–	–	–	1	1	3	–	1	–	1	–	–	1	–	–	–
Diarrhœa . . .	2	18	5	4	2	35	46	267	5	46	6	4	–	–	3	9	6	5
Dysentery . . .	4	3	4	1	2	12	7	76	–	13	1	–	3	1	1	5	–	1
Cholera . . .	–	1	–	1	–	6	5	19	1	3	–	2	–	–	–	–	–	–
Influenza . . .	–	7	3	4	–	6	9	22	1	6	1	1	–	–	–	1	1	5
Purpura . . .	–	–	–	–	–	1	2	7	–	2	1	–	–	–	1	1	1	–
Ague	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Worms . . .	–	–	–	–	–	2	4	2	–	1	–	–	–	–	3	–	4	3
Infantile Fever . .	3	6	–	2	2	7	24	27	1	12	1	3	–	–	1	1	–	1
Typhus . . .	7	31	20	25	1	116	82	332	12	82	17	11	–	3	14	22	5	10
Metria . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever .	–	–	–	2	–	1	3	3	–	2	1	–	–	–	–	1	1	1
Erysipelas . . .	–	2	–	3	–	12	8	49	3	14	2	1	1	–	3	2	2	1
Syphilis . . .	–	–	–	–	–	9	5	10	–	6	–	–	–	–	–	2	–	2
Noma . . .	–	1	–	–	–	1	–	4	1	1	–	–	–	–	–	–	–	–
Hydrophobia . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage . .	–	5	1	3	1	5	13	19	2	11	–	–	–	–	1	1	2	–
Dropsy . . .	1	10	6	6	1	35	26	106	3	31	7	5	1	1	8	10	9	6
Abscess . . .	–	1	–	1	–	3	5	14	–	5	–	1	1	–	2	2	2	1
Ulcer	–	–	1	1	–	2	–	3	–	1	–	–	–	–	–	–	–	–
Fistula . . .	–	–	–	2	–	1	–	1	–	4	–	–	–	–	–	1	–	–
Mortification . .	1	–	2	2	–	4	7	14	1	11	2	1	–	1	2	–	1	3
Cancer . . .	2	9	2	11	2	16	20	35	4	36	3	3	3	2	4	10	2	1
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Scrofula . . .	2	9	4	6	2	13	25	59	3	28	4	3	1	1	4	3	2	3
Tabes Mesenterica .	–	9	2	4	5	10	22	104	2	38	2	1	2	3	8	5	3	1
Phthisis . . .	16	85	68	68	26	214	240	787	26	325	26	24	6	4	41	80	36	49
Hydrocephalus . .	3	31	22	11	7	78	88	296	7	146	11	7	4	4	8	15	4	5

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1856.—MALES. (*Continued.*)

DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
IV. Cephalitis	201	–	1	7	3	4	2	–	3	3	11	3	5	4	7	1
Apoplexy	508	2	2	9	1	2	5	1	7	13	33	8	33	30	26	6
Paralysis	656	1	7	6	–	13	10	–	7	13	35	4	54	34	38	2
Delirium Tremens	50	–	–	–	–	–	1	–	–	2	1	–	5	–	4	–
Chorea	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	94	–	1	2	–	1	6	–	1	2	5	2	3	6	3	–
Tetanus	62	–	–	–	–	2	–	–	–	4	5	1	2	3	3	–
Insanity	14	–	–	1	–	–	–	–	–	1	1	–	–	2	–	–
Convulsions	405	–	–	1	–	2	10	2	4	10	44	–	45	9	12	–
Brain Disease	362	–	1	–	2	3	4	–	9	3	30	6	22	12	14	–
V. Pericarditis	35	–	–	2	–	–	1	–	–	1	2	–	–	3	1	–
Aneurism	45	–	–	1	–	–	1	–	1	–	1	1	7	2	1	–
Heart Disease	915	–	1	3	1	5	17	1	10	11	53	6	81	68	48	3
VI. Laryngitis	62	–	–	2	1	–	1	–	–	2	9	1	4	3	1	–
Bronchitis	1368	3	2	14	1	9	18	1	12	15	87	8	69	46	55	1
Pleurisy	189	1	–	2	1	5	16	1	3	2	17	1	9	11	10	–
Pneumonia	1144	2	8	9	–	8	6	–	8	12	44	5	58	36	60	2
Asthma	305	1	2	–	4	17	6	1	2	2	12	3	29	9	7	1
Lung Disease	182	1	3	–	–	1	4	–	1	4	16	1	15	6	9	–
VII. Teething	503	2	1	2	1	3	10	–	3	6	26	1	51	8	24	2
Quinsey	29	–	1	1	–	–	–	–	–	–	4	–	1	1	1	–
Gastritis	88	–	–	1	2	1	–	–	1	1	4	1	12	4	5	–
Enteritis	443	–	–	3	4	6	8	1	5	2	15	4	19	14	19	1
Peritonitis	123	–	–	6	–	–	4	–	–	4	11	–	3	7	10	1
Ascites	41	–	–	–	–	1	1	–	–	1	–	–	2	2	3	–
Ulceration of Intestines	90	–	–	–	–	1	4	–	–	5	11	3	5	2	6	–
Hernia	57	–	–	–	–	1	3	–	1	2	5	1	4	2	7	–
Ileus	144	4	2	–	–	7	3	1	3	3	19	3	10	7	4	3
Intussusception	25	–	–	–	–	1	1	–	–	2	1	–	–	–	1	–
Stricture of Intestines	6	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Stomach Disease	251	5	1	1	3	1	4	1	2	3	28	2	30	7	11	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	72	2	–	1	–	–	2	–	1	–	4	–	7	5	1	–
Jaundice	75	2	–	–	–	1	–	–	–	1	7	1	8	7	2	–
Liver Disease	252	1	1	1	2	6	5	–	2	2	13	2	13	13	13	3
Spleen Disease	8	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–
VIII. Nephritis	31	–	1	–	–	1	–	–	–	–	1	–	1	1	3	–
Nephria	57	–	–	–	–	–	1	–	3	1	3	–	–	1	–	–
Ischuria	32	2	–	1	1	1	1	–	–	1	4	1	1	1	2	–
Diabetes	34	–	–	2	1	1	–	–	1	2	2	2	3	–	2	–
Stone	61	7	1	2	1	2	–	–	2	3	12	1	5	2	1	–
Cystitis	27	–	3	1	–	–	1	–	1	–	3	–	5	1	–	–
Stricture of Urethra	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Kidney Disease	190	1	2	3	1	2	1	–	1	5	27	1	21	7	10	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Uterine Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	6	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Rheumatism	45	2	2	1	1	–	2	–	–	3	4	1	2	4	2	1
Joint and Bone Disease	82	1	–	1	–	–	2	1	–	–	7	–	5	6	3	–
XI. Carbuncle	11	–	–	–	–	–	1	–	–	–	1	–	1	1	–	–
Phlegmon	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	16	–	–	–	–	–	–	–	–	–	2	–	3	1	1	–
XII. Cyanosis	13	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–
Spina Bifida	17	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–
Other Malformations	38	–	–	–	–	1	–	–	–	–	4	–	2	2	3	–
XVII. Intemperance	52	–	–	–	–	–	–	–	–	–	2	–	4	2	–	–
Privation	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	18	–	–	1	–	–	–	–	–	–	1	1	3	–	1	–
Neglect	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	15	–	–	–	–	–	1	–	–	1	3	–	–	–	–	–
Poison	26	–	–	–	–	3	–	–	1	–	1	1	1	–	–	–
Burns and Scalds	120	2	–	2	–	2	3	–	3	3	3	–	11	3	3	–
Hanging, etc.	34	–	–	–	–	1	1	–	1	1	1	–	4	3	2	–
Suffocation	49	–	–	–	–	–	–	–	–	1	6	3	3	1	–	–
Drowning	427	8	–	3	2	12	25	1	10	11	18	3	26	13	15	1
Fracture and Contusion	603	–	1	5	3	2	6	1	6	10	33	7	28	25	42	1
Wounds	55	–	3	–	–	–	1	–	–	–	2	–	1	4	3	–
Other Violent Causes	58	–	1	–	1	–	2	–	1	2	5	–	4	1	5	–
Not Specified	2001	30	15	24	13	95	45	5	31	45	106	13	99	56	79	2

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1856.—MALES. (*Continued.*)

DISEASES.	Clackmannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
Cephalitis	–	8	5	6	3	8	14	56	5	22	1	2	1	–	2	11	2	1
Apoplexy	4	10	11	15	2	35	29	127	3	51	4	7	1	3	6	13	6	3
Paralysis	8	15	11	22	2	40	39	129	6	79	7	19	1	–	17	21	6	10
Delirium Tremens	–	–	1	1	1	7	1	7	2	10	–	2	–	–	2	2	1	–
Chorea	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	2	–	–
Epilepsy	–	3	–	2	–	2	10	15	–	18	–	3	–	–	1	4	1	3
Tetanus	–	–	3	4	1	2	6	15	1	3	–	–	–	–	1	2	1	3
Insanity	–	–	1	2	–	–	–	5	–	–	–	1	–	–	–	–	–	–
Convulsions	1	7	8	8	1	16	29	124	4	35	3	5	–	1	12	7	1	4
Brain Disease	3	16	2	6	4	31	17	97	4	49	2	2	1	1	7	9	1	4
Pericarditis	1	1	–	1	–	2	1	7	–	6	1	3	–	–	1	–	1	–
Aneurism	–	2	–	1	–	1	1	8	–	15	–	–	–	–	–	2	–	–
Heart Disease	6	33	12	20	9	32	40	197	15	137	20	8	4	1	15	31	17	10
Laryngitis	–	3	–	–	–	1	4	18	1	8	1	–	–	–	–	2	–	–
Bronchitis	7	36	11	20	3	106	81	443	31	183	16	7	8	3	16	27	18	11
Pleurisy	–	5	3	4	–	12	11	28	1	25	2	1	3	–	9	2	1	3
Pneumonia	7	43	8	19	6	71	68	463	6	108	4	11	2	4	14	35	8	9
Asthma	3	7	6	10	–	22	32	83	4	22	1	3	1	–	3	2	3	7
Lung Disease	1	7	4	4	4	6	16	44	–	25	4	–	1	–	–	5	–	–
Teething	1	14	15	2	1	52	27	190	4	36	3	1	–	–	7	4	2	4
Quinsey	1	1	1	–	–	1	2	10	–	4	–	–	–	–	–	–	–	–
Gastritis	1	1	4	3	1	3	5	20	–	2	–	6	–	–	2	2	3	3
Enteritis	4	7	5	8	5	38	39	153	4	34	3	4	2	2	9	14	5	6
Peritonitis	–	6	1	2	–	4	10	28	2	13	1	3	–	–	2	4	1	–
Ascites	1	1	1	3	–	2	1	13	–	2	1	1	–	–	–	5	–	–
Ulceration of Intestines	2	–	–	1	1	1	6	20	–	10	1	2	–	1	1	6	–	1
Hernia	–	9	1	1	1	4	5	3	1	5	–	–	–	–	–	–	1	–
Ileus	–	3	3	7	–	1	12	34	–	7	1	1	–	–	2	2	1	1
Intussusception	–	2	2	2	–	–	2	5	–	1	1	–	–	1	1	2	–	–
Stricture of Intestines	–	–	–	1	–	–	–	2	–	2	–	–	–	–	–	–	–	–
Stomach Disease	1	5	13	4	–	11	20	49	2	18	3	1	2	–	9	6	4	4
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	1	1	2	–	5	8	16	1	4	2	–	–	–	–	3	1	3
Jaundice	1	2	2	4	–	2	6	14	3	8	1	–	–	–	–	1	1	1
Liver Disease	1	11	3	7	2	21	9	68	3	24	–	4	–	–	8	8	3	3
Spleen Disease	–	–	–	–	–	–	1	1	–	1	2	–	–	–	1	–	–	–
Nephritis	–	2	–	–	–	–	2	8	1	6	–	–	–	–	1	1	1	1
Nephria	–	1	–	–	1	2	–	8	1	24	–	3	2	–	1	2	3	–
Ischuria	–	2	–	3	–	1	1	3	–	–	1	2	–	–	3	–	–	–
Diabetes	–	2	–	–	–	2	2	2	–	7	1	–	–	–	–	2	–	–
Stone	–	–	1	4	1	3	6	4	–	1	1	–	–	–	–	1	–	–
Cystitis	–	–	–	–	–	1	1	6	–	1	–	1	–	–	–	1	1	–
Stricture of Urethra	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	3	1	1	1	7	9	31	2	32	–	3	1	1	5	3	4	3
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Uterine Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	1	1	3	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	1	1	–	4	–	11	–	2	–	–	–	–	–	1	–	–
Joint Disease	–	2	3	–	–	6	2	20	–	9	4	2	–	–	1	4	2	1
Carbuncle	–	–	1	–	–	2	–	2	–	2	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	1	–	2	–	–	–	–	–	–	1	–	–	–
Skin Disease	–	–	–	–	–	1	1	4	1	1	–	–	–	–	–	1	–	–
Cyanosis	–	1	–	–	–	–	1	3	–	1	1	–	–	–	1	3	–	–
Spina Bifida	–	1	–	–	–	4	2	7	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	1	1	1	–	5	2	8	–	5	–	1	–	–	–	2	–	–
Intemperance	2	5	1	1	–	4	5	14	–	8	2	–	–	1	–	–	–	1
Privation	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	1	–	–	–	–	2	7	–	1	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Cold	–	2	1	4	–	–	–	1	1	1	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	2	3	6	–	3	–	–	–	–	2	–	1	2
Burns and Scalds	1	1	–	3	–	6	13	39	–	12	–	1	–	1	1	5	1	1
Hanging, etc.	1	–	1	2	–	3	–	9	–	3	1	–	–	–	–	–	–	–
Suffocation	–	3	1	1	–	3	9	7	–	4	3	1	–	–	1	–	2	–
Drowning	–	15	23	32	12	37	17	85	6	21	4	6	2	1	1	3	3	11
Fracture and Contusion	12	20	12	9	2	36	60	183	11	52	3	4	1	1	8	10	4	5
Wounds	–	2	–	1	1	4	3	9	1	11	1	2	–	1	2	3	–	–
Other Violent Causes	–	1	1	4	–	2	6	11	4	5	–	–	–	–	1	1	–	–
Not Specified	15	87	48	79	4	141	124	437	22	169	35	9	1	–	14	91	34	33

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1856.—FEMALES.

DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
ALL CAUSES	29111	225	207	296	140	597	607	42	314	440	1908	257	2201	1147	1312	71
SPECIFIED CAUSES	27338	205	198	262	124	510	544	37	287	400	1822	254	2108	1111	1228	69
I. Zymotic Class	6860	16	21	42	9	105	73	3	42	70	378	59	602	189	277	9
II. Diseases of Uncer. Seat	1430	8	17	12	4	25	24	4	20	28	128	17	114	78	85	5
III. Tubercular Class	4524	29	26	25	22	55	56	4	36	40	281	34	357	163	159	8
IV. Brain and Nervous Sys.	2144	6	14	16	7	22	31	3	26	34	159	23	154	119	108	9
V. Organs of Circulation	953	3	6	2	1	9	12	2	6	20	70	11	89	49	49	5
VI. Respiratory Organs	2874	8	15	33	11	32	57	1	25	25	190	18	203	88	122	7
VII. Organs of Digestion	2112	14	8	18	7	21	31	4	16	32	142	14	145	90	106	6
VIII. Urinary Organs	156	1	2	6	1	3	1	–	3	5	23	–	7	7	8	–
IX. Organs of Generation	481	9	4	1	2	8	16	–	6	15	26	4	27	19	21	2
X. Organs of Locomotion	124	2	1	1	–	2	4	–	–	3	10	–	12	8	6	–
XI. Skin, etc.	19	–	1	–	–	–	–	–	–	1	2	–	–	–	–	–
XII. Malformation	51	–	–	–	–	–	1	–	–	1	3	–	8	3	2	–
XIII. Premature Debility	1196	11	9	11	3	32	30	1	8	20	74	13	108	41	42	2
XIV. Atrophy	254	1	2	2	–	1	3	–	3	2	9	4	12	14	16	2
XV. Age	3524	88	64	83	53	186	190	15	88	95	292	51	221	214	198	14
XVI. Sudden Deaths	94	1	2	4	3	1	3	–	3	3	–	–	16	10	3	–
XVII. Violent Deaths	542	8	6	6	1	8	12	–	5	6	35	6	33	19	26	–
I. Small Pox	595	2	–	2	–	3	4	–	–	5	36	2	124	23	24	1
Measles	512	–	–	3	1	38	27	–	15	–	4	–	89	4	10	–
Scarlatina	1426	–	–	4	–	2	–	–	2	7	64	24	105	20	85	–
Hooping Cough	1287	–	9	–	–	18	10	–	1	5	58	6	88	19	23	4
Croup	466	1	–	2	2	15	7	1	3	5	23	1	39	21	34	–
Thrush	14	–	–	–	–	–	1	–	–	–	2	1	1	–	1	–
Diarrhœa	528	1	3	5	–	2	2	1	6	3	26	4	21	20	17	–
Dysentery	204	1	–	1	–	–	5	–	2	2	14	–	9	9	8	1
Cholera	44	–	–	–	–	1	–	–	–	–	–	2	3	1	1	–
Influenza	126	–	2	2	–	7	3	–	2	7	19	4	15	9	2	–
Purpura	14	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–
Ague	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	19	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	87	–	1	–	1	–	–	1	1	–	1	–	2	4	4	–
Typhus	1189	6	4	22	2	15	7	–	8	22	107	10	88	46	51	2
Metria	143	1	–	–	1	2	–	–	–	6	10	2	6	8	4	–
Rheumatic Fever	32	1	–	–	1	–	2	–	1	2	2	–	1	4	4	–
Erysipelas	127	3	2	–	1	1	5	–	1	6	9	3	7	–	7	–
Syphilis	36	–	–	1	–	1	–	–	–	–	2	–	1	1	2	1
Noma	10	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	69	1	–	2	–	2	1	–	1	1	10	1	4	5	5	–
Dropsy	579	5	11	5	2	10	10	2	7	5	51	2	58	28	35	2
Abscess	57	–	1	–	–	–	–	–	–	2	5	1	1	3	1	–
Ulcer	16	–	–	–	–	–	–	–	–	–	3	–	2	1	–	–
Fistula	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	76	–	–	1	–	2	–	–	1	–	4	2	2	4	7	–
Cancer	630	2	5	4	2	11	13	2	11	20	55	11	47	37	37	3
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	185	1	3	–	2	1	1	1	1	5	23	3	11	7	4	–
Tabes Mesenterica	236	1	–	–	–	1	1	–	2	1	6	2	8	9	8	–
Phthisis	3241	27	19	21	20	46	49	2	22	31	188	22	270	125	123	5
Hydrocephalus	862	–	4	4	–	7	5	1	11	3	64	7	68	22	24	3

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1856.—FEMALES.

DISEASES.	Clackmannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
ALL CAUSES	154	764	458	625	132	1886	1919	7412	317	3122	330	268	56	63	462	706	308	365
SPECIFIED CAUSES	149	704	411	546	124	1747	1811	7036	291	2987	303	262	54	60	452	646	269	327
Zymotic Class	40	145	102	99	16	502	534	2067	75	853	84	56	5	21	97	154	54	61
Uncertain Seat	11	41	24	36	9	80	86	275	10	145	15	20	4	3	37	32	14	19
Tubercular Class	22	120	70	74	27	342	385	1300	43	479	36	33	6	8	75	114	40	55
Brain, etc.	14	69	43	52	15	110	129	471	14	260	30	25	7	6	47	59	35	27
Heart, etc.	7	26	8	16	9	50	47	198	16	138	10	12	5	2	23	23	8	21
Respiratory Organs	14	78	33	50	5	184	164	904	20	371	31	40	4	6	33	56	21	25
Digestive Organs	11	67	30	39	7	153	136	600	32	190	21	25	3	5	36	55	25	23
Urinary Organs	–	4	2	1	1	7	7	23	–	29	–	3	–	–	3	5	2	2
Generative Organs	5	12	7	10	1	22	31	137	6	48	3	3	3	–	7	13	3	10
Locomotive Organs	–	5	4	2	1	15	4	25	–	13	3	1	–	–	1	1	–	–
Skin	–	2	–	1	–	–	–	5	–	6	–	1	–	–	–	–	–	–
Malformation	–	2	–	–	–	3	7	11	–	4	2	–	–	–	2	2	–	–
Premature Debility	7	17	18	11	3	79	68	372	18	121	15	10	3	4	17	14	7	7
Atrophy	2	11	4	5	2	25	21	75	3	21	1	1	1	–	6	2	1	2
Age	15	83	51	136	24	149	143	436	43	229	39	28	13	4	57	105	50	67
Sudden Deaths	–	6	1	1	–	–	4	17	–	12	–	1	–	–	–	1	1	1
Violent Deaths	1	16	14	13	4	26	45	120	11	68	13	3	–	1	11	10	8	7
Small Pox	–	8	14	8	1	40	70	141	2	65	1	–	–	–	6	11	1	1
Measles	9	22	5	7	2	50	21	104	19	55	6	2	–	–	13	4	1	1
Scarlatina	3	25	5	20	5	84	96	258	8	430	35	19	2	10	26	55	27	5
Hooping Cough	6	15	24	9	–	85	112	646	22	49	6	2	–	5	8	27	10	20
Croup	1	10	8	17	2	32	30	127	9	42	8	3	–	1	5	5	5	7
Thrush	–	–	–	–	–	2	1	4	–	–	–	–	–	–	1	–	–	–
Diarrhœa	4	21	14	5	2	45	37	214	1	45	2	2	–	1	10	10	1	3
Dysentery	4	1	4	2	1	11	16	80	2	18	5	–	1	–	1	5	1	–
Cholera	–	3	–	1	–	2	3	23	–	4	–	–	–	–	–	–	–	–
Influenza	–	1	4	2	–	5	11	18	–	7	–	3	–	–	–	–	–	3
Purpura	–	–	–	–	–	1	3	4	–	3	–	–	–	1	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Worms	–	1	–	1	–	4	1	1	–	–	–	–	–	–	4	2	1	4
Infantile Fever	2	1	–	2	–	11	17	24	1	5	3	1	–	1	2	2	–	–
Typhus	9	31	22	19	2	110	84	331	11	85	13	17	2	2	15	28	5	13
Metria	1	4	1	3	–	9	18	35	–	18	3	3	–	–	1	3	2	2
Rheumatic Fever	–	–	–	1	–	–	1	7	–	1	–	1	–	–	–	1	–	2
Erysipelas	1	–	–	2	1	10	11	28	–	20	2	3	–	–	3	1	–	–
Syphilis	–	1	1	–	–	1	1	16	–	6	–	–	–	–	1	–	–	–
Noma	–	1	–	–	–	–	1	6	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	2	4	5	2	3	2	5	1	7	–	–	–	–	2	1	2	–
Dropsy	6	15	12	16	2	34	34	114	4	40	8	7	–	–	24	12	8	10
Abscess	2	5	–	1	–	3	6	15	–	6	–	1	–	–	1	3	–	–
Ulcer	–	–	–	3	–	1	1	4	–	1	–	–	–	–	–	–	–	–
Fistula	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Mortification	1	3	–	2	–	4	3	20	1	12	2	1	–	2	1	–	–	1
Cancer	2	16	7	9	5	35	40	116	4	78	5	11	4	1	9	16	4	8
Gout	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Scrofula	2	6	5	5	2	16	19	36	5	13	–	1	–	–	6	3	3	–
Tabes Mesenterica	2	8	1	1	1	15	25	79	4	40	2	3	–	–	3	11	1	1
Phthisis	11	77	47	53	16	237	275	931	26	309	29	24	5	7	57	86	32	49
Hydrocephalus	7	29	17	15	8	74	66	254	8	117	5	5	1	1	9	14	4	5

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1856.—FEMALES. (*Continued.*)

DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
IV. Cephalitis	162	1	1	1	1	7	4	–	1	5	15	1	9	11	4	–
Apoplexy	467	–	5	5	–	3	7	3	5	9	37	8	32	25	25	1
Paralysis	762	3	3	6	2	9	9	–	10	12	42	9	51	50	45	5
Delirium Tremens	8	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Chorea	4	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–
Epilepsy	72	–	–	1	1	–	3	–	–	1	5	–	3	4	3	–
Tetanus	24	–	1	1	–	–	–	–	1	–	1	–	2	1	1	–
Insanity	41	1	2	1	–	–	2	–	1	–	3	–	3	2	3	–
Convulsions	328	1	2	–	1	1	5	–	5	4	37	2	36	10	7	1
Brain Disease	276	–	–	1	2	2	1	–	3	3	19	3	16	15	20	2
V. Pericarditis	33	–	–	–	–	1	–	–	–	–	2	–	2	2	2	–
Aneurism	21	–	–	–	–	–	1	–	–	–	2	2	–	–	2	–
Heart Disease	899	3	6	2	1	8	11	2	6	20	66	9	87	47	45	5
VI. Laryngitis	52	–	–	–	–	–	1	–	–	–	3	–	2	1	3	–
Bronchitis	1394	4	4	14	3	7	24	1	11	12	110	8	81	47	55	5
Pleurisy	148	1	1	1	–	–	7	–	2	2	13	3	12	9	14	–
Pneumonia	826	2	2	9	2	9	12	–	8	4	45	5	58	21	45	2
Asthma	305	1	5	8	5	15	11	–	2	5	12	2	38	8	2	–
Lung Disease	149	–	3	1	1	1	2	–	2	2	7	–	12	2	3	–
VII. Teething	525	2	2	4	1	1	8	1	2	5	35	1	46	9	19	1
Quinsey	25	1	1	1	–	2	–	–	–	–	2	–	2	2	3	–
Gastritis	76	1	1	1	–	1	2	–	–	–	5	–	3	11	5	–
Enteritis	404	–	1	5	1	5	6	1	4	–	19	4	19	14	22	2
Peritonitis	137	–	–	3	3	1	1	–	–	4	9	1	5	7	13	–
Ascites	68	–	–	–	–	–	1	2	–	2	2	1	4	7	1	–
Ulceration of Intestines	85	–	–	–	–	1	3	–	1	2	11	1	5	3	1	1
Hernia	39	–	–	–	–	1	1	–	1	2	2	1	5	2	1	–
Ileus	123	1	–	–	1	2	2	–	1	8	22	1	7	4	5	1
Intussusception	14	–	–	–	–	–	–	–	–	–	1	–	1	1	2	–
Stricture of Intestines	8	–	–	–	–	1	–	–	–	–	–	–	2	1	–	–
Stomach Disease	213	3	1	2	–	–	2	–	1	6	9	2	18	7	9	–
Pancreas Disease	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	77	2	–	1	–	1	1	–	1	–	3	1	6	5	5	–
Jaundice	104	–	–	–	1	2	2	–	1	–	11	–	9	7	7	1
Liver Disease	208	3	2	1	–	3	2	–	4	3	10	1	13	10	12	–
Spleen Disease	5	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–
VIII. Nephritis	13	–	–	–	–	–	–	–	1	1	6	–	–	1	–	–
Nephria	49	–	–	2	–	–	–	–	1	2	–	–	3	1	3	–
Ischuria	8	1	–	1	–	–	–	–	–	–	1	–	–	1	–	–
Diabetes	20	–	–	–	–	1	–	–	–	–	2	–	–	–	2	–
Stone	7	–	1	1	–	1	–	–	–	–	2	–	1	–	–	–
Cystitis	6	–	–	–	–	–	–	–	–	–	2	–	1	1	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	53	–	1	2	1	1	1	–	1	2	10	–	2	3	3	–
IX. Paramenia	14	–	–	–	–	–	–	–	3	–	4	–	–	2	1	–
Ovarian Dropsy	37	–	3	–	–	1	–	–	–	3	3	–	3	1	3	–
Childbirth	351	9	1	1	2	7	14	–	3	9	13	3	21	12	12	1
Uterine Disease	79	–	–	–	–	–	2	–	–	3	6	1	3	4	5	1
X. Arthritis	9	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Rheumatism	69	2	1	1	–	2	4	–	–	3	3	–	9	5	3	–
Joint and Bone Disease	46	–	–	–	–	–	–	–	–	–	7	–	3	2	3	–
XI. Carbuncle	7	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	11	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–
XII. Cyanosis	13	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–
Spina Bifida	14	–	–	–	–	–	1	–	–	–	1	–	–	–	2	–
Other Malformations	24	–	–	–	–	–	–	–	–	1	2	–	4	3	–	–
XVII. Intemperance	26	–	–	–	–	–	–	–	–	1	2	–	3	–	–	–
Privation	4	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–
Want of Breast Milk	8	–	–	–	–	–	–	–	1	–	–	–	3	–	–	–
Neglect	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	6	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
Poison	18	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–
Burns and Scalds	183	5	3	1	–	3	7	–	2	3	14	2	3	6	9	–
Hanging, etc.	20	–	1	–	–	–	–	–	–	–	–	–	2	–	7	–
Suffocation	27	–	–	1	–	1	1	–	–	1	4	–	–	3	–	–
Drowning	93	2	–	3	1	2	2	–	–	–	5	1	6	6	3	–
Fracture and Contusion	127	1	1	1	–	1	1	–	2	1	5	2	12	4	6	–
Wounds	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	26	–	1	–	–	1	1	–	–	–	2	–	2	–	–	–
Not Specified	1773	20	9	34	16	87	63	5	27	40	86	3	93	36	84	2

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1856.—FEMALES. (*Continued.*)

DISEASES.	Clackmannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
Cephalitis	–	4	3	2	3	8	7	46	3	13	1	1	–	–	2	3	2	3
Apoplexy	2	18	7	13	7	23	37	77	1	56	6	5	2	–	10	19	10	9
Paralysis	7	25	17	28	3	47	44	138	4	102	13	13	2	6	15	20	15	7
Delirium Tremens	–	1	–	–	–	–	2	–	1	3	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	2	–	2	–	–	4	26	1	8	–	2	–	–	2	2	–	2
Tetanus	–	1	1	4	–	–	–	3	1	3	1	–	–	–	1	1	–	–
Insanity	1	–	–	–	–	2	3	6	–	7	–	–	–	–	1	3	–	–
Convulsions	2	6	8	1	–	14	23	104	3	27	6	3	1	–	9	4	2	3
Brain Disease	2	12	7	2	2	15	9	70	–	41	3	1	2	–	7	7	6	3
Pericarditis	–	1	–	–	1	2	3	3	–	8	–	1	–	1	1	1	–	2
Aneurism	–	–	–	1	–	2	1	3	1	5	–	–	–	–	–	–	–	1
Heart Disease	7	25	8	15	8	46	43	192	15	125	10	11	5	1	22	22	8	18
Laryngitis	–	3	–	–	–	3	3	19	1	7	–	3	–	–	2	–	1	–
Bronchitis	6	30	15	25	4	91	78	443	14	208	14	14	2	4	15	26	9	10
Pleurisy	1	5	3	1	–	3	12	20	1	13	3	4	–	–	3	7	4	3
Pneumonia	7	26	9	4	–	54	49	291	3	93	11	10	2	2	9	19	6	7
Asthma	–	4	4	18	1	26	12	81	–	26	1	7	–	–	2	3	1	5
Lung Disease	–	10	2	2	–	7	10	50	1	24	2	2	–	–	2	1	–	–
Teething	2	19	13	3	–	79	26	197	5	27	2	2	1	–	5	5	1	1
Quinsey	–	–	–	–	–	2	–	3	–	2	–	–	–	–	2	–	1	1
Gastritis	–	5	–	2	–	1	10	13	–	6	1	3	–	–	2	–	1	2
Enteritis	1	8	2	5	3	21	33	150	10	29	3	4	–	1	7	9	9	6
Peritonitis	–	6	1	3	–	4	9	34	1	15	–	3	–	1	2	5	4	2
Ascites	1	2	–	2	–	3	6	12	1	16	–	1	–	–	–	4	–	–
Ulceration of Intestines	1	5	1	3	–	4	3	12	–	16	2	2	–	2	1	2	1	1
Hernia	2	1	1	–	–	2	1	9	1	3	–	1	–	–	–	2	–	–
Ileus	1	5	2	5	–	2	7	25	1	8	3	–	–	–	1	4	1	3
Intussusception	–	–	–	1	–	–	–	4	–	3	–	–	–	–	–	1	–	–
Stricture of Intestines	1	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–
Stomach Disease	1	9	6	8	1	10	19	57	6	14	2	2	1	–	5	5	3	4
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	2	1	7	5	13	2	4	3	–	–	–	3	7	3	–
Jaundice	–	2	1	–	–	4	9	25	–	9	2	2	–	–	4	2	1	2
Liver Disease	–	5	2	5	2	14	8	44	5	36	3	5	1	1	4	8	–	1
Spleen Disease	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–
Nephritis	–	1	–	1	–	1	–	1	–	3	–	–	–	–	–	2	–	1
Nephria	–	2	–	–	–	1	3	8	–	13	–	–	–	–	1	1	1	1
Ischuria	–	–	–	–	–	–	–	2	–	2	–	–	–	–	–	–	–	–
Diabetes	–	1	–	–	1	3	1	6	–	1	–	1	–	–	1	–	–	–
Stone	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	2	–	–	1	2	6	–	10	–	1	–	–	1	2	1	–
Paramenia	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	1	–	–
Ovarian Dropsy	–	–	1	–	–	2	2	5	–	3	1	–	–	–	2	4	–	–
Childbirth	2	8	6	9	–	20	25	107	4	39	1	2	2	–	3	5	3	7
Uterine Disease	3	4	–	1	–	–	3	24	2	6	1	1	1	–	2	3	–	3
Arthritis	–	–	–	–	–	2	1	4	–	–	1	–	–	–	–	–	–	–
Rheumatism	–	3	1	2	1	9	1	9	–	7	1	–	–	–	1	1	–	–
Joint Disease	–	2	3	–	–	4	2	12	–	6	1	1	–	–	–	–	–	–
Carbuncle	–	–	–	1	–	–	–	1	–	3	–	1	–	–	–	–	–	–
Phlegmon	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	1	–	–	–	–	–	4	–	3	–	–	–	–	–	–	–	–
Cyanosis	–	1	–	–	–	1	3	2	–	1	–	–	–	–	1	–	–	–
Spina Bifida	–	1	–	–	–	2	1	3	–	1	1	–	–	–	1	–	–	–
Other Malformations	–	–	–	–	–	–	3	6	–	2	1	–	–	–	–	2	–	–
Intemperance	–	1	–	–	–	–	3	2	–	6	2	–	–	–	2	2	–	2
Privation	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	1	2	–	1	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Cold	–	–	1	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	4	6	–	3	–	–	–	–	1	1	–	–
Burns and Scalds	–	7	2	4	3	10	14	45	5	19	4	3	–	–	1	3	4	1
Hanging, etc.	–	–	–	1	–	–	1	4	–	2	1	–	–	–	–	–	1	–
Suffocation	–	–	–	1	–	2	1	3	–	6	–	–	–	–	–	1	–	2
Drowning	1	1	6	4	–	4	7	19	3	9	2	–	–	–	2	2	1	1
Fracture and Contusion	–	5	4	2	–	6	12	31	1	20	2	–	–	1	3	1	1	1
Wounds	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Other Violent Causes	–	2	1	–	–	2	2	4	2	2	1	–	–	–	2	–	1	–
Not Specified	5	60	47	79	8	139	108	376	26	135	27	6	2	3	10	60	39	38

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1856.—BOTH SEXES.

DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
ALL CAUSES	10298	642	434	4143	2446	1656	1099	1236	827	539
SPECIFIED CAUSES	9820	576	412	3992	2366	1625	1035	1155	744	520
I. Zymotic Class	2765	147	107	1081	892	378	296	366	273	104
II. Diseases of Uncertain Seat	295	27	15	170	106	103	45	33	22	33
III. Tubercular Class	1794	128	62	714	367	323	159	201	115	81
IV. Brain and Nervous System	714	44	51	355	156	161	96	74	59	55
V. Organs of Circulation	290	24	16	202	71	58	25	28	33	42
VI. Respiratory Organs	1479	59	77	545	213	187	111	129	76	52
VII. Organs of Digestion	849	30	25	232	147	118	94	106	38	26
VIII. Urinary Organs	57	3	3	73	9	32	5	12	11	9
IX. Organs of Generation	86	2	5	33	16	6	7	6	4	3
X. Organs of Locomotion	38	1	1	13	6	9	7	8	5	7
XI. Skin, etc.	5	1	2	7	4	1	1	3	1	1
XII. Malformation	12	–	–	4	–	1	5	3	–	1
XIII. Premature Debility	604	34	19	168	158	61	46	62	31	28
XIV. Atrophy	94	8	2	24	16	9	23	17	4	7
XV. Age	423	53	12	254	135	138	78	62	37	50
XVI. Sudden Deaths	17	1	3	14	14	1	2	5	2	5
XVII. Violent Deaths	298	14	12	103	56	39	35	40	33	16
I. Small Pox	127	25	6	137	233	67	49	7	24	4
Measles	134	4	2	113	172	2	41	11	14	2
Scarlatina	361	24	14	445	149	52	88	69	172	13
Hooping Cough	901	27	31	60	135	86	31	73	22	23
Croup	178	8	7	64	66	18	19	17	6	26
Thrush	7	–	–	1	–	3	–	1	–	–
Diarrhœa	336	17	16	62	23	27	18	27	7	10
Dysentery	98	7	5	23	8	10	9	6	2	8
Cholera	24	5	2	2	5	–	1	5	2	–
Influenza	19	2	1	5	10	9	1	2	–	–
Purpura	6	1	–	5	–	2	–	1	–	–
Ague	–	–	–	–	–	–	–	–	–	–
Worms	2	–	1	1	1	–	4	2	–	–
Infantile Fever	34	3	1	11	3	1	4	7	2	1
Typhus	439	21	16	106	77	81	23	122	15	12
Metria	23	–	1	6	2	2	3	2	2	3
Rheumatic Fever	8	–	–	2	–	1	1	–	–	–
Erysipelas	43	1	2	29	5	12	3	6	2	1
Syphilis	18	2	2	8	3	5	1	8	3	1
Noma	7	–	–	1	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	17	1	1	13	7	6	3	–	1	3
Dropsy	141	13	3	45	63	49	26	10	5	7
Abscess	22	–	1	7	1	9	3	–	4	2
Ulcer	5	–	–	1	2	3	1	2	–	2
Fistula	1	–	–	3	–	–	1	–	–	1
Mortification	16	3	3	17	8	3	–	5	1	3
Cancer	93	10	7	83	25	33	11	16	11	15
Gout	–	–	–	1	–	–	–	–	–	–
III. Scrofula	66	7	–	30	13	19	10	9	2	3
Tabes Mesenterica	105	10	6	54	7	12	4	8	5	5
Phthisis	1237	98	38	447	260	192	106	143	71	57
Hydrocephalus	386	13	18	183	87	100	39	41	37	16

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1856.—BOTH SEXES.

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmarnock.	Hamilton.	Airdrie.	Coatbridge, etc.	Dumfries.
ALL CAUSES	252	354	205	339	233	194	278	485	593	294	316	363	312
SPECIFIED CAUSES	246	343	204	324	219	179	244	446	580	262	303	325	270
Zymotic Class	26	70	27	83	38	53	63	137	188	100	106	127	57
Uncertain Seat	8	16	6	14	11	6	8	15	22	8	13	11	15
Tubercular Class	25	45	47	47	34	23	41	95	127	47	44	55	54
Brain, etc.	33	42	16	32	20	10	23	27	42	20	21	8	16
Heart, etc.	13	16	23	16	12	6	13	9	14	4	2	7	9
Respiratory Organs	30	37	17	31	24	20	19	46	44	18	29	37	36
Digestive Organs	28	37	21	19	28	9	19	34	46	22	26	24	18
Urinary Organs	1	5	6	5	3	–	3	4	10	–	1	1	3
Generative Organs	7	3	–	1	2	1	2	2	2	1	3	4	6
Locomotive Organs	2	3	–	1	1	–	–	–	3	1	2	–	1
Skin	1	–	–	–	–	–	1	–	–	–	1	–	–
Malformation	1	1	3	3	2	–	1	1	1	–	4	1	4
Premature Debility	16	32	9	18	15	12	10	19	31	10	4	22	7
Atrophy	1	–	–	2	3	1	2	5	8	2	3	7	1
Age	40	27	18	36	19	34	29	32	27	21	23	3	29
Sudden Deaths	2	–	–	1	–	4	1	1	2	–	1	1	3
Violent Deaths	12	9	11	15	7	–	9	19	13	8	20	17	11
Small Pox	4	3	5	1	–	17	4	43	12	50	24	19	–
Measles	–	–	–	2	2	3	1	–	11	2	3	2	5
Scarlatina	–	11	–	50	3	4	12	29	38	8	13	19	7
Hooping Cough	–	3	–	2	–	3	10	25	58	15	21	37	17
Croup	3	13	5	1	7	6	4	9	12	5	6	9	3
Thrush	2	–	1	–	–	–	–	1	–	–	–	–	–
Diarrhœa	3	9	6	2	4	2	17	5	12	6	19	13	7
Dysentery	7	–	1	9	2	1	–	4	5	2	3	11	2
Cholera	–	–	–	–	1	–	–	–	–	–	–	1	–
Influenza	–	3	1	–	–	1	1	1	2	–	–	1	1
Purpura	–	3	–	–	–	–	–	–	2	–	–	1	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	1	–	–	–	–	–
Infantile Fever	–	–	–	–	2	1	–	3	5	–	3	2	1
Typhus	3	20	7	10	10	13	13	14	27	8	10	9	11
Metria	–	2	–	2	1	–	–	1	2	1	–	1	1
Rheumatic Fever	–	–	–	–	2	–	–	1	–	–	–	1	–
Erysipelas	4	3	1	2	3	2	–	–	–	2	3	1	–
Syphilis	–	–	–	–	1	–	1	–	2	–	1	–	2
Noma	–	–	–	2	–	–	–	–	–	1	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	2	–	2	2	1	1	2	2	–	–	–	–
Dropsy	5	4	1	6	7	2	2	7	6	2	7	3	4
Abscess	–	1	–	–	–	–	2	–	–	1	–	2	1
Ulcer	–	1	–	–	–	–	–	–	1	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	1	–	–	1	1	1	2	–	–	4	–	–
Cancer	2	7	5	6	1	2	2	4	13	5	2	6	10
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	2	2	2	2	–	–	2	8	4	–	3	4	2
Tabes Mesenterica	–	3	6	1	2	4	1	3	7	1	2	12	5
Phthisis	20	34	30	37	24	16	34	69	75	33	30	19	43
Hydrocephalus	3	6	9	7	8	3	4	15	41	13	9	20	4

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1855.—BOTH SEXES. (*Contd.*)

DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
IV. Cephalitis	71	1	5	21	3	9	7	5	7	1
Apoplexy	140	8	7	73	20	35	15	24	12	19
Paralysis	171	21	8	108	49	32	43	16	24	18
Delirium Tremens	5	1	–	11	4	–	–	6	–	–
Chorea	2	–	–	–	2	–	–	2	–	–
Epilepsy	25	3	1	20	1	3	1	1	–	3
Tetanus	11	1	–	5	3	4	–	–	1	2
Insanity	8	1	1	5	2	2	–	1	2	1
Convulsions	171	1	11	50	61	55	6	10	1	5
Brain Disease	110	7	18	62	11	21	24	9	12	6
V. Pericarditis	7	–	1	8	2	2	1	2	3	2
Aneurism	7	2	1	19	1	2	–	3	–	2
Heart Disease	276	22	14	175	68	54	24	23	30	38
VI. Laryngitis	28	1	–	12	2	2	1	2	2	3
Bronchitis	667	27	48	293	72	107	52	60	33	24
Pleurisy	32	–	1	28	5	13	3	8	2	9
Pneumonia	565	24	24	137	72	45	28	41	35	12
Asthma	116	4	1	29	52	14	22	12	3	2
Lung Disease	71	3	3	46	10	6	5	6	1	2
VII. Teething	315	13	4	44	68	33	37	50	4	10
Quinsey	7	–	–	4	1	2	–	1	–	3
Gastritis	23	1	–	3	7	4	2	1	3	–
Enteritis	200	4	6	41	17	11	30	14	6	–
Peritonitis	30	2	4	13	4	12	2	3	7	2
Ascites	12	1	3	12	2	–	1	2	–	–
Ulceration of Intestines	16	–	1	19	3	9	–	2	2	–
Hernia	6	–	–	5	1	3	2	4	2	–
Ileus	33	–	2	9	8	20	–	1	1	1
Intussusception	7	–	1	1	–	1	–	–	–	–
Stricture of Intestines	2	–	–	2	1	–	–	–	–	–
Stomach Disease	72	4	1	18	13	7	2	11	2	2
Pancreas Disease	–	–	–	–	–	–	–	–	–	–
Hepatitis	20	–	1	6	2	2	4	4	1	2
Jaundice	22	2	1	14	7	3	1	2	1	1
Liver Disease	83	3	1	39	13	10	13	11	9	5
Spleen Disease	1	–	–	2	–	1	–	–	–	–
VIII. Nephritis	2	1	2	5	–	–	–	–	2	–
Nephria	14	–	–	28	2	4	1	2	3	1
Ischuria	4	–	–	1	1	1	1	–	–	2
Diabetes	7	1	–	5	–	2	–	3	1	–
Stone	–	1	–	1	1	3	1	1	–	1
Cystitis	3	–	1	–	1	1	–	1	–	1
Stricture of Urethra	–	–	–	–	–	–	1	–	–	–
Kidney Disease	27	–	–	33	4	21	1	5	5	4
IX. Paramenia	1	–	–	–	–	–	–	–	–	1
Ovarian Dropsy	3	–	–	3	1	–	1	–	–	–
Childbirth	69	2	5	25	15	4	6	6	4	2
Uterine Disease	13	–	–	5	–	2	–	–	–	–
X. Arthritis	5	–	1	–	1	–	–	–	–	–
Rheumatism	16	1	–	3	3	2	6	2	2	1
Joint and Bone Disease	17	–	–	10	2	7	1	6	3	6
XI. Carbuncle	2	–	–	4	1	1	1	1	–	1
Phlegmon	–	1	–	–	–	–	–	1	–	–
Skin Disease	3	–	2	3	3	–	–	1	1	–
XII. Cyanosis	1	–	–	–	–	–	–	1	–	–
Spina Bifida	5	–	–	1	–	–	4	–	–	–
Other Malformations	6	–	–	3	–	1	1	2	–	1
XVII. Intemperance	11	–	1	13	4	2	–	2	1	–
Privation	2	1	–	–	–	–	–	1	–	–
Want of Breast Milk	5	–	1	1	6	–	–	–	1	–
Neglect	3	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	1	–	–
Poison	10	–	1	5	2	1	–	–	1	–
Burns and Scalds	58	2	–	19	6	7	7	4	5	2
Hanging, etc.	8	–	1	1	2	–	1	–	–	1
Suffocation	7	–	–	5	2	7	3	1	1	2
Drowning	72	5	5	8	14	10	13	12	13	3
Fracture and Contusion	111	6	3	40	15	10	10	16	8	6
Wounds	3	–	–	7	1	1	1	1	–	2
Other Violent Causes	8	–	–	4	4	1	–	2	3	–
Not Specified	478	66	22	151	80	31	64	81	83	19

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1856.—BOTH SEXES. (*Contd.*)

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmarnock.	Hamilton.	Airdrie.	Coathbridge, etc.	Dumfries.
Cephalitis	–	1	1	3	–	2	2	2	2	1	1	2	2
Apoplexy	9	10	5	8	5	3	4	9	14	6	5	1	2
Paralysis	6	16	7	7	10	3	4	2	10	9	1	2	2
Delirium Tremens	–	–	–	1	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	5	1	1	2	1	–	1	–	2	1	3	–	–
Tetanus	–	–	–	–	–	1	–	–	1	1	1	–	1
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	3
Convulsions	11	8	–	4	2	–	2	10	10	1	7	2	2
Brain Disease	2	6	2	7	2	1	10	4	3	1	3	1	4
Pericarditis	–	–	–	–	–	–	–	–	1	–	–	–	–
Aneurism	–	–	2	2	1	–	1	–	1	–	–	–	–
Heart Disease	13	16	21	14	11	6	12	9	12	4	2	7	9
Laryngitis	2	–	–	1	–	–	–	–	1	–	2	–	–
Bronchitis	13	23	5	17	6	15	10	15	25	7	6	17	20
Pleurisy	–	1	1	2	2	1	–	3	–	2	1	2	–
Pneumonia	6	6	8	7	14	3	9	18	10	4	16	14	14
Asthma	8	3	3	1	–	1	–	6	7	3	4	3	2
Lung Disease	1	4	–	3	2	–	–	4	1	2	–	1	–
Teething	15	11	5	2	6	3	8	9	4	6	5	6	–
Quinsey	–	2	–	–	–	1	–	–	2	–	2	–	–
Gastritis	–	2	2	2	4	1	–	2	3	–	–	–	–
Enteritis	3	6	5	1	3	–	2	–	18	6	5	11	5
Peritonitis	2	1	1	–	4	1	–	3	5	4	2	1	4
Ascites	–	–	1	–	2	–	–	–	–	–	–	1	–
Ulceration of Intestines	–	2	1	1	–	–	–	3	2	3	–	–	1
Hernia	2	3	1	–	1	–	1	1	2	–	–	–	–
Ileus	–	3	–	2	–	–	–	1	2	1	3	–	–
Intussusception	–	1	–	–	–	1	–	–	1	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	3	3	1	4	4	–	2	5	2	1	5	1	2
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	2	–	3	2	–	–	–	2	–	–	–	–
Jaundice	–	–	1	2	–	–	2	4	1	–	2	1	–
Liver Disease	3	1	3	2	2	2	4	6	1	1	2	3	6
Spleen Disease	–	–	–	–	–	–	–	–	1	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	1	–	–	–	–
Nephria	–	1	–	–	–	–	–	1	1	–	–	1	2
Ischuria	–	–	–	–	1	–	–	–	1	–	–	–	–
Diabetes	–	–	–	1	–	–	1	–	–	–	–	–	–
Stone	–	–	2	–	–	–	–	–	3	–	–	–	–
Cystitis	–	1	–	1	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	3	4	3	2	–	2	3	4	–	1	–	1
Paramenia	–	–	–	–	–	1	–	–	1	–	–	–	–
Ovarian Dropsy	–	1	–	–	–	–	–	–	–	–	–	–	2
Childbirth	6	1	–	1	2	–	2	2	1	1	2	3	1
Uterine Disease	1	1	–	–	–	–	–	–	–	–	1	1	3
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	1	–	1	–	–	–	–	1	–	1	–	–
Joint Disease	1	2	–	–	1	–	–	–	2	1	1	–	1
Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	1	–	–	–	1	–	–
Cyanosis	–	–	3	1	–	–	1	1	–	–	–	–	3
Spina Bifida	1	–	–	–	–	–	–	–	–	–	1	1	–
Other Malformations	–	1	–	2	2	–	–	–	1	–	3	–	1
Intemperance	–	–	1	–	–	–	1	–	–	–	–	1	2
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	1	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	1	–	–
Poison	–	–	–	1	–	–	–	–	2	–	1	–	1
Burns and Scalds	4	1	2	3	2	–	1	2	2	1	4	3	1
Hanging, etc.	1	–	3	1	–	–	–	–	–	1	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	1	1	1	1
Drowning	2	6	1	5	–	–	2	10	4	2	3	1	2
Fracture and Contusion	4	2	4	5	4	–	5	6	5	2	10	10	3
Wounds	1	–	–	–	–	–	–	–	–	1	–	–	1
Other Violent Causes	–	–	–	–	1	–	–	1	–	–	–	–	–
Not Specified	6	11	1	15	14	15	34	39	13	32	13	38	42

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1856.—MALES.

DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
ALL CAUSES	5193	331	216	2065	1201	795	571	632	423	270
SPECIFIED CAUSES	4934	297	203	1975	1160	779	537	596	383	258
I. Zymotic Class	1377	74	56	560	461	192	155	179	141	55
II. Diseases of Uncertain Seat	113	13	7	69	44	35	21	13	5	14
III. Tubercular Class	879	62	26	367	163	168	85	99	68	35
IV. Brain and Nervous System	395	27	28	170	78	86	54	46	32	25
V. Organs of Circulation	146	15	8	105	36	25	11	11	19	22
VI. Respiratory Organs	790	27	37	270	98	94	59	79	39	30
VII. Organs of Digestion	421	18	13	115	70	46	52	46	18	16
VIII. Urinary Organs	38	2	3	53	6	21	5	9	9	4
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	22	1	1	7	4	3	1	6	2	5
XI. Skin, etc.	3	1	–	3	4	1	1	3	–	1
XII. Malformation	6	–	–	2	–	–	4	2	–	–
XIII. Premature Debility	329	22	10	81	94	31	23	34	10	16
XIV. Atrophy	45	2	–	14	8	5	13	9	3	2
XV. Age	150	20	5	92	49	45	21	26	14	21
XVI. Sudden Deaths	10	1	–	6	8	1	2	5	1	1
XVII. Violent Deaths	210	12	9	61	37	26	30	29	22	11
I. Small Pox	76	12	5	78	122	34	25	2	19	3
Measles	63	3	–	67	87	1	17	4	6	–
Scarlatina	207	10	4	233	81	24	57	33	87	9
Hooping Cough	403	10	16	26	67	46	13	34	8	11
Croup	95	3	5	31	41	9	13	8	4	15
Thrush	3	–	–	1	–	1	–	–	–	–
Diarrhœa	177	15	10	35	12	13	7	12	2	5
Dysentery	48	5	3	8	7	6	4	4	2	4
Cholera	12	3	1	1	2	–	1	3	–	–
Influenza	10	1	–	1	2	4	–	–	–	–
Purpura	3	1	–	2	–	2	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–
Worms	1	–	1	1	1	–	–	2	–	–
Infantile Fever	19	2	–	7	1	1	2	3	2	1
Typhus	222	8	8	52	34	43	12	65	9	6
Metria	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	3	–	–	1	–	–	1	–	–	–
Erysipelas	24	–	2	11	2	5	2	2	1	1
Syphilis	8	1	1	4	2	3	1	7	1	–
Noma	3	–	–	1	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	14	1	1	6	5	2	1	–	1	2
Dropsy	61	7	2	20	22	17	14	7	1	5
Abscess	10	–	–	4	1	5	1	–	1	1
Ulcer	2	–	–	–	1	1	1	1	–	1
Fistula	–	–	–	3	–	–	1	–	–	1
Mortification	6	2	2	8	6	2	–	2	1	–
Cancer	20	3	2	28	9	8	3	3	1	4
Gout	–	–	–	–	–	–	–	–	–	–
III. Scrofula	38	6	–	20	5	14	5	4	1	2
Tabes Mesenterica	66	5	4	27	4	7	1	3	3	1
Phthisis	560	46	14	219	112	93	56	68	44	23
Hydrocephalus	215	5	8	101	42	54	23	24	20	9

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1856.—MALES.

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmarnock.	Hamilton.	Airdrie.	Coatbridge, etc.	Dumfries.
ALL CAUSES	119	176	117	158	117	88	138	252	311	159	151	176	157
SPECIFIED CAUSES	119	169	116	149	108	85	119	231	305	142	146	162	131
Zymotic Class	11	38	16	41	19	27	29	66	96	55	45	60	24
Uncertain Seat	4	7	–	5	8	3	3	7	11	4	4	1	8
Tubercular Class	11	17	26	15	10	12	25	45	64	28	17	29	29
Brain, etc.	20	24	9	17	10	8	13	19	24	9	13	3	5
Heart, etc.	9	6	9	9	5	3	7	1	7	1	1	1	5
Respiratory Organs	12	19	8	14	12	9	11	24	25	9	18	23	19
Digestive Organs	15	18	15	9	16	3	9	22	27	11	9	11	11
Urinary Organs	–	3	4	5	2	–	3	2	8	–	1	–	2
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	2	2	–	–	–	–	–	–	1	–	2	–	1
Skin	1	–	–	–	–	–	–	–	–	–	1	–	–
Malformation	–	–	1	1	2	–	–	–	–	–	3	1	3
Premature Debility	8	21	6	8	9	5	5	12	18	9	3	13	6
Atrophy	1	–	–	–	2	1	–	–	3	2	1	2	–
Age	16	9	11	13	9	11	7	19	10	8	11	3	10
Sudden Deaths	1	–	–	–	–	3	1	1	2	–	–	–	3
Violent Deaths	8	5	11	12	4	–	6	13	9	6	17	15	5
Small Pox	2	2	3	–	–	6	1	21	7	30	10	5	–
Measles	–	–	–	–	2	2	1	–	6	2	2	2	1
Scarlatina	–	7	–	26	–	3	5	13	20	2	7	12	6
Hooping Cough	–	2	–	1	–	1	5	11	27	6	6	16	7
Croup	2	6	4	–	6	2	3	6	7	3	3	4	–
Thrush	1	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	4	4	2	2	1	7	1	7	3	9	7	3
Dysentery	3	–	1	4	1	1	–	–	3	1	–	6	1
Cholera	–	–	–	–	1	–	–	–	–	–	–	–	–
Influenza	–	2	–	–	–	1	–	1	1	–	–	1	1
Purpura	–	2	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	1	–	–	–	–	–
Infantile Fever	–	–	–	–	1	–	–	3	2	–	1	1	–
Typhus	1	12	4	5	5	9	7	8	14	6	5	6	3
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	1	–	–	–	–	–
Erysipelas	1	1	–	2	1	1	–	–	–	2	2	–	–
Syphilis	–	–	–	–	–	–	–	–	2	–	–	–	2
Noma	–	–	–	1	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	1	–	2	2	–	1	2	2	–	–	–	–
Dropsy	2	2	–	2	5	1	1	3	3	1	4	–	3
Abscess	–	1	–	–	–	–	–	–	–	1	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	1	–	–	–	1	–	1	–	–	–	–	–
Cancer	1	2	–	1	1	1	1	1	6	2	–	1	5
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	2	2	1	1	–	–	2	4	1	–	2	2	1
Tabes Mesenterica	–	1	3	1	2	3	1	2	4	1	–	5	1
Phthisis	9	10	17	12	5	7	19	30	37	21	12	12	24
Hydrocephalus	–	4	5	1	3	2	3	9	22	6	3	10	3

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1856.—MALES. (*Contd.*)

DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
IV. Cephalitis	42	–	2	11	1	5	3	3	5	–
Apoplexy	83	7	6	30	8	15	7	18	6	12
Paralysis	82	11	6	47	22	19	23	5	11	6
Delirium Tremens	5	1	–	9	4	–	–	6	–	–
Chorea	1	–	–	–	–	–	–	1	–	–
Epilepsy	9	1	1	13	1	–	1	1	–	1
Tetanus	9	1	–	2	1	4	–	–	1	1
Insanity	4	–	–	–	–	1	–	–	–	1
Convulsions	97	1	4	28	34	27	2	7	1	1
Brain Disease	63	5	9	30	7	15	18	5	8	3
V. Pericarditis	4	–	1	2	–	2	1	1	2	1
Aneurism	6	1	–	15	1	–	–	1	–	2
Heart Disease	136	14	7	88	35	23	10	9	17	19
VI. Laryngitis	14	–	–	8	1	1	–	–	–	2
Bronchitis	330	10	20	138	36	52	29	39	13	13
Pleurisy	19	–	1	17	2	7	3	7	2	5
Pneumonia	344	13	13	75	31	25	12	25	20	7
Asthma	51	2	1	9	25	6	13	5	3	1
Lung Disease	32	2	2	23	3	3	2	3	1	2
VII. Teething	157	6	–	25	31	12	17	17	2	5
Quinsey	5	–	–	2	–	1	–	–	–	1
Gastritis	11	1	–	1	7	3	1	1	–	–
Enteritis	96	3	5	24	8	2	20	8	3	–
Peritonitis	14	1	2	6	2	6	1	1	5	–
Ascites	6	1	1	2	–	–	–	2	–	–
Ulceration of Intestines	10	–	–	8	1	4	–	–	1	–
Hernia	1	–	–	3	–	2	2	2	1	–
Ileus	19	–	2	5	5	5	–	–	–	1
Intussusception	3	–	1	–	–	1	–	–	–	–
Stricture of Intestines	1	–	–	1	–	–	–	–	–	–
Stomach Disease	32	1	1	11	7	4	1	7	2	2
Pancreas Disease	–	–	–	–	–	–	–	–	–	–
Hepatitis	10	–	1	2	1	1	2	2	1	1
Jaundice	9	2	–	7	1	1	–	1	–	1
Liver Disease	46	3	–	17	7	4	8	5	3	5
Spleen Disease	1	–	–	1	–	–	–	–	–	–
VIII. Nephritis	2	1	2	5	–	–	–	–	1	–
Nephria	8	–	–	17	–	1	1	1	3	–
Ischuria	2	–	–	–	1	1	1	–	–	1
Diabetes	2	–	–	4	–	–	–	2	1	–
Stone	–	1	–	1	–	3	1	–	–	1
Cystitis	3	–	1	–	1	1	–	1	–	–
Stricture of Urethra	–	–	–	–	–	–	1	–	–	–
Kidney Disease	21	–	–	26	4	15	1	5	4	2
IX. Paramenia	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–
Uterine Disease	–	–	–	–	–	–	–	–	–	–
X. Arthritis	2	–	1	–	1	–	–	–	–	–
Rheumatism	9	1	–	1	1	1	–	2	1	–
Joint and Bone Disease	11	–	–	6	2	2	1	4	1	5
XI. Carbuncle	1	–	–	2	1	1	1	1	–	1
Phlegmon	–	1	–	–	–	–	–	1	–	–
Skin Disease	2	–	–	1	3	–	–	1	–	–
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–
Spina Bifida	3	–	–	–	–	–	3	–	–	–
Other Malformations	3	–	–	2	–	–	1	2	–	–
XVII. Intemperance	9	–	1	7	2	–	–	2	1	–
Privation	1	1	–	–	–	–	–	–	–	–
Want of Breast Milk	5	–	–	1	3	–	–	–	–	–
Neglect	1	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–
Poison	4	–	1	2	–	1	–	–	1	–
Burns and Scalds	25	1	–	7	5	1	4	2	2	1
Hanging, etc.	5	–	–	1	–	–	1	–	–	1
Suffocation	4	–	–	2	2	4	3	–	–	1
Drowning	57	5	5	6	12	9	11	11	10	1
Fracture and Contusion	92	5	2	25	10	9	10	12	6	5
Wounds	2	–	–	7	1	1	1	1	–	2
Other Violent Causes	5	–	–	3	2	1	–	1	2	–
Not Specified	259	34	13	90	41	16	34	36	40	12

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1856.—MALES. (*Contd.*)

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmarnock.	Hamilton.	Airdrie.	Coatbridge, etc.	Dumfries.
Cephalitis	–	1	1	–	–	2	2	2	1	–	–	1	1
Apoplexy	4	6	3	5	3	2	2	4	7	3	4	–	–
Paralysis	3	6	4	5	4	2	1	2	5	4	–	–	–
Delirium Tremens	–	–	–	1	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	3	1	–	1	–	–	–	–	2	–	1	–	–
Tetanus	–	–	–	–	–	1	–	–	1	1	1	–	1
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	9	5	–	2	1	–	2	7	6	–	5	2	1
Brain Disease	1	5	1	3	2	1	6	4	2	1	2	–	2
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	2	2	–	–	1	–	–	–	–	–	–
Heart Disease	9	6	7	7	5	3	6	1	7	1	1	1	5
Laryngitis	1	–	–	1	–	–	–	–	–	–	1	–	–
Bronchitis	6	10	3	6	2	8	5	8	14	2	2	10	9
Pleurisy	–	1	–	–	1	–	–	1	–	1	–	–	–
Pneumonia	2	5	3	4	7	1	6	9	6	3	12	9	9
Asthma	3	–	2	–	–	–	–	5	4	2	3	3	1
Lung Disease	–	3	–	3	2	–	–	1	1	1	–	1	–
Teething	8	6	5	1	3	1	2	5	1	5	–	–	–
Quinsey	–	1	–	–	–	–	–	–	2	–	2	–	–
Gastritis	–	2	2	1	4	–	–	–	2	–	–	–	–
Enteritis	1	2	4	1	2	–	–	–	9	2	–	6	4
Peritonitis	2	–	–	–	1	1	–	3	3	–	1	1	1
Ascites	–	–	1	–	1	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	1	1	–	–	–	–	3	1	3	–	–	1
Hernia	1	1	–	–	1	–	1	1	2	–	–	–	–
Ileus	–	2	–	–	–	–	–	1	2	1	2	–	–
Intussusception	–	–	–	–	–	–	–	–	1	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	2	1	1	3	4	–	2	3	1	–	2	–	2
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	1	–	–	–	–	–	–	1	–	–	–	–
Jaundice	–	–	–	2	–	–	2	1	1	–	–	1	–
Liver Disease	1	1	1	1	–	1	2	5	–	–	2	3	3
Spleen Disease	–	–	–	–	–	–	–	–	1	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	1	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	1
Ischuria	–	–	–	–	1	–	–	–	1	–	–	–	–
Diabetes	–	–	–	1	–	–	1	–	–	–	–	–	–
Stone	–	–	2	–	–	–	–	–	3	–	–	–	–
Cystitis	–	–	–	1	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	3	2	3	1	–	2	2	3	–	1	–	1
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Uterine Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	–	–	–	–	–	–	–	–	1	–	–
Joint Disease	1	2	–	–	–	–	–	–	1	–	1	–	1
Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	1	–	–
Cyanosis	–	–	1	1	–	–	–	–	–	–	–	–	3
Spina Bifida	–	–	–	–	–	–	–	–	–	–	1	1	–
Other Malformations	–	–	–	–	2	–	–	–	–	–	2	–	–
Intemperance	–	–	1	–	–	–	–	–	–	–	–	1	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	1	–	–
Poison	–	–	–	1	–	–	–	–	–	–	1	–	–
Burns and Scalds	1	1	2	2	–	–	–	1	2	–	3	2	1
Hanging, etc.	1	–	3	1	–	–	–	–	–	1	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	1	1	1	–
Drowning	2	3	1	5	–	–	2	7	3	2	2	1	–
Fracture and Contusion	3	1	4	3	3	–	4	4	4	1	9	10	3
Wounds	1	–	–	–	–	–	–	–	–	1	–	–	1
Other Violent Causes	–	–	–	–	1	–	–	1	–	–	–	–	–
Not Specified	–	7	1	9	9	3	19	21	6	17	5	14	26

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1856.—FEMALES.

DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
ALL CAUSES	5105	311	218	2078	1245	861	528	604	404	269
SPECIFIED CAUSES	4886	279	209	2017	1206	846	498	559	361	262
I. Zymotic Class	1388	73	51	521	431	186	141	187	132	49
II. Diseases of Uncertain Seat	182	14	8	101	62	68	24	20	17	19
III. Tubercular Class	915	66	36	347	204	155	74	102	47	46
IV. Brain and Nervous System	319	17	23	185	78	75	42	28	27	30
V. Organs of Circulation	144	9	8	97	35	33	14	17	14	20
VI. Respiratory Organs	689	32	40	275	115	93	52	50	37	22
VII. Organs of Digestion	428	12	12	117	77	72	42	60	20	10
VIII. Urinary Organs	19	1	–	20	3	11	–	3	2	5
IX. Organs of Generation	86	2	5	33	16	6	7	6	4	3
X. Organs of Locomotion	16	–	–	6	2	6	6	2	3	2
XI. Skin, etc.	2	–	2	4	–	–	–	–	1	–
XII. Malformation	6	–	–	2	–	1	1	1	–	1
XIII. Premature Debility	275	12	9	87	64	30	23	28	21	12
XIV. Atrophy	49	6	2	10	8	4	10	8	1	5
XV. Age	273	33	7	162	86	93	57	36	23	29
XVI. Sudden Deaths	7	–	3	8	6	–	–	–	1	4
XVII. Violent Deaths	88	2	3	42	19	13	5	11	11	5
I. Small Pox	51	13	1	59	111	33	24	5	5	1
Measles	71	1	2	46	85	1	24	7	8	2
Scarlatina	154	14	10	212	68	28	31	36	85	4
Hooping Cough	498	17	15	34	68	40	18	39	14	12
Croup	83	5	2	33	25	9	6	9	2	11
Thrush	4	–	–	–	–	2	–	1	–	–
Diarrhœa	159	2	6	27	11	14	11	15	5	5
Dysentery	50	2	2	15	1	4	5	2	–	4
Cholera	12	2	1	1	3	–	–	2	2	–
Influenza	9	1	1	4	8	5	1	2	–	–
Purpura	3	–	–	3	–	–	–	1	–	–
Ague	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	–	–	4	–	–	–
Infantile Fever	15	1	1	4	2	–	2	4	–	–
Typhus	217	13	8	54	43	38	11	57	6	6
Metria	23	–	1	6	2	2	3	2	2	3
Rheumatic Fever	5	–	–	1	–	1	–	–	–	–
Erysipelas	19	1	–	18	3	7	1	4	1	–
Syphilis	10	1	1	4	1	2	–	1	2	1
Noma	4	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	3	–	–	7	2	4	2	–	–	1
Dropsy	80	6	1	25	41	32	12	3	4	2
Abscess	12	–	1	3	–	4	2	–	3	1
Ulcer	3	–	–	1	1	2	–	1	–	1
Fistula	1	–	–	–	–	–	–	–	–	–
Mortification	10	1	1	9	2	1	–	3	–	3
Cancer	73	7	5	55	16	25	8	13	10	11
Gout	–	–	–	1	–	–	–	–	–	–
III. Scrofula	28	1	–	10	8	5	5	5	1	1
Tabes Mesenterica	39	5	2	27	3	5	3	5	2	4
Phthisis	677	52	24	228	148	99	50	75	27	34
Hydrocephalus	171	8	10	82	45	46	16	17	17	7

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1856.—FEMALES.

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmarnock.	Hamilton.	Airdrie.	Coatbridge, etc.	Dumfries.
ALL CAUSES	133	178	88	181	116	106	140	233	282	135	165	187	155
SPECIFIED CAUSES	127	174	88	175	111	94	125	215	275	120	157	163	139
Zymotic Class	15	32	11	42	19	26	34	71	92	45	61	67	33
Uncertain Seat	4	9	6	9	3	3	5	8	11	4	9	10	7
Tubercular Class	14	28	21	32	24	11	16	50	63	19	27	26	25
Brain, etc.	13	18	7	15	10	2	10	8	18	11	8	5	11
Heart, etc.	4	10	14	7	7	3	6	8	7	3	1	6	4
Respiratory Organs	18	18	9	17	12	11	8	22	19	9	11	14	17
Digestive Organs	13	19	6	10	12	6	10	12	19	11	17	13	7
Urinary Organs	1	2	2	–	1	–	–	2	2	–	–	1	1
Generative Organs	7	3	–	1	2	1	2	2	2	1	3	4	6
Locomotive Organs	–	1	–	1	1	–	–	–	2	1	–	–	–
Skin, etc.	–	–	–	–	–	–	1	–	–	–	–	–	–
Malformation	1	1	2	2	–	–	1	1	1	–	1	–	1
Premature Debility	8	11	3	10	6	7	5	7	13	1	1	9	1
Atrophy	–	–	–	2	1	–	2	5	5	–	2	5	1
Age	24	18	7	23	10	23	22	13	17	13	12	–	19
Sudden Deaths	1	–	–	1	–	1	–	–	–	–	1	1	–
Violent Deaths	4	4	–	3	3	–	3	6	4	2	3	2	6
Small Pox	2	1	2	1	–	11	3	22	5	20	14	14	–
Measles	–	–	–	2	–	1	–	–	5	–	1	–	4
Scarlatina	–	4	–	24	3	1	7	16	18	6	6	7	1
Hooping Cough	–	1	–	1	–	2	5	14	31	9	15	21	10
Croup	1	7	1	1	1	4	1	3	5	2	3	5	3
Thrush	1	–	1	–	–	–	–	1	–	–	–	–	–
Diarrhœa	2	5	2	–	2	1	10	4	5	3	10	6	4
Dysentery	4	–	–	5	1	–	–	4	2	1	3	5	1
Cholera	–	–	–	–	–	–	–	–	–	–	–	1	–
Influenza	–	1	1	–	–	–	1	–	1	–	–	–	–
Purpura	–	1	–	–	–	–	–	–	2	–	–	1	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	1	1	–	–	3	–	2	1	1
Typhus	2	8	3	5	5	4	6	6	13	2	5	3	8
Metria	–	2	–	2	1	–	–	1	2	1	–	1	1
Rheumatic Fever	–	–	–	–	2	–	–	–	–	–	–	1	–
Erysipelas	3	2	1	–	2	1	–	–	–	–	1	1	–
Syphilis	–	–	–	–	1	–	1	–	–	–	1	–	–
Noma	–	–	–	1	–	–	–	–	–	1	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	1	–	–	–	1	–	–	–	–	–	–	–
Dropsy	3	2	1	4	2	1	1	4	3	1	3	3	1
Abscess	–	–	–	–	–	–	2	–	–	–	–	2	1
Ulcer	–	1	–	–	–	–	–	–	1	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	1	–	1	1	–	–	4	–	–
Cancer	1	5	5	5	–	1	1	3	7	3	2	5	5
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	1	1	–	–	–	4	3	–	1	2	1
Tabes Mesenterica	–	2	3	–	–	1	–	1	3	–	2	7	4
Phthisis	11	24	13	25	19	9	15	39	38	12	18	7	19
Hydrocephalus	3	2	4	6	5	1	1	6	19	7	6	10	1

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1856.—FEMALES. (*Contd.*)

DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
IV. Cephalitis	29	1	3	10	2	4	4	2	2	1
Apoplexy	57	1	1	43	12	20	8	6	6	7
Paralysis	89	10	2	61	27	13	20	11	13	12
Delirium Tremens	–	–	–	2	–	–	–	–	–	–
Chorea	1	–	–	–	2	–	–	1	–	–
Epilepsy	16	2	–	7	–	3	–	–	–	2
Tetanus	2	–	–	3	2	–	–	–	–	1
Insanity	4	1	1	5	2	1	–	1	2	–
Convulsions	74	–	7	22	27	28	4	3	–	4
Brain Disease	47	2	9	32	4	6	6	4	4	3
V. Pericarditis	3	–	–	6	2	–	–	1	1	1
Aneurism	1	1	1	4	–	2	–	2	–	–
Heart Disease	140	8	7	87	33	31	14	14	13	19
VI. Laryngitis	14	1	–	4	1	1	1	2	2	1
Bronchitis	337	17	28	155	36	55	23	21	20	11
Pleurisy	13	–	–	11	3	6	–	1	–	4
Pneumonia	221	11	11	62	41	20	16	16	15	5
Asthma	65	2	–	20	27	8	9	7	–	1
Lung Disease	39	1	1	23	7	3	3	3	–	–
VII. Teething	158	7	4	19	37	21	20	33	2	5
Quinsey	2	–	–	2	1	1	–	1	–	2
Gastritis	12	–	–	2	–	1	1	–	3	–
Enteritis	104	1	1	17	9	9	10	6	3	–
Peritonitis	16	1	2	7	2	6	1	2	2	2
Ascites	6	–	2	10	2	–	1	–	–	–
Ulceration of Intestines	6	–	1	11	2	5	–	2	1	–
Hernia	5	–	–	2	1	1	–	2	1	–
Ileus	14	–	–	4	3	15	–	1	1	–
Intussusception	4	–	–	1	–	–	–	–	–	–
Stricture of Intestines	1	–	–	1	1	–	–	–	–	–
Stomach Disease	40	3	–	7	6	3	1	4	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–
Hepatitis	10	–	–	4	1	1	2	2	–	1
Jaundice	13	–	1	7	6	2	1	1	1	–
Liver Disease	37	–	1	22	6	6	5	6	6	–
Spleen Disease	–	–	–	1	–	1	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	1	–
Nephria	6	–	–	11	2	3	–	1	–	1
Ischuria	2	–	–	1	–	–	–	–	–	1
Diabetes	5	1	–	1	–	2	–	1	–	–
Stone	–	–	–	–	1	–	–	1	–	–
Cystitis	–	–	–	–	–	–	–	–	–	1
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–
Kidney Disease	6	–	–	7	–	6	–	–	1	2
IX. Paramenia	1	–	–	–	–	–	–	–	–	1
Ovarian Dropsy	3	–	–	3	1	–	1	–	–	–
Childbirth	69	2	5	25	15	4	6	6	4	2
Uterine Disease	13	–	–	5	–	2	–	–	–	–
X. Arthritis	3	–	–	–	–	–	–	–	–	–
Rheumatism	7	–	–	2	2	1	6	–	1	1
Joint and Bone Disease	6	–	–	4	–	5	–	2	2	1
XI. Carbuncle	1	–	–	2	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	2	2	–	–	–	–	1	–
XII. Cyanosis	1	–	–	–	–	–	–	1	–	–
Spina Bifida	2	–	–	1	–	–	1	–	–	–
Other Malformations	3	–	–	1	–	1	–	–	–	1
XVII. Intemperance	2	–	–	6	2	2	–	–	–	–
Privation	1	–	–	–	–	–	–	1	–	–
Want of Breast Milk	–	–	1	–	3	–	–	–	1	–
Neglect	2	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	1	–	–
Poison	6	–	–	3	2	–	–	–	–	–
Burns and Scalds	33	1	–	12	1	6	3	2	3	1
Hanging, etc.	3	–	1	–	2	–	–	–	–	–
Suffocation	3	–	–	3	–	3	–	1	1	1
Drowning	15	–	–	2	2	1	2	1	3	2
Fracture and Contusion	19	1	1	15	5	1	–	4	2	1
Wounds	1	–	–	–	–	–	–	–	–	–
Other Violent Causes	3	–	–	1	2	–	–	1	1	–
Not Specified	219	32	9	61	39	15	30	45	43	7

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1856.—FEMALES. (*Contd.*)

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmarnock.	Hamilton.	Airdrie.	Coatbridge, etc.	Dumfries.
Cephalitis	–	–	–	3	–	–	–	–	1	1	1	1	1
Apoplexy	5	4	2	3	2	1	2	5	7	3	1	1	2
Paralysis	3	10	3	2	6	1	3	–	5	5	1	2	2
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	2	–	1	1	1	–	1	–	–	1	2	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	3
Convulsions	2	3	–	2	1	–	–	3	4	1	2	–	1
Brain Disease	1	1	1	4	–	–	4	–	1	–	1	1	2
Pericarditis	–	–	–	–	–	–	–	–	1	–	–	–	–
Aneurism	–	–	–	–	1	–	–	–	1	–	–	–	–
Heart Disease	4	10	14	7	6	3	6	8	5	3	1	6	4
Laryngitis	1	–	–	–	–	–	–	–	1	–	1	–	–
Bronchitis	7	13	2	11	4	7	5	7	11	5	4	7	11
Pleurisy	–	–	1	2	1	1	–	2	–	1	1	2	–
Pneumonia	4	1	5	3	7	2	3	9	4	1	4	5	5
Asthma	5	3	1	1	–	1	–	1	3	1	1	–	1
Lung Disease	1	1	–	–	–	–	–	3	–	1	–	–	–
Teething	7	5	–	1	3	2	6	4	3	1	5	6	–
Quinsey	–	1	–	–	–	1	–	–	–	–	–	–	–
Gastritis	–	–	–	1	–	1	–	2	1	–	–	–	–
Enteritis	2	4	1	–	1	–	2	–	9	4	5	5	1
Peritonitis	–	1	1	–	3	–	–	–	2	4	1	–	3
Ascites	–	–	–	–	1	–	–	–	–	–	–	1	–
Ulceration of Intestines	–	1	–	1	–	–	–	–	1	–	–	–	–
Hernia	1	2	1	–	–	–	–	–	–	–	–	–	–
Ileus	–	1	–	2	–	–	–	–	–	–	1	–	–
Intussusception	–	1	–	–	–	1	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	1	2	–	1	–	–	–	2	1	1	3	1	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	1	–	3	2	–	–	–	1	–	–	–	–
Jaundice	–	–	1	–	–	–	–	3	–	–	2	–	–
Liver Disease	2	–	2	1	2	1	2	1	1	1	–	–	3
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	1	–	–	–	–	–	1	1	–	–	1	1
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	1	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	–	2	–	1	–	–	1	1	–	–	–	–
Paramenia	–	–	–	–	–	1	–	–	1	–	–	–	–
Ovarian Dropsy	–	1	–	–	–	–	–	–	–	–	–	–	2
Childbirth	6	1	–	1	2	–	2	2	1	1	2	3	1
Uterine Disease	1	1	–	–	–	–	–	–	–	–	1	1	3
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	1	–	1	–	–	–	–	1	–	–	–	–
Joint Disease	–	–	–	–	1	–	–	–	1	1	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	1	–	–	–	–	–	–
Cyanosis	–	–	2	–	–	–	1	1	–	–	–	–	–
Spina Bifida	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	1	–	2	–	–	–	–	1	–	1	–	1
Intemperance	–	–	–	–	–	–	1	–	–	–	–	–	2
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	1	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	2	–	–	–	1
Burns and Scalds	3	–	–	1	2	–	1	1	–	1	1	1	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	1
Drowning	–	3	–	–	–	–	–	3	1	–	1	–	2
Fracture and Contusion	1	1	–	2	1	–	1	2	1	1	1	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	6	4	–	6	5	12	15	18	7	15	8	24	16

CAUSES of DEATH in SCOTLAND at different Periods of Life in 1856.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
All Causes	58529	6024	1869	4165	5283	2871	1771	1389	2995	1505	1828	2116	1988
Specified Causes	54755	4780	1491	3790	4926	2722	1692	1325	2854	1436	1752	2048	1909
I. Zymotic Class	13779	610	485	1540	2504	1603	1058	830	1531	478	404	338	272
II. Diseases of Uncertain Seat	2403	47	15	19	43	27	27	12	52	49	38	46	74
III. Tubercular Class	9077	103	245	637	801	442	234	203	587	408	738	960	853
IV. Brain and Nervous System	4501	372	112	187	180	93	68	55	166	127	119	117	108
V. Organs of Circulation	1948	15	2	5	8	6	4	6	37	74	79	76	79
VI. Respiratory Organs	6124	416	318	688	606	300	180	113	209	71	95	130	137
VII. Organs of Digestion	4319	354	192	605	621	124	40	30	98	68	70	108	114
VIII. Urinary Organs	590	4	3	2	3	7	4	4	12	14	17	32	36
IX. Organs of Generation	481	–	–	–	–	–	–	–	–	1	17	67	90
X. Organs of Locomotion	257	3	–	–	3	4	2	4	14	24	23	17	10
XI. Skin, etc.	50	9	5	6	3	2	–	–	1	1	2	2	1
XII. Malformation	119	96	11	3	4	–	–	–	2	1	1	–	–
XIII. Premature Debility	2744	2659	70	15	–	–	–	–	–	–	–	–	–
XIV. Atrophy	461	3	8	57	73	35	14	10	23	13	5	6	4
XV. Age	5702	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	197	29	7	8	1	2	2	2	3	3	4	5	6
XVII. Violent Deaths	2003	60	18	18	76	77	59	56	119	104	140	144	125
I. Small Pox	1306	89	80	226	246	156	118	67	114	25	34	45	24
Measles	1033	23	16	168	390	180	84	48	75	21	11	4	2
Scarlatina	3011	19	41	228	476	484	394	365	704	181	49	20	11
Hooping Cough	2331	143	151	519	720	342	184	130	135	7	–	–	–
Croup	1020	46	27	100	264	221	137	102	117	6	–	–	–
Thrush	27	17	3	1	5	–	–	–	–	–	–	–	–
Diarrhœa	1098	136	84	154	210	50	19	15	17	11	9	15	12
Dysentery	392	8	7	24	36	16	7	4	20	4	7	7	13
Cholera	88	2	6	15	12	3	2	1	3	1	–	2	3
Influenza	244	9	3	16	5	12	6	4	7	5	2	3	1
Purpura	36	1	2	2	3	3	1	2	1	2	2	1	4
Ague	3	–	–	–	–	–	–	–	–	–	–	–	–
Worms	40	–	–	3	4	9	8	5	6	4	1	–	–
Infantile Fever	196	16	15	33	63	39	18	8	4	–	–	–	–
Typhus	2363	9	11	28	57	78	74	76	309	195	272	201	146
Metria	143	–	–	–	–	–	–	–	–	–	6	26	32
Rheumatic Fever	58	1	–	–	–	–	1	2	5	10	5	3	7
Erysipelas	288	65	13	13	8	5	2	–	13	6	5	7	14
Syphilis	81	26	25	8	1	2	–	–	–	–	–	4	2
Noma	20	–	1	2	4	3	3	1	1	–	1	–	–
Hydrophobia	1	–	–	–	–	–	–	–	–	–	–	–	1
II. Hæmorrhage	172	17	2	5	–	2	1	1	3	4	9	7	10
Dropsy	1005	3	5	1	24	17	16	9	42	31	12	25	34
Abscess	110	7	–	7	5	3	–	1	4	9	4	4	11
Ulcer	28	2	1	1	4	–	–	–	–	–	2	–	–
Fistula	15	–	–	–	–	–	–	–	–	–	–	–	1
Mortification	163	13	5	5	9	4	4	1	2	2	2	2	1
Cancer	908	5	2	–	1	1	6	–	1	3	9	8	17
Gout	2	–	1	–	–	–	–	–	–	–	–	–	–
III. Scrofula	451	8	9	17	28	14	10	12	33	56	56	47	40
Tabes Mesenterica	519	29	31	60	146	75	30	23	54	22	11	6	7
Phthisis	6247	14	48	113	173	148	65	70	233	297	663	903	804
Hydrocephalus	1860	52	157	447	454	205	129	98	267	33	8	4	2

CAUSES of DEATH in SCOTLAND at different Periods of Life in 1856.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	1824	1683	1712	1709	1828	2019	2319	2351	2713	2675	2006	1195	419	132	34	106
Specified Causes	1738	1613	1633	1613	1710	1886	2242	2344	2711	2673	2006	1195	419	132	34	81
Zymotic Class	209	216	209	189	194	196	215	201	204	147	82	45	6	2	–	11
Uncertain Seat	82	109	137	183	196	225	268	214	222	180	89	37	7	1	–	4
Tubercular Class	634	480	437	378	298	236	188	108	62	30	8	1	1	–	–	5
Brain, etc.	138	139	162	157	192	280	363	350	405	319	194	78	14	1	–	5
Heart, etc.	84	102	125	132	136	195	182	207	195	125	56	14	1	–	–	3
Respiratory Organs	156	160	188	219	262	318	378	365	308	283	149	58	8	1	–	8
Digestive Organs	131	141	148	153	206	216	246	220	198	143	66	20	1	–	–	6
Urinary Organs	23	29	21	29	28	46	44	59	65	68	32	7	1	–	–	–
Generative Organs	91	89	54	19	16	15	7	7	2	5	1	–	–	–	–	–
Locomotive Organs	4	14	13	8	10	16	20	29	13	16	7	2	–	1	–	–
Skin	2	3	1	–	–	1	4	1	4	1	–	1	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	12	7	18	27	49	60	35	–	1	–	–	–	–	–	–	1
Age	–	–	–	–	–	2	195	506	956	1300	1291	917	375	124	34	2
Sudden Deaths	9	12	10	11	9	7	20	19	18	6	1	2	–	–	–	1
Violent Deaths	163	112	110	108	114	73	77	58	58	50	30	13	5	2	–	34
Small Pox	17	13	16	11	7	5	6	1	3	–	–	1	–	–	–	2
Measles	3	1	5	–	–	1	–	–	–	–	–	–	–	–	–	1
Scarlatina	5	9	4	3	2	7	3	–	1	1	1	–	–	–	–	3
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Diarrhœa	17	16	22	19	33	27	50	47	52	35	29	14	3	2	–	–
Dysentery	9	16	13	17	24	30	34	27	30	21	9	7	2	–	–	–
Cholera	6	5	2	2	6	4	6	2	2	2	–	1	–	–	–	–
Influenza	3	3	6	4	9	13	24	23	29	28	19	8	1	–	–	1
Purpura	2	1	–	4	–	2	–	1	–	2	–	–	–	–	–	–
Ague	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	103	114	111	110	94	94	73	79	62	37	18	8	–	–	–	4
Metria	33	27	16	3	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	4	1	2	2	3	4	3	4	–	–	–	–	–	–
Erysipelas	5	9	9	11	15	10	14	15	21	17	5	6	–	–	–	–
Syphilis	5	2	1	3	2	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	1	–	–	1	1	–	–	1	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	14	13	10	11	12	13	9	8	7	11	1	1	–	–	–	1
Dropsy	29	34	44	53	69	85	117	96	117	80	47	12	2	–	–	1
Abscess	7	10	8	13	1	4	7	1	3	–	1	–	–	–	–	–
Ulcer	–	2	1	2	3	2	3	2	–	2	–	1	–	–	–	–
Fistula	2	1	1	2	5	–	–	1	1	–	1	–	–	–	–	–
Mortification	6	6	1	8	3	11	8	10	16	21	15	6	1	1	–	–
Cancer	24	43	72	93	103	110	124	96	78	65	24	17	4	–	–	2
Gout	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
Scrofula	19	22	13	8	12	12	10	9	6	6	2	1	1	–	–	–
Tabes Mesenterica	2	2	2	4	8	3	1	1	–	1	–	–	–	–	–	1
Phthisis	612	456	421	366	278	221	177	98	55	23	6	–	–	–	–	3
Hydrocephalus	1	–	1	–	–	–	–	–	1	–	–	–	–	–	–	1

CAUSES of DEATH in SCOTLAND at different Periods of Life in 1856.—Both Sexes. (*Contd.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	363	8	16	41	33	19	21	15	49	28	32	21	11
Apoplexy	975	8	7	14	6	5	4	7	27	32	17	23	30
Paralysis	1418	–	–	2	2	4	1	2	4	6	6	13	12
Delirium Tremens	58	–	–	–	–	–	–	–	–	–	–	3	7
Chorea	9	–	–	–	–	–	–	–	–	1	4	–	–
Epilepsy	166	–	–	3	1	1	1	1	10	10	19	18	9
Tetanus	86	15	1	2	4	1	1	–	5	10	3	4	3
Insanity	55	–	–	–	–	–	–	–	–	–	1	2	2
Convulsions	733	326	74	110	114	36	24	10	16	4	1	2	3
Brain Disease	638	15	14	15	20	27	16	20	55	36	36	31	31
V. Pericarditis	68	1	–	–	1	2	–	–	11	12	8	6	5
Aneurism	66	–	–	–	–	–	–	–	–	–	1	3	5
Heart Disease	1814	14	2	5	7	4	4	6	26	62	70	67	69
VI. Laryngitis	114	6	2	12	16	9	18	6	12	1	3	1	3
Bronchitis	2762	230	165	363	308	133	83	41	76	24	19	40	40
Pleurisy	337	15	6	10	6	7	1	7	23	4	13	12	19
Pneumonia	1970	153	141	286	261	139	69	52	84	31	40	50	50
Asthma	610	–	–	2	–	1	1	–	1	2	2	5	11
Lung Disease	331	12	4	15	15	11	8	7	13	9	18	22	14
VII. Teething	1028	2	57	427	490	49	2	–	1	–	–	–	–
Quinsey	54	5	4	7	8	9	4	2	–	1	1	2	–
Gastritis	164	11	4	10	9	3	1	1	8	4	5	6	4
Enteritis	847	190	87	101	74	37	16	14	33	16	14	27	12
Peritonitis	260	14	6	8	2	1	3	1	11	16	15	22	26
Ascites	109	1	–	–	1	1	1	1	2	5	1	1	4
Ulceration of Intestines	175	5	1	4	3	4	–	3	3	2	6	10	14
Hernia	96	2	1	1	–	3	–	1	–	1	1	2	1
Ileus	267	21	4	4	3	–	3	1	6	5	8	8	11
Intussusception	39	2	6	1	1	–	–	1	1	3	–	–	1
Stricture of Intestines	14	1	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	464	48	14	35	19	7	5	2	19	3	6	9	10
Pancreas Disease	1	–	–	–	–	1	–	–	–	–	–	–	–
Hepatitis	149	3	1	1	4	–	–	–	4	3	2	6	7
Jaundice	179	41	2	3	6	7	–	–	2	–	2	3	7
Liver Disease	460	8	5	3	1	2	5	3	7	8	8	12	17
Spleen Disease	13	–	–	–	–	–	–	–	1	1	1	–	–
VIII. Nephritis	44	–	1	–	–	2	1	1	2	–	–	2	3
Nephria	106	1	–	1	2	2	–	1	4	6	6	11	13
Ischuria	40	2	1	1	–	1	–	–	1	1	1	–	1
Diabetes	54	–	–	–	1	–	–	–	–	2	3	7	7
Stone	68	–	–	–	–	–	–	1	2	3	–	–	–
Cystitis	33	–	–	–	–	–	–	–	–	–	2	1	1
Stricture of Urethra	2	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	243	1	1	–	–	2	3	1	3	2	5	11	11
IX. Paramenia	14	–	–	–	–	–	–	–	–	1	4	2	1
Ovarian Dropsy	37	–	–	–	–	–	–	–	–	–	1	–	1
Childbirth	351	–	–	–	–	–	–	–	–	–	9	62	83
Uterine Disease	79	–	–	–	–	–	–	–	–	–	3	3	5
X. Arthritis	15	2	–	–	–	1	–	1	2	1	3	2	–
Rheumatism	114	–	–	–	–	1	–	–	2	4	1	4	3
Joint and Bone Disease	128	1	–	–	3	2	2	3	10	19	19	11	7
XI. Carbuncle	18	1	–	–	–	–	–	–	–	1	1	1	–
Phlegmon	5	1	–	1	–	–	–	–	–	–	–	–	–
Skin Disease	27	7	5	5	3	2	–	–	1	–	1	1	1
XII. Cyanosis	26	20	4	–	–	–	–	–	1	–	1	–	–
Spina Bifida	31	22	4	2	2	–	–	–	–	1	–	–	–
Other Malformations	62	54	3	1	2	–	–	–	1	–	–	–	–
XVII. Intemperance	78	–	–	–	–	–	–	–	–	1	–	1	3
Privation	6	1	–	1	1	1	–	–	–	–	–	–	–
Want of Breast Milk	26	18	6	1	1	–	–	–	–	–	–	–	–
Neglect	4	4	–	–	–	–	–	–	–	–	–	–	–
Cold	21	2	1	–	–	–	–	–	–	–	1	1	2
Poison	44	4	–	1	2	3	1	2	2	–	1	3	5
Burns and Scalds	303	1	3	10	36	42	43	29	46	4	4	5	4
Hanging, etc.	54	–	–	–	–	–	–	–	–	1	4	5	3
Suffocation	76	18	7	–	5	2	2	1	4	2	3	4	4
Drowning	520	2	–	–	18	13	6	13	25	36	48	56	46
Fracture and Contusion	730	–	–	2	13	10	6	11	38	45	71	61	49
Wounds	57	–	–	–	–	1	–	–	1	11	2	4	5
Other Violent Causes	84	10	1	3	–	5	1	–	3	4	6	4	4
Not Specified	3774	1244	378	375	357	149	79	64	141	69	76	68	79

CAUSES of DEATH in SCOTLAND at different Periods of Life in 1856.—Both Sexes. (*Contd.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	12	7	12	9	7	4	7	5	4	2	–	–	–	–	–	–
Apoplexy	37	36	39	46	58	97	114	102	118	70	53	18	6	–	–	1
Paralysis	27	28	39	60	69	109	184	195	246	219	124	56	8	1	–	1
Delirium Tremens	7	13	14	5	5	2	1	–	–	–	–	–	–	–	–	1
Chorea	–	–	1	–	–	1	2	–	–	–	–	–	–	–	–	–
Epilepsy	12	19	12	5	7	11	9	9	2	4	2	1	–	–	–	–
Tetanus	3	4	3	2	7	5	2	3	5	2	1	–	–	–	–	–
Insanity	1	2	6	5	5	12	4	6	3	2	4	–	–	–	–	–
Convulsions	3	3	3	1	–	–	–	1	1	–	–	–	–	–	–	1
Brain Disease	36	27	33	24	34	39	40	29	26	20	10	3	–	–	–	1
Pericarditis	–	1	3	1	1	3	3	4	–	5	1	–	–	–	–	–
Aneurism	7	6	6	8	7	6	9	2	2	3	1	–	–	–	–	–
Heart Disease	77	95	116	123	128	186	170	201	193	117	54	14	1	–	–	3
Laryngitis	4	3	2	3	2	3	2	2	3	1	–	–	–	–	–	–
Bronchitis	47	48	65	69	106	125	154	156	173	157	98	30	5	1	–	6
Pleurisy	16	9	16	16	16	25	31	27	22	19	9	7	–	–	–	1
Pneumonia	52	63	58	62	60	71	62	72	42	36	20	12	3	–	–	1
Asthma	20	17	28	47	56	74	103	91	58	63	20	8	–	–	–	–
Lung Disease	17	20	19	22	22	20	26	17	10	7	2	1	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	1	–	–	–	2	3	–	2	2	–	1	–	–	–	–	–
Gastritis	11	8	5	4	15	11	12	10	8	6	5	2	–	–	–	1
Enteritis	22	23	22	15	20	26	24	27	19	18	6	4	–	–	–	–
Peritonitis	18	14	15	18	7	9	17	11	11	10	3	1	–	–	–	1
Ascites	6	8	4	8	10	6	20	13	9	5	2	–	–	–	–	–
Ulceration of Intestines	8	16	4	9	17	17	16	14	9	6	3	1	–	–	–	–
Hernia	6	4	3	4	8	5	5	10	12	17	6	3	–	–	–	–
Ileus	12	17	13	12	20	17	20	27	21	18	11	5	–	–	–	–
Intussusception	1	1	1	4	3	6	3	–	2	1	1	–	–	–	–	–
Stricture of Intestines	–	1	3	2	–	–	1	1	2	2	1	–	–	–	–	–
Stomach Disease	14	13	19	29	32	35	38	40	34	18	12	1	–	–	–	2
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	3	10	13	11	13	22	18	9	7	7	5	–	–	–	–	–
Jaundice	5	2	7	9	11	5	16	16	14	13	4	2	1	–	–	1
Liver Disease	23	24	38	28	47	53	53	39	46	22	6	1	–	–	–	1
Spleen Disease	1	–	1	–	1	1	3	1	2	–	–	–	–	–	–	–
Nephritis	3	3	1	2	3	4	7	3	1	2	2	1	–	–	–	–
Nephria	7	9	5	8	3	5	9	5	4	1	3	–	–	–	–	–
Ischuria	1	1	–	3	1	1	3	4	8	2	7	–	–	–	–	–
Diabetes	7	6	2	1	5	3	3	5	1	1	–	–	–	–	–	–
Stone	–	–	1	2	–	4	4	15	15	12	7	1	1	–	–	–
Cystitis	2	–	–	2	2	1	4	2	4	7	4	1	–	–	–	–
Stricture of Urethra	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
Kidney Disease	3	10	12	10	14	28	14	25	31	43	9	4	–	–	–	–
Paramenia	1	2	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	4	4	5	6	6	3	2	2	3	–	–	–	–	–	–
Childbirth	76	76	40	4	1	–	–	–	–	–	–	–	–	–	–	–
Uterine Disease	14	7	7	10	9	9	4	5	–	2	1	–	–	–	–	–
Arthritis	–	1	–	–	–	1	–	–	–	–	1	–	–	–	–	–
Rheumatism	1	8	6	4	6	11	13	23	11	10	3	2	–	1	–	–
Joint Disease	3	5	7	4	4	4	7	6	2	6	3	–	–	–	–	–
Carbuncle	–	3	–	–	–	1	4	1	3	1	–	1	–	–	–	–
Phlegmon	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Intemperance	9	11	8	11	13	13	2	3	1	2	–	–	–	–	–	–
Privation	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	1	–	1	2	2	2	1	1	2	–	–	–	–	–	1
Poison	3	3	–	4	3	3	2	1	–	1	–	–	–	–	–	–
Burns and Scalds	5	3	4	4	5	2	6	11	12	8	9	5	1	1	–	–
Hanging, etc.	6	3	5	6	7	5	4	1	2	–	–	–	–	–	–	2
Suffocation	1	1	6	4	6	1	1	1	–	2	–	–	–	–	–	1
Drowning	58	34	28	26	24	14	21	11	14	7	4	–	–	–	–	16
Fracture and Contusion	70	43	54	47	42	26	33	23	23	25	17	7	4	1	–	9
Wounds	3	5	3	2	6	1	5	3	4	–	–	–	–	–	–	1
Other Violent Causes	7	8	2	2	6	6	1	2	1	3	–	1	–	–	–	4
Not Specified	86	70	79	96	118	133	77	7	2	2	–	–	–	–	–	25

CAUSES of DEATH in SCOTLAND at different Periods of Life in 1856.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	29418	3418	1058	2203	2668	1463	943	722	1578	795	961	1115	974
SPECIFIED CAUSES	27417	2711	849	1993	2478	1383	901	691	1505	759	917	1074	940
I. Zymotic Class	6919	327	261	786	1239	807	558	427	776	223	216	165	103
II. Diseases of Uncertain Seat	973	23	7	10	24	16	20	8	27	31	15	28	32
III. Tubercular Class	4553	57	139	343	431	209	127	105	318	201	342	508	425
IV. Brain and Nervous System	2357	222	69	89	99	52	41	28	95	74	66	65	56
V. Organs of Circulation	995	10	–	2	4	4	4	2	16	30	38	38	46
VI. Respiratory Organs	3250	244	195	385	308	163	92	64	108	28	49	69	77
VII. Organs of Digestion	2207	206	113	321	299	61	14	19	57	43	44	51	58
VIII. Urinary Organs	434	3	2	1	1	3	4	1	6	10	9	19	21
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	133	1	–	–	1	3	1	1	9	15	14	9	8
XI. Skin, etc.	31	4	3	4	2	1	–	–	–	–	1	2	1
XII. Malformation	68	58	6	1	2	–	–	–	–	1	–	–	–
XIII. Premature Debility	1548	1502	40	6	–	–	–	–	–	–	–	–	–
XIV. Atrophy	207	3	3	33	34	20	6	3	14	7	1	2	2
XV. Age	2178	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	103	18	2	3	–	–	2	1	3	2	3	2	2
XVII. Violent Deaths	1461	33	9	9	34	44	32	32	76	94	119	116	109
I. Small Pox	711	55	48	123	121	81	64	46	54	12	20	25	11
Measles	521	8	8	98	193	92	40	24	37	8	5	3	–
Scarlatina	1585	12	23	117	251	256	220	187	377	83	26	10	3
Hooping Cough	1044	64	76	227	333	137	82	66	58	1	–	–	–
Croup	554	26	14	60	143	120	78	52	58	3	–	–	–
Thrush	13	11	–	–	2	–	–	–	–	–	–	–	–
Diarrhœa	570	80	46	80	99	29	14	10	6	6	6	7	6
Dysentery	188	5	5	16	22	10	4	1	12	3	3	2	5
Cholera	44	1	2	5	6	3	2	1	2	–	–	1	2
Influenza	118	3	–	13	2	8	4	2	4	–	–	2	–
Purpura	22	1	1	2	2	–	1	1	1	1	–	1	2
Ague	2	–	–	–	–	–	–	–	–	–	–	–	–
Worms	21	–	–	2	2	4	4	3	4	2	–	–	–
Infantile Fever	109	12	12	16	28	26	10	2	3	–	–	–	–
Typhus	1174	3	3	15	26	36	34	31	145	95	147	109	60
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	26	1	–	–	–	–	–	1	4	6	4	2	2
Erysipelas	161	32	6	4	5	2	–	–	11	3	5	1	10
Syphilis	45	13	16	6	1	1	–	–	–	–	–	2	1
Noma	10	–	1	2	3	2	1	–	–	–	–	–	–
Hydrophobia	1	–	–	–	–	–	–	–	–	–	–	–	1
II. Hæmorrhage	103	9	2	4	–	–	1	1	–	3	2	6	7
Dropsy	426	2	2	1	16	13	13	6	23	23	4	14	14
Abscess	53	2	–	3	1	–	–	–	3	4	2	3	3
Ulcer	12	–	1	–	2	–	–	–	–	–	1	–	–
Fistula	13	–	–	–	–	–	–	–	–	–	–	–	1
Mortification	87	8	2	2	4	2	2	1	–	1	1	–	1
Cancer	278	2	–	–	1	1	4	–	1	–	5	5	6
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	266	4	5	7	12	6	7	7	16	39	41	31	23
Tabes Mesenterica	283	20	19	35	80	33	17	12	35	8	5	4	4
Phthisis	3006	8	25	61	90	68	36	38	123	131	294	470	397
Hydrocephalus	998	25	90	240	249	102	67	48	144	23	2	3	1

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1856.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	869	779	848	862	919	1009	1094	1118	1224	1241	826	487	141	36	12	55
SPECIFIED CAUSES	826	745	807	827	875	951	1058	1116	1223	1241	826	487	141	36	12	45
Zymotic Class	90	83	98	95	113	96	99	101	100	83	44	22	1	–	–	6
Uncertain Seat	27	40	45	63	64	90	108	87	81	82	26	14	4	–	–	1
Tubercular Class	291	211	206	175	148	116	100	47	32	15	4	–	1	–	–	2
Brain, etc.	74	77	94	84	104	154	171	165	201	151	80	39	5	–	–	2
Heart, etc.	39	58	59	69	72	103	82	113	100	67	28	9	1	–	–	1
Respiratory Organs	84	78	102	138	135	165	182	179	151	148	73	28	2	–	–	3
Digestive Organs	51	67	73	78	117	104	114	111	92	73	30	11	–	–	–	–
Urinary Organs	18	17	16	18	20	33	34	53	53	60	26	5	1	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	4	11	9	4	3	6	13	5	6	6	2	2	–	–	–	–
Skin	2	2	–	–	–	1	3	1	2	1	–	1	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	1	1	6	9	18	25	18	–	1	–	–	–	–	–	–	–
Age	–	–	–	–	–	1	71	207	355	525	498	352	122	34	12	1
Sudden Deaths	6	6	7	3	5	4	11	6	12	2	–	2	–	–	–	1
Violent Deaths	139	94	92	91	76	53	52	41	37	28	15	2	4	2	–	28
Small Pox	9	9	8	10	6	3	4	–	1	–	–	–	–	–	–	1
Measles	–	1	2	–	–	1	–	–	–	–	–	–	–	–	–	1
Scarlatina	–	2	2	2	2	4	3	–	1	1	1	–	–	–	–	2
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	5	5	13	9	20	9	27	23	30	20	13	6	1	–	–	–
Dysentery	4	6	7	10	11	12	10	9	10	16	2	3	–	–	–	–
Cholera	3	2	1	1	5	2	3	–	1	1	–	–	–	–	–	–
Influenza	2	1	2	3	4	6	9	11	12	13	12	5	–	–	–	–
Purpura	1	1	–	3	–	2	–	1	–	1	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	59	50	55	51	55	49	34	45	32	21	13	4	–	–	–	2
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	3	–	–	–	1	1	–	–	–	–	–	–	–	–
Erysipelas	3	4	5	6	10	8	7	10	12	10	3	4	–	–	–	–
Syphilis	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	9	7	5	9	9	8	6	5	4	5	–	1	–	–	–	–
Dropsy	7	8	19	18	25	29	49	45	35	41	14	3	1	–	–	1
Abscess	2	6	6	6	–	3	5	1	2	–	1	–	–	–	–	–
Ulcer	–	1	1	–	–	2	3	1	–	–	–	–	–	–	–	–
Fistula	2	1	–	2	4	–	–	1	1	–	1	–	–	–	–	–
Mortification	2	5	–	7	2	9	3	3	9	14	4	5	–	–	–	–
Cancer	5	12	14	20	24	39	42	31	30	22	6	5	3	–	–	–
Gout	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	11	14	8	7	5	7	5	4	3	2	1	–	1	–	–	–
Tabes Mesenterica	2	–	1	3	4	1	–	–	–	–	–	–	–	–	–	–
Phthisis	277	197	196	165	139	108	95	43	28	13	3	–	–	–	–	1
Hydrocephalus	1	–	1	–	–	–	–	–	1	–	–	–	–	–	–	1

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1856.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	201	6	10	21	17	11	11	7	25	16	20	11	7
Apoplexy	508	5	4	4	4	–	3	6	17	19	8	10	13
Paralysis	656	–	–	1	–	4	–	1	1	4	2	7	5
Delirium Tremens	50	–	–	–	–	–	–	–	–	–	–	3	6
Chorea	5	–	–	–	–	–	–	–	–	–	2	–	–
Epilepsy	94	–	–	3	1	1	–	1	7	4	13	10	6
Tetanus	62	10	–	1	4	1	–	–	4	8	2	4	1
Insanity	14	–	–	–	–	–	–	–	–	–	–	1	–
Convulsions	405	192	48	49	61	23	18	1	8	1	–	–	1
Brain Disease	362	9	7	10	12	12	9	12	33	22	19	19	17
V. Pericarditis	35	–	–	–	–	1	–	–	4	7	4	3	5
Aneurism	45	–	–	–	–	–	–	–	–	–	–	1	4
Heart Disease	915	10	–	2	4	3	4	2	12	23	34	34	37
VI. Laryngitis	62	4	2	9	7	5	11	4	6	1	1	1	1
Bronchitis	1368	136	97	197	157	65	39	21	33	7	9	19	14
Pleurisy	189	8	3	5	1	4	1	5	14	1	10	8	11
Pneumonia	1144	89	90	169	136	80	37	31	48	15	23	25	33
Asthma	305	–	–	1	–	1	–	–	–	–	–	2	6
Lung Disease	182	7	3	4	7	8	4	3	7	4	6	14	12
VII. Teething	503	1	30	217	231	22	1	–	1	–	–	–	–
Quinsey	29	2	4	5	4	3	2	1	–	–	–	1	–
Gastritis	88	5	2	9	7	2	–	1	5	2	–	2	2
Enteritis	443	114	55	55	35	18	2	9	17	9	11	15	5
Peritonitis	123	9	4	6	–	1	1	–	6	14	9	7	14
Ascites	41	1	–	–	1	1	–	–	–	3	1	1	1
Ulceration of Intestines	90	3	1	3	2	4	–	3	1	2	4	5	7
Hernia	57	–	1	1	–	2	–	1	–	1	1	1	1
Ileus	144	15	3	3	1	–	1	–	5	2	7	5	8
Intussusception	25	–	3	1	1	–	–	1	–	2	–	–	1
Stricture of Intestines	6	1	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	251	27	6	16	14	5	4	1	9	3	3	5	5
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	72	2	1	1	1	–	–	–	4	3	–	3	4
Jaundice	75	24	–	1	1	2	–	–	2	–	1	–	1
Liver Disease	252	2	3	3	1	1	3	2	6	1	7	6	9
Spleen Disease	8	–	–	–	–	–	–	–	1	1	–	–	–
VIII. Nephritis	31	–	–	–	–	2	1	–	2	–	–	2	3
Nephria	57	1	–	1	1	–	–	–	2	5	2	7	6
Ischuria	32	1	1	–	–	–	–	–	1	1	–	–	–
Diabetes	34	–	–	–	–	–	–	–	–	–	3	2	4
Stone	61	–	–	–	–	–	–	1	1	3	–	–	–
Cystitis	27	–	–	–	–	–	–	–	–	–	2	–	1
Stricture of Urethra	2	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	190	1	1	–	–	1	3	–	–	1	2	8	7
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Uterine Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	6	1	–	–	–	–	–	–	1	1	1	1	–
Rheumatism	45	–	–	–	–	1	–	–	2	2	–	–	2
Joint and Bone Disease	82	–	–	–	1	2	1	1	6	12	13	8	6
XI. Carbuncle	11	–	–	–	–	–	–	–	–	–	–	1	–
Phlegmon	4	1	–	1	–	–	–	–	–	–	–	–	–
Skin Disease	16	3	3	3	2	1	–	–	–	–	1	1	1
XII. Cyanosis	13	10	3	–	–	–	–	–	–	–	–	–	–
Spina Bifida	17	12	2	1	1	–	–	–	–	1	–	–	–
Other Malformations	38	36	1	–	1	–	–	–	–	–	–	–	–
XVII. Intemperance	52	–	–	–	–	–	–	–	–	1	–	1	3
Privation	2	–	–	–	–	1	–	–	–	–	–	–	–
Want of Breast Milk	18	13	4	–	1	–	–	–	–	–	–	–	–
Neglect	2	2	–	–	–	–	–	–	–	–	–	–	–
Cold	15	–	1	–	–	–	–	–	–	–	–	1	2
Poison	26	3	–	1	1	2	1	2	–	–	–	1	3
Burns and Scalds	120	1	1	5	16	21	21	11	18	3	3	1	3
Hanging, etc.	34	–	–	–	–	–	–	–	–	1	2	3	2
Suffocation	49	9	3	–	2	2	1	–	3	–	3	4	3
Drowning	427	1	–	–	8	9	5	10	24	34	42	45	38
Fracture and Contusion	603	–	–	1	6	4	4	9	28	41	61	53	47
Wounds	55	–	–	–	–	–	–	–	1	11	2	4	5
Other Violent Causes	58	4	–	2	–	5	–	–	2	3	6	3	3
Not Specified	2001	707	209	210	190	80	42	31	73	36	44	41	34

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1856.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	6	1	8	5	5	4	5	2	2	1	–	–	–	–	–	–
Apoplexy	18	23	22	21	28	60	63	49	63	34	23	9	1	–	–	1
Paralysis	15	11	18	35	35	48	73	89	118	106	51	28	4	–	–	–
Delirium Tremens	7	11	12	3	5	2	1	–	–	–	–	–	–	–	–	–
Chorea	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–
Epilepsy	6	6	9	2	3	9	3	7	1	–	1	1	–	–	–	–
Tetanus	2	3	2	2	6	4	1	3	3	–	1	–	–	–	–	–
Insanity	–	1	4	1	1	3	–	–	2	1	–	–	–	–	–	–
Convulsions	–	–	2	–	–	–	–	1	–	–	–	–	–	–	–	–
Brain Disease	20	21	16	15	21	24	23	14	12	9	4	1	–	–	–	1
Pericarditis	–	1	–	1	–	2	1	2	–	4	–	–	–	–	–	–
Aneurism	6	5	3	6	5	5	6	1	1	2	–	–	–	–	–	–
Heart Disease	33	52	56	62	67	96	75	110	99	61	28	9	1	–	–	1
Laryngitis	3	1	–	1	1	1	–	1	2	–	–	–	–	–	–	–
Bronchitis	20	19	30	44	50	63	68	70	77	70	47	14	1	–	–	1
Pleurisy	10	3	8	11	8	15	19	13	13	11	4	2	–	–	–	1
Pneumonia	28	33	37	47	36	45	35	39	27	24	10	5	1	–	–	1
Asthma	12	10	17	25	30	30	45	44	26	39	10	7	–	–	–	–
Lung Disease	11	12	10	10	10	11	15	12	6	4	2	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	2	3	–	1	–	–	1	–	–	–	–	–
Gastritis	6	7	4	3	12	4	4	3	2	3	2	1	–	–	–	–
Enteritis	8	6	14	6	10	13	10	10	9	7	4	1	–	–	–	–
Peritonitis	5	1	4	8	4	3	9	5	5	6	2	–	–	–	–	–
Ascites	4	2	–	4	4	2	5	6	3	1	1	–	–	–	–	–
Ulceration of Intestines	4	5	2	5	9	7	8	8	3	3	–	1	–	–	–	–
Hernia	2	3	1	1	2	3	1	9	5	15	3	3	–	–	–	–
Ileus	2	12	8	7	15	6	10	12	12	5	2	3	–	–	–	–
Intussusception	1	1	–	3	2	5	2	–	2	–	–	–	–	–	–	–
Stricture of Intestines	–	–	1	1	–	–	–	–	1	1	1	–	–	–	–	–
Stomach Disease	4	9	8	14	20	17	22	22	20	9	8	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	6	6	7	4	9	9	2	3	3	2	–	–	–	–	–
Jaundice	1	2	4	2	4	4	6	7	4	7	1	1	–	–	–	–
Liver Disease	11	13	20	17	29	27	27	25	22	13	3	1	–	–	–	–
Spleen Disease	1	–	1	–	–	1	1	1	1	–	–	–	–	–	–	–
Nephritis	2	3	–	1	1	3	6	2	–	1	1	1	–	–	–	–
Nephria	4	6	3	4	1	3	4	3	2	1	1	–	–	–	–	–
Ischuria	1	–	–	3	1	–	3	4	7	2	7	–	–	–	–	–
Diabetes	7	2	2	–	5	2	2	4	1	–	–	–	–	–	–	–
Stone	–	–	1	2	–	4	3	15	14	10	5	1	1	–	–	–
Cystitis	2	–	–	1	1	–	4	2	3	7	4	–	–	–	–	–
Stricture of Urethra	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
Kidney Disease	2	6	10	6	11	21	12	23	25	39	8	3	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Uterine Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	7	3	1	1	4	7	3	5	4	–	2	–	–	–	–
Joint Disease	3	4	6	3	2	1	6	2	1	2	2	–	–	–	–	–
Carbuncle	–	2	–	–	–	1	3	1	1	1	–	1	–	–	–	–
Phlegmon	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	4	8	5	10	8	8	1	2	–	1	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	1	–	1	2	2	–	1	1	1	–	–	–	–	–	1
Poison	2	2	–	2	1	2	1	1	–	1	–	–	–	–	–	–
Burns and Scalds	3	2	–	1	–	1	–	3	4	–	–	–	1	1	–	–
Hanging, etc.	3	3	4	5	2	3	1	1	2	–	–	–	–	–	–	2
Suffocation	–	1	5	4	4	1	1	1	–	1	–	–	–	–	–	1
Drowning	50	29	26	23	16	9	18	7	10	6	4	–	–	–	–	13
Fracture and Contusion	66	40	48	42	34	22	25	19	15	15	11	1	3	1	–	7
Wounds	3	5	3	2	6	1	4	3	4	–	–	–	–	–	–	1
Other Violent Causes	7	3	1	1	3	4	1	2	1	3	–	1	–	–	–	3
Not Specified	43	34	41	35	44	58	36	2	1	–	–	–	–	–	–	10

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1856.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	29111	2606	811	1962	2615	1408	828	667	1417	710	867	1001	1014
SPECIFIED CAUSES	27338	2069	642	1797	2448	1339	791	634	1349	677	835	974	969
I. Zymotic Class	6860	283	224	754	1265	796	500	403	755	255	188	173	169
II. Diseases of Uncertain Seat	1430	24	8	9	19	11	7	4	25	18	23	18	42
III. Tubercular Class	4524	46	106	294	370	233	107	98	269	207	396	452	426
IV. Brain and Nervous System	2144	150	43	98	81	41	27	27	71	53	53	52	52
V. Organs of Circulation	953	5	2	3	4	2	–	4	21	44	41	38	33
VI. Respiratory Organs	2874	172	123	303	298	137	88	49	101	43	46	61	60
VII. Organs of Digestion	2112	148	79	284	322	63	26	11	41	25	26	57	56
VIII. Urinary Organs	156	1	1	1	2	4	–	3	6	4	8	13	15
IX. Organs of Generation	481	–	–	–	–	–	–	–	–	1	17	67	90
X. Organs of Locomotion	124	2	–	–	2	1	1	3	5	9	9	8	2
XI. Skin, etc.	19	5	2	2	1	1	–	–	1	1	1	–	–
XII. Malformation	51	38	5	2	2	–	–	–	2	–	1	–	–
XIII. Premature Debility	1196	1157	30	9	–	–	–	–	–	–	–	–	–
XIV. Atrophy	254	–	5	24	39	15	8	7	9	6	4	4	2
XV. Age	3524	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	94	11	5	5	1	2	–	1	–	1	1	3	4
XVII. Violent Deaths	542	27	9	9	42	33	27	24	43	10	21	28	16
I. Small Pox	595	34	32	103	125	75	54	21	60	13	14	20	13
Measles	512	15	8	70	197	88	44	24	38	13	6	1	2
Scarlatina	1426	7	18	111	225	228	174	178	327	98	23	10	8
Hooping Cough	1287	79	75	292	387	205	102	64	77	6	–	–	–
Croup	466	20	13	40	121	101	59	50	59	3	–	–	–
Thrush	14	6	3	1	3	–	–	–	–	–	–	–	–
Diarrhœa	528	56	38	74	111	21	5	5	11	5	3	8	6
Dysentery	204	3	2	8	14	6	3	3	8	1	4	5	8
Cholera	44	1	4	10	6	–	–	–	1	1	–	1	1
Influenza	126	6	3	3	3	4	2	2	3	5	2	1	1
Purpura	14	–	1	–	1	3	–	1	–	1	2	–	2
Ague	1	–	–	–	–	–	–	–	–	–	–	–	–
Worms	19	–	–	1	2	5	4	2	2	2	1	–	–
Infantile Fever	87	4	3	17	35	13	8	6	1	–	–	–	–
Typhus	1189	6	8	13	31	42	40	45	164	100	125	92	86
Metria	143	–	–	–	–	–	–	–	–	–	6	26	32
Rheumatic Fever	32	–	–	–	–	–	1	1	1	4	1	1	5
Erysipelas	127	33	7	9	3	3	2	–	2	3	–	6	4
Syphilis	36	13	9	2	–	1	–	–	–	–	–	2	1
Noma	10	–	–	–	1	1	2	1	1	–	1	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	69	8	–	1	–	2	–	–	3	1	7	1	3
Dropsy	579	1	3	–	8	4	3	3	19	8	8	11	20
Abscess	57	5	–	4	4	3	–	1	1	5	2	1	8
Ulcer	16	2	–	1	2	–	–	–	–	–	1	–	–
Fistula	2	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	76	5	3	3	5	2	2	–	2	1	1	2	–
Cancer	630	3	2	–	–	–	2	–	–	3	4	3	11
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	185	4	4	10	16	8	3	5	17	17	15	16	17
Tabes Mesenterica	236	9	12	25	66	42	13	11	19	14	6	2	3
Phthisis	3241	6	23	52	83	80	29	32	110	166	369	433	407
Hydrocephalus	862	27	67	207	205	103	62	50	123	10	6	1	1

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1856.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	955	904	864	847	909	1010	1225	1233	1489	1434	1180	708	278	96	22	51
SPECIFIED CAUSES	912	868	826	786	835	935	1184	1228	1488	1432	1180	708	278	96	22	36
Zymotic Class	119	133	111	94	81	100	116	100	104	64	38	23	5	2	–	5
Uncertain Seat	55	69	92	120	132	135	160	127	141	98	63	23	3	1	–	3
Tubercular Class	343	269	231	203	150	120	88	61	30	15	4	1	–	–	–	3
Brain, etc.	64	62	68	73	88	126	192	185	204	168	114	39	9	1	–	3
Heart, etc.	45	44	66	63	64	92	100	94	95	58	28	5	–	–	–	2
Respiratory Organs	72	82	86	81	127	153	196	186	157	135	76	30	6	1	–	5
Digestive Organs	80	74	75	75	89	112	132	109	106	70	36	9	1	–	–	6
Urinary Organs	5	12	5	11	8	13	10	6	12	8	6	2	–	–	–	–
Generative Organs	91	89	54	19	16	15	7	7	2	5	1	–	–	–	–	–
Locomotive Organs	–	3	4	4	7	10	7	24	7	10	5	–	–	1	–	–
Skin	–	1	1	–	–	–	1	–	2	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	11	6	12	18	31	35	17	–	–	–	–	–	–	–	–	1
Age	–	–	–	–	–	1	124	299	601	775	793	565	253	90	22	1
Sudden Deaths	3	6	3	8	4	3	9	13	6	4	1	–	–	–	–	–
Violent Deaths	24	18	18	17	38	20	25	17	21	22	15	11	1	–	–	6
Small Pox	8	4	8	1	1	2	2	1	2	–	–	1	–	–	–	1
Measles	3	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	5	7	2	1	–	3	–	–	–	–	–	–	–	–	–	1
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Diarrhœa	12	11	9	10	13	18	23	24	22	15	16	8	2	2	–	–
Dysentery	5	10	6	7	13	18	24	18	20	5	7	4	2	–	–	–
Cholera	3	3	1	1	1	2	3	2	1	1	–	1	–	–	–	–
Influenza	1	2	4	1	5	7	15	12	17	15	7	3	1	–	–	1
Purpura	1	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
Ague	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	44	64	56	59	39	45	39	34	30	16	5	4	–	–	–	2
Metria	33	27	16	3	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	1	1	2	2	2	3	3	4	–	–	–	–	–	–
Erysipelas	2	5	4	5	5	2	7	5	9	7	2	2	–	–	–	–
Syphilis	2	–	1	3	2	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	1	–	–	–	1	–	–	1	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	5	6	5	2	3	5	3	3	3	6	1	–	–	–	–	1
Dropsy	22	26	25	35	44	56	68	51	82	39	33	9	1	–	–	–
Abscess	5	4	2	7	1	1	2	–	1	–	–	–	–	–	–	–
Ulcer	–	1	–	2	3	–	–	1	–	2	–	1	–	–	–	–
Fistula	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Mortification	4	1	1	1	1	2	5	7	7	7	11	1	1	1	–	–
Cancer	19	31	58	73	79	71	82	65	48	43	18	12	1	–	–	2
Gout	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Scrofula	8	8	5	1	7	5	5	5	3	4	1	1	–	–	–	–
Tabes Mesenterica	–	2	1	1	4	2	1	1	–	1	–	–	–	–	–	1
Phthisis	335	259	225	201	139	113	82	55	27	10	3	–	–	–	–	2
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1856.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	162	2	6	20	16	8	10	8	24	12	12	10	4
Apoplexy	467	3	3	10	2	5	1	1	10	13	9	13	17
Paralysis	762	–	–	1	2	–	1	1	3	2	4	6	7
Delirium Tremens	8	–	–	–	–	–	–	–	–	–	–	–	1
Chorea	4	–	–	–	–	–	–	–	–	1	2	–	–
Epilepsy	72	–	–	–	–	–	1	–	3	6	6	8	3
Tetanus	24	5	1	1	–	–	1	–	1	2	1	–	2
Insanity	41	–	–	–	–	–	–	–	–	–	1	1	2
Convulsions	328	134	26	61	53	13	6	9	8	3	1	2	2
Brain Disease	276	6	7	5	8	15	7	8	22	14	17	12	14
V. Pericarditis	33	1	–	–	1	1	–	–	7	5	4	3	–
Aneurism	21	–	–	–	–	–	–	–	–	–	1	2	1
Heart Disease	899	4	2	3	3	1	–	4	14	39	36	33	32
VI. Laryngitis	52	2	–	3	9	4	7	2	6	–	2	–	2
Bronchitis	1394	94	68	166	151	68	44	20	43	17	10	21	26
Pleurisy	148	7	3	5	5	3	–	2	9	3	3	4	8
Pneumonia	826	64	51	117	125	59	32	21	36	16	17	25	17
Asthma	305	–	–	1	–	–	1	–	1	2	2	3	5
Lung Disease	149	5	1	11	8	3	4	4	6	5	12	8	2
VII. Teething	525	1	27	210	259	27	1	–	–	–	–	–	–
Quinsey	25	3	–	2	4	6	2	1	–	1	1	1	–
Gastritis	76	6	2	1	2	1	1	–	3	2	5	4	2
Enteritis	404	76	32	46	39	19	14	5	16	7	3	12	7
Peritonitis	137	5	2	2	2	–	2	1	5	2	6	15	12
Ascites	68	–	–	–	–	–	1	1	2	2	–	–	3
Ulceration of Intestines	85	2	–	1	1	–	–	–	2	–	2	5	7
Hernia	39	2	–	–	–	1	–	–	–	–	–	1	–
Ileus	123	6	1	1	2	–	2	1	1	3	1	3	3
Intussusception	14	2	3	–	–	–	–	–	1	1	–	–	–
Stricture of Intestines	8	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	213	21	8	19	5	2	1	1	10	–	3	4	5
Pancreas Disease	1	–	–	–	–	1	–	–	–	–	–	–	–
Hepatitis	77	1	–	–	3	–	–	–	–	–	2	3	3
Jaundice	104	17	2	2	5	5	–	–	–	–	1	3	6
Liver Disease	208	6	2	–	–	1	2	1	1	7	1	6	8
Spleen Disease	5	–	–	–	–	–	–	–	–	–	1	–	–
VIII. Nephritis	13	–	1	–	–	–	–	1	–	–	–	–	–
Nephria	49	–	–	–	1	2	–	1	2	1	4	4	7
Ischuria	8	1	–	1	–	1	–	–	–	–	1	–	1
Diabetes	20	–	–	–	1	–	–	–	–	2	–	5	3
Stone	7	–	–	–	–	–	–	–	1	–	–	–	–
Cystitis	6	–	–	–	–	–	–	–	–	–	–	1	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	53	–	–	–	–	1	–	1	3	1	3	3	4
IX. Paramenia	14	–	–	–	–	–	–	–	–	1	4	2	1
Ovarian Dropsy	37	–	–	–	–	–	–	–	–	–	1	–	1
Childbirth	351	–	–	–	–	–	–	–	–	–	9	62	83
Uterine Disease	79	–	–	–	–	–	–	–	–	–	3	3	5
X. Arthritis	9	1	–	–	–	1	–	1	1	–	2	1	–
Rheumatism	69	–	–	–	–	–	–	–	–	2	1	4	1
Joint and Bone Disease	46	1	–	–	2	–	1	2	4	7	6	3	1
XI. Carbuncle	7	1	–	–	–	–	–	–	–	1	1	–	–
Phlegmon	1	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	11	4	2	2	1	1	–	–	1	–	–	–	–
XII. Cyanosis	13	10	1	–	–	–	–	–	1	–	1	–	–
Spina Bifida	14	10	2	1	1	–	–	–	–	–	–	–	–
Other Malformations	24	18	2	1	1	–	–	–	1	–	–	–	–
XVII. Intemperance	26	–	–	–	–	–	–	–	–	–	–	–	–
Privation	4	1	–	1	1	–	–	–	–	–	–	–	–
Want of Breast Milk	8	5	2	1	–	–	–	–	–	–	–	–	–
Neglect	2	2	–	–	–	–	–	–	–	–	–	–	–
Cold	6	2	–	–	–	–	–	–	–	–	1	–	–
Poison	18	1	–	–	1	1	–	–	2	–	1	2	2
Burns and Scalds	183	–	2	5	20	21	22	18	28	1	1	4	1
Hanging, etc.	20	–	–	–	–	–	–	–	–	–	2	2	1
Suffocation	27	9	4	–	3	–	1	1	1	2	–	–	1
Drowning	93	1	–	–	10	4	1	3	1	2	6	11	8
Fracture and Contusion	127	–	–	1	7	6	2	2	10	4	10	8	2
Wounds	2	–	–	–	–	1	–	–	–	–	–	–	–
Other Violent Causes	26	6	1	1	–	–	1	–	1	1	–	1	1
Not Specified	1773	537	169	165	167	69	37	33	68	33	32	27	45

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1856.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	6	6	4	4	2	–	2	3	2	1	–	–	–	–	–	–
Apoplexy	19	13	17	25	30	37	51	53	55	36	30	9	5	–	–	–
Paralysis	12	17	21	25	34	61	111	106	128	113	73	28	4	1	–	1
Delirium Tremens	–	2	2	2	–	–	–	–	–	–	–	–	–	–	–	1
Chorea	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Epilepsy	6	13	3	3	4	2	6	2	1	4	1	–	–	–	–	–
Tetanus	1	1	1	–	1	1	1	–	2	2	–	–	–	–	–	–
Insanity	1	1	2	4	4	9	4	6	1	1	4	–	–	–	–	–
Convulsions	3	3	1	1	–	–	–	–	1	–	–	–	–	–	–	1
Brain Disease	16	6	17	9	13	15	17	15	14	11	6	2	–	–	–	–
Pericarditis	–	–	3	–	1	1	2	2	–	1	1	–	–	–	–	–
Aneurism	1	1	3	2	2	1	3	1	1	1	1	–	–	–	–	–
Heart Disease	44	43	60	61	61	90	95	91	94	56	26	5	–	–	–	2
Laryngitis	1	2	2	2	1	2	2	1	1	1	–	–	–	–	–	–
Bronchitis	27	29	35	25	56	62	86	86	96	87	51	16	4	1	–	5
Pleurisy	6	6	8	5	8	10	12	14	9	8	5	5	–	–	–	–
Pneumonia	24	30	21	15	24	26	27	33	15	12	10	7	2	–	–	–
Asthma	8	7	11	22	26	44	58	47	32	24	10	1	–	–	–	–
Lung Disease	6	8	9	12	12	9	11	5	4	3	–	1	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	1	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–
Gastritis	5	1	1	1	3	7	8	7	6	3	3	1	–	–	–	1
Enteritis	14	17	8	9	10	13	14	17	10	11	2	3	–	–	–	–
Peritonitis	13	13	11	10	3	6	8	6	6	4	1	1	–	–	–	1
Ascites	2	6	4	4	6	4	15	7	6	4	1	–	–	–	–	–
Ulceration of Intestines	4	11	2	4	8	10	8	6	6	3	3	–	–	–	–	–
Hernia	4	1	2	3	6	2	4	1	7	2	3	–	–	–	–	–
Ileus	10	5	5	5	5	11	10	15	9	13	9	2	–	–	–	–
Intussusception	–	–	1	1	1	1	1	–	–	1	1	–	–	–	–	–
Stricture of Intestines	–	1	2	1	–	–	1	1	1	1	–	–	–	–	–	–
Stomach Disease	10	4	11	15	12	18	16	18	14	9	4	1	–	–	–	2
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	4	7	4	9	13	9	7	4	4	3	–	–	–	–	–
Jaundice	4	–	3	7	7	1	10	9	10	6	3	1	1	–	–	1
Liver Disease	12	11	18	11	18	26	26	14	24	9	3	–	–	–	–	1
Spleen Disease	–	–	–	–	1	–	2	–	1	–	–	–	–	–	–	–
Nephritis	1	–	1	1	2	1	1	1	1	1	1	–	–	–	–	–
Nephria	3	3	2	4	2	2	5	2	2	–	2	–	–	–	–	–
Ischuria	–	1	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Diabetes	–	4	–	1	–	1	1	1	–	1	–	–	–	–	–	–
Stone	–	–	–	–	–	–	1	–	1	2	2	–	–	–	–	–
Cystitis	–	–	–	1	1	1	–	–	1	–	–	1	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	4	2	4	3	7	2	2	6	4	1	1	–	–	–	–
Paramenia	1	2	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	4	4	5	6	6	3	2	2	3	–	–	–	–	–	–
Childbirth	76	76	40	4	1	–	–	–	–	–	–	–	–	–	–	–
Uterine Disease	14	7	7	10	9	9	4	5	–	2	1	–	–	–	–	–
Arthritis	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Rheumatism	–	1	3	3	5	7	6	20	6	6	3	–	–	1	–	–
Joint Disease	–	1	1	1	2	3	1	4	1	4	1	–	–	–	–	–
Carbuncle	–	1	–	–	–	–	1	–	2	–	–	–	–	–	–	–
Phlegmon	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Intemperance	5	3	3	1	5	5	1	1	1	1	–	–	–	–	–	–
Privation	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–
Poison	1	1	–	2	2	1	1	–	–	–	–	–	–	–	–	–
Burns and Scalds	2	1	4	3	5	1	6	8	8	8	9	5	–	–	–	–
Hanging, etc.	3	–	1	1	5	2	3	–	–	–	–	–	–	–	–	–
Suffocation	1	–	1	–	2	–	–	–	–	1	–	–	–	–	–	–
Drowning	8	5	2	3	8	5	3	4	4	1	–	–	–	–	–	3
Fracture and Contusion	4	3	6	5	8	4	8	4	8	10	6	6	1	–	–	2
Wounds	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	5	1	1	3	2	–	–	–	–	–	–	–	–	–	1
Not Specified	43	36	38	61	74	75	41	5	1	2	–	–	–	–	–	15

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1856.—BOTH SEXES.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	2166	205	38	93	111	75	22	23	64	50	75	88	96
SPECIFIED CAUSES	1884	148	22	74	76	60	15	20	55	44	69	76	87
I. Zymotic Class	323	18	9	35	49	32	11	11	24	19	16	13	14
II. Diseases of Uncertain Seat	90	–	–	–	–	–	–	–	1	1	3	4	1
III. Tubercular Class	257	–	3	15	13	13	1	3	14	6	27	31	34
IV. Brain and Nervous System	117	8	–	1	5	2	–	2	3	3	5	4	4
V. Organs of Circulation	40	–	–	–	–	1	–	–	–	1	2	2	–
VI. Respiratory Organs	144	13	5	10	5	5	1	–	5	3	4	7	6
VII. Organs of Digestion	103	4	2	12	3	2	–	–	3	2	4	4	4
VIII. Urinary Organs	29	–	–	–	–	–	–	–	–	–	–	–	–
IX. Organs of Generation	31	–	–	–	–	–	–	–	–	–	–	3	13
X. Organs of Locomotion	16	–	–	–	–	–	–	–	–	1	–	–	2
XI. Skin, etc.	2	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	103	100	3	–	–	–	–	–	–	–	–	–	–
XIV. Atrophy	8	–	–	1	1	–	–	–	–	1	–	–	–
XV. Age	510	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	11	4	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	100	1	–	–	–	5	2	4	5	7	8	8	9
I. Small Pox	16	1	–	2	–	–	–	–	–	1	–	3	4
Measles	88	4	1	16	23	12	5	3	4	7	3	1	1
Scarlatina	17	–	–	2	1	3	–	–	5	2	2	–	1
Hooping Cough	53	8	2	6	13	9	3	4	7	1	–	–	–
Croup	31	3	2	6	7	4	2	3	4	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	11	2	–	2	1	–	–	–	–	–	–	–	–
Dysentery	6	–	–	–	–	1	–	–	–	–	–	–	–
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	12	–	1	–	–	3	–	1	–	–	–	1	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	5	–	–	1	3	–	–	–	1	–	–	–	–
Typhus	62	–	3	–	–	–	–	–	3	5	10	7	6
Metria	2	–	–	–	–	–	–	–	–	–	–	–	1
Rheumatic Fever	3	–	–	–	–	–	–	–	–	1	–	1	–
Erysipelas	14	–	–	–	1	–	1	–	–	2	1	–	–
Syphilis	2	–	–	–	–	–	–	–	–	–	–	–	1
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	11	–	–	–	–	–	–	–	–	–	–	1	–
Dropsy	46	–	–	–	–	–	–	–	1	1	1	3	1
Abscess	2	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	1	–	–	–	–	–	–	–	–	–	1	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	29	–	–	–	–	–	–	–	–	–	1	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	18	–	1	2	4	–	–	1	–	–	2	–	1
Tabes Mesenterica	7	–	–	2	1	1	–	1	1	–	1	–	–
Phthisis	206	–	–	4	6	5	1	–	6	6	24	31	33
Hydrocephalus	26	–	2	7	2	7	–	1	7	–	–	–	–

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1856.—BOTH SEXES.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	73	51	64	52	63	87	114	134	153	130	137	91	41	20	8	8
SPECIFIED CAUSES	60	45	55	42	45	66	105	134	153	130	137	91	41	20	8	6
Zymotic Class	7	5	11	5	4	9	6	8	5	7	–	3	1	–	–	1
Uncertain Seat	4	1	4	9	5	7	14	7	15	11	2	1	–	–	–	–
Tubercular Class	20	12	10	9	13	11	10	9	3	–	–	–	–	–	–	–
Brain, etc.	5	4	7	3	4	8	12	10	10	9	4	3	1	–	–	–
Heart, etc.	3	–	5	1	2	7	4	4	2	2	1	1	–	–	–	2
Respiratory Organs	3	4	4	5	1	4	15	13	13	7	8	2	1	–	–	–
Digestive Organs	5	3	3	5	7	11	7	12	3	4	3	–	–	–	–	–
Urinary Organs	1	–	1	1	1	2	1	6	8	5	2	1	–	–	–	–
Generative Organs	2	8	2	1	–	1	–	–	–	1	–	–	–	–	–	–
Locomotive Organs	–	1	2	–	1	1	2	2	2	2	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	1	–	3	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	1	30	59	82	81	112	78	38	20	8	1
Sudden Deaths	–	–	–	–	1	–	–	2	4	–	–	–	–	–	–	–
Violent Deaths	10	7	5	3	3	3	4	2	4	1	5	2	–	–	–	2
Small Pox	2	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Measles	2	1	4	–	–	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Hooping Cough		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	1	–	–	1	–	–	–	–	2	–	2	–	–	–	–
Dysentery	–	–	–	1	–	–	1	1	–	1	–	–	1	–	–	–
Cholera		–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	1	1	4	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	2	1	5	3	2	5	3	4	–	2	–	–	–	–	–	1
Metria	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Erysipelas	–	1	1	–	1	1	–	1	1	2	–	1	–	–	–	–
Syphilis	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	1	–	1	2	2	–	–	1	2	–	–	–	–	–	–
Dropsy	3	–	1	3	2	2	8	4	11	5	–	–	–	–	–	–
Abscess	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Ulcer		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Cancer	–	–	3	4	1	3	5	3	3	4	1	1	–	–	–	–
Gout	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–
Scrofula	–	1	–	2	3	1	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	20	11	10	7	10	10	10	9	3	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1856.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	14	–	–	–	2	–	–	1	–	–	2	3	–
Apoplexy	24	–	–	–	–	–	–	1	–	1	2	–	1
Paralysis	41	–	–	–	–	1	–	–	–	–	–	–	–
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	1
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	3	–	–	–	–	–	–	–	1	–	–	–	–
Tetanus	8	3	–	–	–	–	–	–	1	1	–	–	–
Insanity	3	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	13	5	–	1	3	1	–	–	1	–	–	–	1
Brain Disease	10	–	–	–	–	–	–	–	–	1	1	1	1
V. Pericarditis	1	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	39	–	–	–	–	1	–	–	–	1	2	2	–
VI. Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	43	2	3	5	3	2	–	–	2	–	–	4	–
Pleurisy	27	11	–	3	2	1	–	–	1	1	2	–	3
Pneumonia	32	–	2	2	–	2	–	–	2	1	1	2	2
Asthma	30	–	–	–	–	–	–	–	–	1	–	–	–
Lung Disease	12	–	–	–	–	–	1	–	–	–	1	1	1
VII. Teething	12	–	1	8	3	–	–	–	–	–	–	–	–
Quinsey	4	2	–	–	–	1	–	–	–	–	1	–	–
Gastritis	6	–	–	–	–	–	–	–	1	–	–	–	–
Enteritis	16	–	–	4	–	–	–	–	–	1	1	2	–
Peritonitis	3	–	–	–	–	–	–	–	–	–	–	1	–
Ascites	2	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	2	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	2	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	16	2	–	–	–	–	–	–	2	–	–	–	2
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	12	–	1	–	–	–	–	–	–	–	–	–	2
Pancreas Disease	1	–	–	–	–	1	–	–	–	–	–	–	–
Hepatitis	7	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	4	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	15	–	–	–	–	–	–	–	–	1	2	1	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	2	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	3	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	3	–	–	–	–	–	–	–	–	–	–	–	–
Stone	11	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	3	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	5	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	1	–	–	–	–	–	–	–	–	–	–	–	1
Ovarian Dropsy	3	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	27	–	–	–	–	–	–	–	–	–	–	3	12
Uterine Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	15	–	–	–	–	–	–	–	–	1	–	–	1
Joint and Bone Disease	1	–	–	–	–	–	–	–	–	–	–	–	1
XI. Carbuncle	2	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	4	–	–	–	–	–	–	–	–	–	1	–	1
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	18	1	–	–	–	3	1	4	2	–	1	–	–
Hanging, etc.	2	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	60	–	–	–	–	2	1	–	3	5	6	7	5
Fracture and Contusion	8	–	–	–	–	–	–	–	–	1	–	1	1
Wounds	4	–	–	–	–	–	–	–	–	1	–	–	2
Other Violent Causes	2	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	282	57	16	19	35	15	7	3	9	6	6	12	9

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1856.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER 35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	1	1	1	1	–	1	–	1	–	–	–	–	–	–	–	–
Apoplexy	2	–	–	–	1	5	5	5	1	–	–	–	–	–	–	–
Paralysis	–	–	4	–	1	–	7	3	9	9	4	2	1	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
Tetanus	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–
Convulsions	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	1	1	1	2	1	–	–	–	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	3	–	5	1	2	7	4	4	2	1	1	1	–	–	–	2
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	1	1	1	1	–	–	6	1	4	4	2	1	–	–	–	–
Pleurisy	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–
Pneumonia	1	3	3	3	–	1	3	1	–	1	1	–	1	–	–	–
Asthma	1	–	–	–	1	2	5	7	7	2	4	–	–	–	–	–
Lung Disease	–	–	–	1	–	1	1	3	2	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	1	–	–	2	2	–	–	–	–	–	–	–	–	–	–
Enteritis	–	1	–	1	1	–	3	–	2	–	–	–	–	–	–	–
Peritonitis	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ascites	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
Ileus	1	–	1	1	2	2	1	1	–	1	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Stomach Disease	1	–	–	2	–	2	–	3	–	1	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	1	–	2	1	1	–	–	1	–	–	–	–	
Jaundice	–	–	–	–	1	–	–	2	–	–	1	–	–	–	–	–
Liver Disease	–	1	2	–	–	1	1	4	1	1	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Nephria	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–
Diabetes	–	–	–	1	–	–	–	1	–	1	–	–	–	–	–	–
Stone	–	–	–	–	–	1	–	2	3	2	2	1	–	–	–	–
Cystitis	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Kidney Disease	–	–	1	–	–	–	–	1	2	1	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	1	–	1	–	–	–	1	–	–	–	–	–	–
Childbirth	2	8	2	–	–	–	–	–	–	–	–	–	–	–		–
Uterine Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	1	2	–	1	1	2	2	2	2	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	1	–	1	1	–	3	–	–	–	–	–
Hanging, etc.	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Drowning	9	5	5	2	1	1	2	1	2	–	1	–	–	–	–	2
Fracture and Contusion	–	1	–	–	–	1	1	–	–	–	1	1	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Other Violent Causes	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Not Specified	13	6	9	10	18	21	9	–	–	–	–	–	–	–	–	2

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1856.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	1042	119	16	49	59	46	8	11	41	26	40	58	52
SPECIFIED CAUSES	900	83	8	38	43	35	4	9	34	24	38	47	49
I. Zymotic Class	161	9	3	19	26	20	2	5	15	9	6	8	7
II. Diseases of Uncertain Seat	35	–	–	–	–	–	–	–	–	1	2	3	1
III. Tubercular Class	136	–	–	8	9	8	–	3	7	1	15	22	20
IV. Brain and Nervous System	58	4	–	–	3	2	–	–	1	2	2	2	3
V. Organs of Circulation	14	–	–	–	–	1	–	–	–	–	1	2	–
VI. Respiratory Organs	80	8	4	5	2	2	1	–	4	2	3	3	5
VII. Organs of Digestion	57	2	–	6	3	–	–	–	3	1	2	1	2
VIII. Urinary Organs	24	–	–	–	–	–	–	–	–	–	–	–	–
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	6	–	–	–	–	–	–	–	–	1	–	–	2
XI. Skin, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	58	57	1	–	–	–	–	–	–	–	–	–	–
XIV. Atrophy	1	–	–	–	–	–	–	–	–	–	–	–	–
XV. Age	188	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	7	2	–	–	–	–		–	–	–	–	–	–
XVII. Violent Deaths	75	1	–	–	–	2	1	1	4	7	7	6	9
I. Small Pox	11	1	–	2	–	–	–	–	–	1	–	1	3
Measles	43	1	1	9	11	8	1	3	3	1	1	1	–
Scarlatina	9	–	–	1	–	3	–	–	2	1	–	–	1
Hooping Cough	25	4	1	3	8	4	–	1	4	–	–	–	–
Croup	16	2	–	3	4	2	1	1	3	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	4	1	–	1	1	–	–	–	–	–	–	–	–
Dysentery	3	–	–	–	–	1	–	–	–	–	–	–	–
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	5	–	–	–	–	2	–	–	–	–	–	1	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	2	–	–	–	1	–	–	–	1	–	–	–	–
Typhus	31	–	1	–	–	–	–	–	2	3	4	4	2
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	2	–	–	–	–	–	–	–	–	1	–	1	–
Erysipelas	8	–	–	–	1	–	–	–	–	2	1	–	–
Syphilis	1	–	–	–	–	–	–	–	–	–	–	–	1
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	6	–	–	–	–	–	–	–	–	–	–	1	–
Dropsy	16	–	–	–	–	–	–	–	–	1	–	2	1
Abscess	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	1	–	–	–	–	–	–	–	–	–	1	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	11	–	–	–	–	–	–	–	–	–	1	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	9	–	–	–	2	–	–	1	–	–	2	–	1
Tabes Mesenterica	5	–	–	1	1	1	–	1	1	–	–	–	–
Phthisis	110	–	–	3	5	3	–	–	4	1	13	22	19
Hydrocephalus	12	–	–	4	1	4	–	1	2	–	–	–	–

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1856.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	37	22	25	26	27	38	44	58	57	66	48	39	17	4	5	4
SPECIFIED CAUSES	31	19	23	22	21	32	42	58	57	66	48	39	17	4	5	4
Zymotic Class	4	1	2	2	3	8	1	5	2	4	–	–	–	–	–	–
Uncertain Seat	1	–	2	2	2	2	4	4	5	5	1	–	–	–	–	–
Tubercular Class	10	5	5	8	4	3	4	2	2	–	–	–	–	–	–	–
Brain, etc.	1	2	5	–	3	5	6	5	3	4	1	3	1	–	–	–
Heart, etc.	2	–	1	–	–	2	2	1	–	1	–	–	–	–	–	1
Respiratory Organs	2	2	2	3	–	3	8	6	5	4	4	1	1	–	–	–
Digestive Organs	1	2	1	4	4	6	4	9	2	2	2	–	–	–	–	–
Urinary Organs	1	–	–	–	1	1	1	6	8	4	1	1	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	1	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	9	18	24	41	38	33	15	4	5	1
Sudden Deaths	–	–	–	–	1	–	–	1	3	–	–	–	–	–	–	–
Violent Deaths	9	6	4	3	3	2	3	1	2	–	1	1	–	–	–	2
Small Pox	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Measles	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Dysentery	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
Cholera	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	2	–	1	1	2	4	–	4	–	1	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	1	1	–	1	–	1	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	1	1	1	–	–	1	1	–	–	–	–	–	–
Dropsy	1	–	1	–	–	–	1	3	3	3	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	–	–	1	1	1	1	2	1	1	1	1	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	10	5	5	6	4	2	4	2	2	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1856.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	7	–	–	–	1	–	–	–	–	–	1	1	–
Apoplexy	10	–	–	–	–	–	–	–	–	–	1	–	1
Paralysis	20	–	–	–	–	1	–	–	–	–	–	–	–
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	1
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	3	–	–	–	–	–	–	–	1	–	–	–	–
Tetanus	3	1	–	–	–	–	–	–	–	1	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	6	3	–	–	2	1	–	–	–	–	–	–	–
Brain Disease	8	–	–	–	–	–	–	–	–	1	–	1	1
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	14	–	–	–	–	1	–	–	–	–	1	2	–
VI. Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	20	1	2	3	1	–	–	–	2	–	–	2	–
Pleurisy	18	7	–	2	1	1	–	–	1	1	2	–	2
Pneumonia	23	–	2	–	–	1	–	–	1	1	–	1	2
Asthma	11	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	8	–	–	–	–	–	1	–	–	–	1	–	1
VII. Teething	7	–	–	4	3	–	–	–	–	–	–	–	–
Quinsey	1	1	–	–	–	–	–	–	–	–	–	–	–
Gastritis	3	–	–	–	–	–	–	–	1	–	–	–	–
Enteritis	8	–	–	2	–	–	–	–	–	1	1	1	–
Peritonitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	2	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	2	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	2	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	10	1	–	–	–	–	–	–	2	–	–	–	2
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	7	–	–	–	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	4	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	2	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	7	–	–	–	–	–	–	–	–	–	1	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	2	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	2	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–
Stone	10	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	3	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	4	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Uterine Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	5	–	–	–	–	–	–	–	–	1	–	–	1
Joint and Bone Disease	1	–	–	–	–	–	–	–	–	–	–	–	1
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	3	–	–	–	–	–	–	–	–	–	–	–	1
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	5	1	–	–	–	1	–	1	1	–	1	–	–
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	54	–	–	–	–	1	1	–	3	5	6	5	5
Fracture and Contusion	6	–	–	–	–	–	–	–	–	1	–	1	1
Wounds	4	–	–	–	–	–	–	–	–	1	–	–	2
Other Violent Causes	1	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	142	36	8	11	16	11	4	2	7	2	2	11	3

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1856.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER 35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	1	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–
Apoplexy	–	–	–	–	–	3	2	3	–	–	–	–	–	–	–	–
Paralysis	–	–	2	–	1	–	4	1	3	4	1	2	1	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
Tetanus	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	1	1	–	2	1	–	–	–	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	2	–	1	–	–	2	2	1	–	1	–	–	–	–	–	1
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	1	–	1	–	–	–	3	–	2	1	–	1	–	–	–	–
Pleurisy	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Pneumonia	1	2	1	3	–	1	3	1	–	1	1	–	1	–	–	–
Asthma	–	–	–	–	–	1	2	2	2	2	2	–	–	–	–	–
Lung Disease	–	–	–	–	–	1	–	3	1	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ascites	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
Ileus	–	–	–	1	2	–	1	1	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Stomach Disease	–	–	–	2	–	2	–	2	–	1	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	1	1	1	–	–	1	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
Liver Disease	–	1	1	–	–	1	–	2	1	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Nephria	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	1	–	2	3	2	1	1	–	–	–	–
Cystitis	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	–	–	1	2	1	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Uterine Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	1	–	–	–	–	–	–	1	1	1	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	8	5	4	2	1	1	2	1	1	–	1	–	–	–	–	2
Fracture and Contusion	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Not Specified	6	3	2	4	6	6	2	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1856.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	1124	86	22	44	52	29	14	12	23	24	35	30	44
SPECIFIED CAUSES	984	65	14	36	33	25	11	11	21	20	31	29	38
I. Zymotic Class	162	9	6	16	23	12	9	6	9	10	10	5	7
II. Diseases of Uncertain Seat	55	–	–	–	–	–	–	–	1	–	1	1	–
III. Tubercular Class	121	–	3	7	4	5	1	–	7	5	12	9	14
IV. Brain and Nervous System	59	4	–	1	2	–	–	2	2	1	3	2	1
V. Organs of Circulation	26	–	–	–	–	–	–		–	1	1	–	–
VI. Respiratory Organs	64	5	1	5	3	3	–	–	1	1	1	4	1
VII. Organs of Digestion	46	2	2	6	–	2	–	–	–	1	2	3	2
VIII. Urinary Organs	5	–	–	–	–	–	–	–	–	–	–	–	–
IX. Organs of Generation	31	–	–	–	–	–	–	–	–	–	–	3	13
X. Organs of Locomotion	10	–	–	–	–	–	–	–	–	–	–	–	–
XI. Skin, etc.	2	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	45	43	2	–	–	–	–	–	–	–	–	–	–
XIV. Atrophy	7	–	–	1	1	–	–	–	–	1	–	–	–
XV. Age	322	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	4	2	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	25	–	–	–	–	3	1	3	1	–	1	2	–
I. Small Pox	5	–	–	–	–	–	–	–	–	–	–	2	1
Measles	45	3	–	7	12	4	4	–	1	6	2	–	1
Scarlatina	8	–	–	1	1	–	–	–	3	1	2	–	–
Hooping Cough	28	4	1	3	5	5	3	3	3	1	–	–	–
Croup	15	1	2	3	3	2	1	2	1	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	7	1	–	1	–	–	–	–	–	–	–	–	–
Dysentery	3	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	7	–	1	–	–	1	–	1	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	3	–	–	1	2	–	–	–	–	–	–	–	–
Typhus	31	–	2	–	–	–	–	–	1	2	6	3	4
Metria	2	–	–	–	–	–	–	–	–	–	–	–	1
Rheumatic Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	6	–	–	–	–	–	1	–	–	–	–	–	–
Syphilis	1	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	5	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	30	–	–	–	–	–	–	–	1	–	1	1	–
Abscess	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	18	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	9	–	1	2	2	–	–	–	–	–	–	–	–
Tabes Mesenterica	2	–	–	1	–	–	–	–	–	–	1	–	–
Phthisis	96	–	–	1	1	2	1	–	2	5	11	9	14
Hydrocephalus	14	–	2	3	1	3	–	–	5	–	–	–	–

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1856.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	36	29	39	26	36	49	70	76	96	64	89	52	24	16	3	4
SPECIFIED CAUSES	29	26	32	20	24	34	63	76	96	64	89	52	24	16	3	2
Zymotic Class	3	4	9	3	1	1	5	3	3	3	–	3	1	–	–	1
Uncertain Seat	3	1	2	7	3	5	10	3	10	6	1	1	–	–	–	–
Tubercular Class	10	7	5	1	9	8	6	7	1	–	–	–	–	–	–	–
Brain, etc.	4	2	2	3	1	3	6	5	7	5	3	–	–	–	–	–
Heart, etc.	1	–	4	1	2	5	2	3	2	1	1	1	–	–	–	1
Respiratory Organs	1	2	2	2	1	1	7	7	8	3	4	1	–	–	–	–
Digestive Organs	4	1	2	1	3	5	3	3	1	2	1	–	–	–	–	–
Urinary Organs	–	–	1	1	–	1	–	–	–	1	1	–	–	–	–	–
Generative Organs	2	8	2	1	–	1	–	–	–	1	–	–	–	–	–	–
Locomotive Organs	–	–	2	–	1	1	2	2	1	1	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	–	3	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	1	21	41	58	40	74	45	23	16	3	–
Sudden Deaths	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Violent Deaths	1	1	1	–	–	1	1	1	2	1	4	1	–	–	–	–
Small Pox	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	2	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	1	–	–	1	–	–	–	–	1	–	2	–	–	–	–
Dysentery	–	–	–	–	–	–	1	1	–	–	–	–	1	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	1	1	2	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	1	4	2	–	1	3	–	–	1	–	–	–	–	–	1
Metria	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Erysipelas	–	1	1	–	–	–	–	–	1	1	–	1	–	–	–	–
Syphilis	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	1	–	–	1	1	–	–	–	1	–	–	–	–	–	–
Dropsy	2	–	–	3	2	2	7	1	8	2	–	–	–	–	–	–
Abscess	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Cancer	–	–	2	3	–	2	3	2	2	3	–	1	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	1	–	–	3	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	10	6	5	1	6	8	6	7	1	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1856.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	7	–	–	–	1	–	–	1	–	–	1	2	–
Apoplexy	14	–	–	–	–	–	–	1	–	1	1	–	–
Paralysis	21	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	5	2	–	–	–	–	–	–	1	–	–	–	–
Insanity	3	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	7	2	–	1	1	–	–	–	1	–	–	–	1
Brain Disease	2	–	–	–	–	–	–	–	–	–	1	–	–
V. Pericarditis	1	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	25	–	–	–	–	–	–	–	–	1	1	–	–
VI. Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	23	1	1	2	2	2	–	–	–	–	–	2	–
Pleurisy	9	4	–	1	1	–	–	–	–	–	–	–	1
Pneumonia	9	–	–	2	–	1	–	–	1	–	1	1	–
Asthma	19	–	–	–	–	–	–	–	–	1	–	–	–
Lung Disease	4	–	–	–	–	–	–	–	–	–	–	1	–
VII. Teething	5	–	1	4	–	–	–	–	–	–	–	–	–
Quinsey	3	1	–	–	–	1	–	–	–	–	1	–	–
Gastritis	3	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	8	–	–	2	–	–	–	–	–	–	–	1	–
Peritonitis	2	–	–	–	–	–	–	–	–	–	–	1	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	6	1	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	5	–	1	–	–	–	–	–	–	–	–	–	2
Pancreas Disease	1	–	–	–	–	1	–	–	–	–	–	–	–
Hepatitis	3	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	2	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	8	–	–	–	–	–	–	–	–	1	1	1	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	2	–	–	–	–	–	–	–	–	–	–	–	–
Stone	1	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	1	–	–	–	–	–	–	–	–	–	–	–	1
Ovarian Dropsy	3	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	27	–	–	–	–	–	–	–	–	–	–	3	12
Uterine Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	10	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XI. Carbuncle	2	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	–	–	–	–	–	–	–	–	–	1	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	13	–	–	–	–	2	1	3	1	–	–	–	–
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	6	–	–	–	–	1	–	–	–	–	–	2	–
Fracture and Contusion	2	–	–	–	–	–	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	140	21	8	8	19	4	3	1	2	4	4	1	6

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1856.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	2	–	–	–	1	2	3	2	1	–	–	–	–	–	–	–
Paralysis	–	–	2	–	–	–	3	2	6	5	3	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–
Convulsions	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	1	–	4	1	2	5	2	3	2	–	1	1	–	–	–	1
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	1	–	1	–	–	3	1	2	3	2	–	–	–	–	–
Pleurisy	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
Pneumonia	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Asthma	1	–	–	–	1	1	3	5	5	–	2	–	–	–	–	–
Lung Disease	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–
Enteritis	–	1	–	–	1	–	2	–	1	–	–	–	–	–	–	–
Peritonitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	1	–	1	–	–	2	–	–	–	1	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
Liver Disease	–	–	1	–	–	–	1	2	–	1	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	1	–	1	–	–	–	1	–	–	–	–	–	–
Childbirth	2	8	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Uterine Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	2	–	1	1	2	2	1	1	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	1	–	1	1	–	3	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Drowning	1	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Fracture and Contusion	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	7	3	7	6	12	15	7	–	–	–	–	–	–	–	–	2

CAUSES of DEATH in the MAINLAND DISTRICTS of SCOTLAND, at different Periods of Life, in 1856.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
All Causes	28825	2829	793	1626	2031	1156	733	605	1428	857	938	1082	970
Specified Causes	26681	2173	589	1417	1840	1065	680	572	1335	807	887	1044	924
I. Zymotic Class	5972	269	183	558	920	637	409	369	716	294	217	174	130
II. Diseases of Uncertain Seat	1311	22	4	6	21	10	11	6	22	20	19	18	28
III. Tubercular Class	4192	59	94	239	299	161	97	84	258	212	362	506	444
IV. Brain and Nervous System	2309	156	48	72	66	37	32	19	89	65	67	59	53
V. Organs of Circulation	975	10	1	4	6	2	1	2	22	39	35	35	38
VI. Respiratory Organs	2664	186	122	241	208	102	65	42	84	39	41	56	55
VII. Organs of Digestion	2220	167	79	242	240	52	19	15	61	38	32	57	57
VIII. Urinary Organs	305	3	2	1	1	2	1	2	7	5	8	14	13
IX. Organs of Generation	248	–	–	–	–	–	–	–	–	1	11	33	36
X. Organs of Locomotion	132	2	–	–	1	3	1	2	6	13	8	10	5
XI. Skin, etc.	19	5	3	3	–	–	–	–	–	–	1	–	–
XII. Malformation	71	56	8	1	2	1	–	–	1	–	1	–	–
XIII. Premature Debility	1225	1191	27	7	–	–	–	–	–	–	–	–	–
XIV. Atrophy	214	–	1	26	28	13	9	1	10	8	4	2	3
XV. Age	3612	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	106	17	6	6	1	1	1	2	2	1	2	1	2
XVII. Violent Deaths	1106	30	11	9	48	45	34	28	57	71	79	79	60
I. Small Pox	429	41	22	63	74	36	34	22	41	13	15	14	7
Measles	419	11	7	61	156	63	36	21	38	12	7	3	1
Scarlatina	1413	9	17	102	204	218	164	183	327	119	25	16	3
Hooping Cough	698	63	54	161	206	96	44	32	41	1	–	–	–
Croup	497	18	10	37	121	123	67	52	66	3	–	–	–
Thrush	11	7	–	–	3	–	–	–	–	–	–	–	–
Diarrhœa	439	48	35	55	66	24	10	7	7	4	7	6	4
Dysentery	163	4	4	6	10	4	2	3	6	2	–	4	7
Cholera	39	1	2	7	5	1	1	–	1	1	–	–	2
Influenza	172	7	2	15	5	3	1	2	4	5	–	1	1
Purpura	15	–	–	1	2	–	1	1	–	1	–	–	3
Ague	3	–	–	–	–	–	–	–	–	–	–	–	–
Worms	28	–	–	2	2	5	4	4	6	4	1	–	–
Infantile Fever	107	13	8	18	32	21	9	4	2	–	–	–	–
Typhus	1231	6	7	22	27	38	34	36	165	120	153	109	71
Metria	86	–	–	–	–	–	–	–	–	–	3	17	21
Rheumatic Fever	39	–	–	–	–	–	–	2	5	6	5	–	5
Erysipelas	119	34	10	6	4	2	–	–	7	3	1	2	4
Syphilis	21	7	5	2	–	1	–	–	–	–	–	2	–
Noma	9	–	–	–	3	2	2	–	–	–	–	–	–
Hydrophobia	1	–	–	–	–	–	–	–	–	–	–	–	1
II. Hæmorrhage	97	10	1	1	–	1	1	–	1	2	7	4	6
Dropsy	541	1	1	–	13	7	5	5	17	11	6	7	11
Abscess	52	4	–	2	1	1	–	1	3	4	3	2	5
Ulcer	9	–	–	–	1	–	–	–	–	–	–	–	–
Fistula	9	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	92	7	1	3	6	–	2	–	1	2	1	2	–
Cancer	510	–	1	–	–	1	3	–	–	1	2	3	6
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	243	6	6	3	9	6	2	6	19	30	32	29	27
Tabes Mesenterica	249	15	15	26	64	38	14	6	31	11	3	4	6
Phthisis	2928	12	21	36	47	47	22	24	78	147	322	471	411
Hydrocephalus	772	26	52	174	179	70	59	48	130	24	5	2	–

CAUSES of DEATH in the MAINLAND DISTRICTS of SCOTLAND, at different Periods of Life, in 1856.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	864	758	724	833	914	1013	1238	1360	1661	1759	1340	842	286	93	17	75
Specified Causes	809	714	672	780	844	929	1193	1355	1659	1757	1340	842	286	93	17	58
Zymotic Class	94	99	86	78	89	90	114	107	134	104	53	34	5	2	–	7
Uncertain Seat	38	60	59	98	100	108	143	143	149	119	68	29	5	1	–	4
Tubercular Class	295	217	180	179	147	124	104	55	38	23	8	1	1	–	–	5
Brain, etc.	74	60	75	68	96	136	188	186	231	221	140	57	8	1	–	5
Heart, etc.	29	28	44	59	61	79	93	120	129	87	40	9	1	–	–	1
Respiratory Organs	63	54	57	101	108	138	183	208	181	176	105	35	6	1	–	7
Digestive Organs	56	77	69	87	117	132	153	148	139	116	45	17	1	–	–	4
Urinary Organs	8	9	7	14	15	23	25	33	39	47	20	5	1	–	–	–
Generative Organs	49	41	29	10	12	9	4	7	2	3	1	–	–	–	–	–
Locomotive Organs	2	4	7	3	4	5	10	18	9	11	6	2	–	–	–	–
Skin	2	2	1	–	–	–	–	1	1	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	5	3	6	17	29	36	12	–	–	–	–	–	–	–	–	1
Age	–	–	–	–	–	–	117	285	560	814	837	642	253	87	17	–
Sudden Deaths	3	6	4	5	4	4	8	12	10	4	1	2	–	–	–	1
Violent Deaths	91	55	48	61	62	45	39	32	37	32	16	9	5	1	–	22
Small Pox	9	3	8	9	4	4	5	1	2	–	–	1	–	–	–	1
Measles	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1
Scarlatina	2	6	3	3	2	2	2	–	1	1	1	–	–	–	–	3
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Diarrhœa	3	4	7	6	11	11	21	18	30	21	20	9	3	2	–	–
Dysentery	5	7	4	4	15	11	14	12	16	14	5	3	1	–	–	–
Cholera	2	3	–	1	3	2	1	2	1	2	–	1	–	–	–	–
Influenza	2	1	2	1	5	8	21	14	22	26	14	8	1	–	–	1
Purpura	1	1	–	1	–	1	–	1	–	1	–	–	–	–	–	–
Ague	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	47	56	43	41	42	42	37	47	45	28	10	7	–	–	–	1
Metria	19	14	10	2	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	3	1	1	1	2	1	3	4	–	–	–	–	–	–
Erysipelas	2	3	5	7	5	7	10	9	13	7	3	5	–	–	–	–
Syphilis	1	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	6	6	5	6	4	8	7	6	5	7	1	1	–	–	–	1
Dropsy	11	20	17	28	35	37	61	66	74	56	40	10	1	–	–	1
Abscess	5	6	5	5	–	2	1	–	2	–	–	–	–	–	–	–
Ulcer	–	2	1	–	1	–	1	1	–	1	–	1	–	–	–	–
Fistula	2	1	–	2	2	–	–	1	–	–	1	–	–	–	–	–
Mortification	2	4	–	5	1	3	3	6	13	12	11	5	1	1	–	–
Cancer	12	20	31	51	57	58	70	63	55	43	15	12	3	–	–	2
Gout	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	8	14	8	4	4	8	4	5	4	5	2	1	1	–	–	–
Tabes Mesenterica	2	1	1	4	2	2	1	1	–	1	–	–	–	–	–	1
Phthisis	284	202	171	171	141	114	99	49	33	17	6	–	–	–	–	3
Hydrocephalus	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1

CAUSES of DEATH in the MAINLAND DISTRICTS of SCOTLAND, at different Periods of Life, in 1856.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	200	3	6	19	12	7	12	5	34	21	22	13	6
Apoplexy	517	5	3	4	2	1	3	1	15	15	8	10	15
Paralysis	808	–	–	–	2	2	–	1	2	3	3	4	6
Delirium Tremens	29	–	–	–	–	–	–	–	–	–	–	–	2
Chorea	3	–	–	–	–	–	–	–	–	–	1	–	–
Epilepsy	88	–	–	2	–	1	1	–	5	4	11	12	4
Tetanus	46	5	1	1	1	1	1	–	3	5	3	2	2
Insanity	26	–	–	–	–	–	–	–	–	–	1	2	1
Convulsions	290	136	29	44	41	13	8	4	6	–	–	2	1
Brain Disease	302	7	9	2	8	12	7	8	24	17	18	14	16
V. Pericarditis	38	1	–	–	–	1	–	–	8	9	3	2	2
Aneurism	22	–	–	–	–	–	–	–	–	–	–	2	–
Heart Disease	915	9	1	4	6	1	1	2	14	30	32	31	36
VI. Laryngitis	55	4	1	10	9	5	6	3	6	1	–	–	1
Bronchitis	1157	105	66	122	112	44	27	17	29	12	10	13	15
Pleurisy	194	2	2	2	2	4	1	2	8	1	6	7	7
Pneumonia	826	67	52	99	81	45	28	20	37	18	16	23	24
Asthma	284	–	–	–	–	1	–	–	1	1	1	1	4
Lung Disease	148	8	1	8	4	3	3	–	3	6	8	12	4
VII. Teething	358	1	19	142	175	20	1	–	–	–	–	–	–
Quinsey	25	3	1	3	5	3	3	1	–	–	–	1	–
Gastritis	98	6	2	5	3	2	1	1	3	4	2	1	2
Enteritis	437	82	37	56	34	19	8	7	20	10	4	16	6
Peritonitis	150	5	4	4	2	–	1	1	6	8	8	12	13
Ascites	70	1	–	–	–	–	–	–	1	5	1	1	1
Ulceration of Intestines	108	4	1	4	2	–	–	1	3	1	3	4	6
Hernia	60	1	–	1	–	3	–	1	–	1	1	–	1
Ileus	164	7	3	3	1	–	1	–	2	2	5	6	6
Intussusception	26	2	2	1	1	–	–	1	1	1	–	–	1
Stricture of Intestines	8	1	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	287	33	6	20	9	3	1	–	15	2	4	5	4
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	91	–	–	1	2	–	–	–	3	2	2	5	5
Jaundice	108	18	1	1	5	2	–	–	1	–	1	1	3
Liver Disease	222	3	3	1	1	–	3	2	5	2	1	5	9
Spleen Disease	8	–	–	–	–	–	–	–	1	–	–	–	–
VIII. Nephritis	30	–	1	–	–	–	–	1	1	–	–	2	–
Nephria	43	1	–	1	1	–	–	–	3	1	2	5	4
Ischuria	25	1	1	–	–	1	–	–	1	1	–	–	1
Diabetes	30	–	–	–	–	–	–	–	–	1	3	3	4
Stone	44	–	–	–	–	–	–	–	1	1	–	–	–
Cystitis	19	–	–	–	–	–	–	–	–	–	2	1	1
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	114	1	–	–	–	1	1	1	1	1	1	3	3
IX. Paramenia	9	–	–	–	–	–	–	–	–	1	2	2	–
Ovarian Dropsy	23	–	–	–	–	–	–	–	–	–	–	–	1
Childbirth	164	–	–	–	–	–	–	–	–	–	6	28	31
Uterine Disease	52	–	–	–	–	–	–	–	–	–	3	3	4
X. Arthritis	8	1	–	–	–	1	–	1	2	–	–	1	–
Rheumatism	58	–	–	–	–	–	–	–	–	2	–	2	2
Joint and Bone Disease	66	1	–	–	1	2	1	1	4	11	8	7	3
XI. Carbuncle	4	1	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	3	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	12	4	3	3	–	–	–	–	–	–	1	–	–
XII. Cyanosis	15	11	3	–	–	–	–	–	–	–	1	–	–
Spina Bifida	18	12	3	–	2	1	–	–	–	–	–	–	–
Other Malformations	38	33	2	1	–	–	–	–	1	–	–	–	–
XVII. Intemperance	38	–	–	–	–	–	–	–	–	1	–	–	1
Privation	2	–	–	–	1	–	–	–	–	–	–	–	–
Want of Breast Milk	11	8	2	–	1	–	–	–	–	–	–	–	–
Neglect	1	1	–	–	–	–	–	–	–	–	–	–	–
Cold	15	1	–	–	–	–	–	–	–	–	–	1	1
Poison	19	–	–	1	1	3	1	1	–	–	–	2	3
Burns and Scalds	149	–	3	5	19	25	22	10	17	3	1	2	3
Hanging, etc.	32	–	–	–	–	–	–	–	–	1	1	3	1
Suffocation	43	13	5	–	3	–	2	1	1	1	2	2	2
Drowning	267	–	–	–	15	9	5	11	11	20	23	28	17
Fracture and Contusion	437	–	–	2	8	5	3	5	25	33	46	36	26
Wounds	34	–	–	–	–	–	–	–	1	9	1	3	2
Other Violent Causes	58	7	1	1	–	3	1	–	2	3	5	2	4
Not Specified	2144	656	204	209	191	91	53	33	93	50	51	38	46

CAUSES of DEATH in the MAINLAND DISTRICTS of SCOTLAND, at different Periods of Life, in 1856.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	8	4	6	5	4	2	5	2	2	2	–	–	–	–	–	–
Apoplexy	20	16	17	18	33	51	63	51	66	49	35	12	3	–	–	1
Paralysis	11	9	20	29	29	54	94	107	140	150	92	43	5	1	–	1
Delirium Tremens	5	8	4	2	4	2	1	–	–	–	–	–	–	–	–	1
Chorea	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
Epilepsy	6	10	6	1	5	5	4	6	1	2	2	–	–	–	–	–
Tetanus	2	1	2	2	4	3	2	2	2	–	1	–	–	–	–	–
Insanity	–	1	4	2	3	1	1	4	1	1	4	–	–	–	–	–
Convulsions	2	1	1	–	–	–	–	1	–	–	–	–	–	–	–	1
Brain Disease	20	10	15	9	14	18	16	13	19	17	6	2	–	–	–	1
Pericarditis	–	1	1	–	–	2	2	3	–	2	1	–	–	–	–	–
Aneurism	2	1	–	3	2	3	4	1	1	2	1	–	–	–	–	–
Heart Disease	27	26	43	56	59	74	87	116	128	83	38	9	1	–	–	1
Laryngitis	1	1	–	1	–	2	1	1	1	1	–	–	–	–	–	–
Bronchitis	15	12	13	29	40	49	62	84	95	92	68	15	4	1	–	6
Pleurisy	9	5	7	10	9	17	23	20	18	18	7	6	–	–	–	1
Pneumonia	20	25	18	33	23	33	36	46	29	27	16	8	2	–	–	–
Asthma	9	5	10	19	26	30	45	46	32	35	12	6	–	–	–	–
Lung Disease	9	6	9	9	10	7	16	11	6	3	2	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	1	–	–	–	–	2	–	–	1	–	1	–	–	–	–	–
Gastritis	4	6	1	3	11	6	9	8	6	6	3	2	–	–	–	1
Enteritis	9	11	10	10	11	18	11	20	13	15	6	4	–	–	–	–
Peritonitis	7	7	9	10	3	7	13	9	10	8	1	1	–	–	–	1
Ascites	2	3	3	6	7	3	14	11	5	4	2	–	–	–	–	–
Ulceration of Intestines	3	8	2	5	11	14	11	10	6	6	2	1	–	–	–	–
Hernia	2	3	1	3	4	2	2	8	8	13	2	3	–	–	–	–
Ileus	6	14	8	7	10	13	13	15	16	15	8	3	–	–	–	–
Intussusception	–	1	–	2	3	5	2	–	2	1	–	–	–	–	–	–
Stricture of Intestines	–	1	–	2	–	–	1	–	2	1	–	–	–	–	–	–
Stomach Disease	7	7	11	15	18	22	25	28	24	16	10	1	–	–	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	6	6	8	8	13	11	5	5	6	3	–	–	–	–	–
Jaundice	4	2	4	4	7	2	12	12	10	12	2	2	1	–	–	1
Liver Disease	10	8	14	12	23	24	27	22	29	13	5	–	–	–	–	–
Spleen Disease	1	–	–	–	1	1	2	–	2	–	–	–	–	–	–	–
Nephritis	3	–	1	2	3	4	4	2	1	2	2	1	–	–	–	–
Nephria	–	2	1	4	2	3	6	2	1	1	3	–	–	–	–	–
Ischuria	–	–	–	2	–	–	2	4	6	1	4	–	–	–	–	–
Diabetes	4	2	2	–	4	1	2	3	1	–	–	–	–	–	–	–
Stone	–	–	–	1	–	2	3	11	9	10	5	–	1	–	–	–
Cystitis	1	–	–	1	–	1	1	1	3	4	2	1	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	5	3	4	6	12	7	10	18	29	4	3	–	–	–	–
Paramenia	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	4	1	1	4	3	3	2	2	2	–	–	–	–	–	–
Childbirth	40	31	24	3	1	–	–	–	–	–	–	–	–	–	–	–
Uterine Disease	8	4	3	6	7	6	1	5	–	1	1	–	–	–	–	–
Arthritis	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
Rheumatism	–	2	2	3	1	4	7	14	8	6	3	2	–	–	–	–
Joint Disease	2	2	5	–	3	–	3	4	1	5	2	–	–	–	–	–
Carbuncle	–	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Phlegmon	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Intemperance	5	3	3	8	7	7	–	1	1	1	–	–	–	–	–	–
Privation	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	1	–	–	1	2	2	1	1	2	–	–	–	–	–	1
Poison	1	–	–	2	1	1	–	1	–	1	–	–	–	–	–	–
Burns and Scalds	1	2	3	1	1	–	3	5	8	7	3	4	1	–	–	–
Hanging, etc.	4	3	2	3	5	4	2	1	–	–	–	–	–	–	–	2
Suffocation	–	–	3	3	3	1	1	–	–	–	–	–	–	–	–	–
Drowning	30	17	7	13	12	8	11	6	9	3	3	–	–	–	–	9
Fracture and Contusion	40	23	27	28	24	17	18	12	16	17	10	5	4	1	–	6
Wounds	3	2	2	1	3	1	1	3	1	–	–	–	–	–	–	1
Other Violent Causes	6	4	1	1	5	4	1	2	1	1	–	–	–	–	–	3
Not Specified	55	44	52	53	70	84	45	5	2	2	–	–	–	–	–	17

CAUSES of DEATH in the MAINLAND DISTRICTS of SCOTLAND, at different Periods of Life, in 1856.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	14560	1634	464	877	1011	598	387	301	731	452	525	596	485
SPECIFIED CAUSES	13413	1256	349	762	910	549	356	284	688	425	495	577	463
I. Zymotic Class	2981	139	107	297	441	335	213	178	356	137	115	77	44
II. Diseases of Uncertain Seat	539	11	1	4	12	7	6	3	14	11	7	10	14
III. Tubercular Class	2137	30	49	124	175	68	52	39	134	101	188	283	230
IV. Brain and Nervous System	1184	93	33	30	29	23	18	8	48	37	41	37	25
V. Organs of Circulation	519	7	–	2	3	1	1	2	9	18	18	17	22
VI. Respiratory Organs	1444	118	81	128	104	54	34	27	41	17	21	37	32
VII. Organs of Digestion	1159	93	46	145	110	26	5	10	34	25	24	30	35
VIII. Urinary Organs	230	3	1	1	1	–	1	–	4	4	6	10	5
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	67	–	–	–	–	2	–	1	3	7	5	5	4
XI. Skin, etc.	12	2	2	2	–	–	–	–	–	–	1	–	–
XII. Malformation	43	37	5	1	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	717	697	16	4	–	–	–	–	–	–	–	–	–
XIV. Atrophy	93	–	–	17	14	7	5	–	6	4	1	1	1
XV. Age	1410	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	50	9	2	2	–	–	1	1	2	1	1	–	–
XVII. Violent Deaths	828	17	6	5	21	26	20	15	37	63	67	70	51
I. Small Pox	237	24	18	35	40	24	17	15	15	5	7	5	2
Measles	212	4	5	36	81	31	16	8	18	6	3	2	–
Scarlatina	730	5	10	51	96	113	88	94	180	56	15	7	1
Hooping Cough	303	22	28	71	87	41	21	15	18	–	–	–	–
Croup	268	11	8	27	63	69	36	23	30	1	–	–	–
Thrush	7	5	–	–	2	–	–	–	–	–	–	–	–
Diarrhœa	227	29	19	31	30	13	7	5	4	1	5	3	2
Dysentery	73	3	2	4	5	1	1	1	1	1	–	1	3
Cholera	19	1	1	2	3	1	1	–	–	–	–	–	2
Influenza	88	3	–	12	2	3	1	1	2	–	–	1	–
Purpura	12	–	–	1	1	–	1	1	–	1	–	–	2
Ague	2	–	–	–	–	–	–	–	–	–	–	–	–
Worms	14	–	–	1	1	2	2	2	4	2	–	–	–
Infantile Fever	61	10	7	10	12	15	5	1	1	–	–	–	–
Typhus	599	2	1	11	13	18	16	11	74	60	80	56	25
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	18	–	–	–	–	–	–	1	4	3	4	–	2
Erysipelas	93	17	4	3	3	1	–	–	5	1	1	1	4
Syphilis	12	3	4	2	–	1	–	–	–	–	–	1	–
Noma	5	–	–	–	2	2	1	–	–	–	–	–	–
Hydrophobia	1	–	–	–	–	–	–	–	–	–	–	–	1
II. Hæmorrhage	54	6	1	1	–	–	1	–	–	1	2	3	4
Dropsy	227	–	–	–	7	6	2	3	12	7	2	4	4
Abscess	27	1	–	2	–	–	–	–	2	2	1	1	2
Ulcer	4	–	–	–	1	–	–	–	–	–	–	–	–
Fistula	8	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	54	4	–	1	4	–	1	–	–	1	1	–	–
Cancer	164	–	–	–	–	1	2	–	–	–	1	2	4
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	144	2	3	–	4	–	2	4	9	22	26	18	13
Tabes Mesenterica	133	10	11	14	34	12	10	4	21	3	2	3	3
Phthisis	1446	6	11	20	24	20	11	8	41	58	158	261	214
Hydrocephalus	414	12	24	90	113	36	29	23	63	18	2	1	–

CAUSES of DEATH in the MAINLAND DISTRICTS of SCOTLAND, at different Periods of Life, in 1856.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	419	353	360	429	493	518	595	671	754	827	563	337	109	29	4	38
SPECIFIED CAUSES	389	332	333	411	462	477	572	670	753	827	563	337	109	29	4	31
Zymotic Class	43	38	38	38	50	46	54	55	66	62	29	17	1	–	–	5
Uncertain Seat	12	23	19	37	32	46	60	59	56	59	19	13	3	–	–	1
Tubercular Class	128	102	90	84	80	63	56	25	17	12	4	–	1	–	–	2
Brain, etc.	44	37	38	35	53	70	87	85	115	106	60	28	2	–	–	2
Heart, etc.	13	15	25	36	37	40	41	74	72	42	17	6	1	–	–	–
Respiratory Organs	34	20	31	69	65	80	88	107	92	89	55	17	1	–	–	2
Digestive Organs	20	40	35	39	71	64	78	74	64	60	22	9	–	–	–	–
Urinary Organs	7	4	5	10	9	16	18	31	33	41	16	3	1	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	2	4	6	1	2	2	8	4	3	4	2	2	–	–	–	–
Skin	2	1	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	1	1	1	6	12	13	3	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	48	129	206	332	329	239	95	28	4	–
Sudden Deaths	2	2	3	1	3	2	4	3	6	2	–	2	–	–	–	1
Violent Deaths	81	45	42	55	48	35	27	23	22	18	10	1	4	1	–	18
Small Pox	6	3	3	8	4	2	3	–	–	–	–	–	–	–	–	1
Measles	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1
Scarlatina	–	1	1	2	2	1	2	–	1	1	1	–	–	–	–	2
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	2	6	1	8	1	12	7	15	12	8	4	1	–	–	–
Dysentery	3	2	1	2	6	5	5	5	7	12	1	1	–	–	–	–
Cholera	1	2	–	1	2	1	–	–	–	1	–	–	–	–	–	–
Influenza	1	1	1	1	2	5	8	6	10	12	11	5	–	–	–	–
Purpura	–	1	–	1	–	1	–	1	–	1	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	29	23	21	17	23	24	18	27	23	18	5	3	–	–	–	1
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	2	–	–	–	1	1	–	–	–	–	–	–	–	–
Erysipelas	2	2	2	5	3	6	5	7	9	5	3	4	–	–	–	–
Syphilis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	6	2	2	4	3	5	4	3	2	3	–	1	–	–	–	–
Dropsy	1	7	6	10	16	14	30	30	20	30	12	3	–	–	–	1
Abscess	2	4	3	3	–	1	1	–	2	–	–	–	–	–	–	–
Ulcer	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Fistula	2	1	–	2	1	–	–	1	–	–	1	–	–	–	–	–
Mortification	–	3	–	5	1	2	2	2	8	11	3	5	–	–	–	–
Cancer	1	5	7	12	11	24	22	23	24	15	3	4	3	–	–	–
Gout	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	6	9	6	3	3	5	3	1	1	2	1	–	1	–	–	–
Tabes Mesenterica	2	–	–	3	–	1	–	–	–	–	–	–	–	–	–	–
Phthisis	119	93	84	78	77	57	53	24	15	10	3	–	–	–	–	1
Hydrocephalus	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1

CAUSES of DEATH in the MAINLAND DISTRICTS of SCOTLAND, at different Periods of Life, in 1856.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	111	2	4	9	4	5	5	2	18	14	16	7	4
Apoplexy	263	2	2	1	2	–	2	1	7	6	5	7	5
Paralysis	368	–	–	–	–	2	–	–	–	3	1	3	3
Delirium Tremens	23	–	–	–	–	–	–	–	–	–	–	–	2
Chorea	3	–	–	–	–	–	–	–	–	–	1	–	–
Epilepsy	55	–	–	2	–	1	–	–	3	2	8	7	3
Tetanus	35	3	–	1	1	1	–	–	3	4	2	2	1
Insanity	8	–	–	–	–	–	–	–	–	–	–	1	–
Convulsions	157	81	21	17	18	8	6	–	4	–	–	–	–
Brain Disease	161	5	6	–	4	6	5	5	13	8	8	10	7
V. Pericarditis	21	–	–	–	–	1	–	–	3	5	1	2	2
Aneurism	14	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	484	7	–	2	3	–	1	2	6	13	17	15	20
VI. Laryngitis	33	2	1	7	5	2	4	2	4	1	–	–	1
Bronchitis	583	68	45	62	54	21	13	9	11	4	4	9	5
Pleurisy	104	1	1	1	–	3	1	2	5	–	5	5	3
Pneumonia	480	41	33	57	43	25	14	14	19	9	10	15	16
Asthma	155	–	–	–	–	1	–	–	–	–	–	–	3
Lung Disease	89	6	1	1	2	2	2	–	2	3	2	8	4
VII. Teething	187	1	12	85	80	9	–	–	–	–	–	–	–
Quinsey	14	1	1	3	2	2	1	–	–	–	–	1	–
Gastritis	49	1	–	5	3	1	–	1	1	2	–	–	1
Enteritis	235	49	22	31	15	10	2	5	11	6	4	11	3
Peritonitis	71	2	2	3	–	–	–	–	2	6	6	4	9
Ascites	25	1	–	–	–	–	–	–	–	3	1	1	–
Ulceration of Intestines	54	2	1	3	1	–	–	1	1	1	2	1	4
Hernia	37	–	–	1	–	2	–	1	–	1	1	–	1
Ileus	89	6	2	2	–	–	–	–	2	1	5	3	3
Intussusception	19	–	1	1	1	–	–	1	–	1	–	–	1
Stricture of Intestines	3	1	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	155	18	3	8	5	2	1	–	7	2	3	4	2
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	45	–	–	1	1	–	–	–	3	2	–	3	4
Jaundice	44	10	–	1	1	–	–	–	1	–	1	–	1
Liver Disease	127	1	2	1	1	–	1	1	5	–	1	2	6
Spleen Disease	5	–	–	–	–	–	–	–	1	–	–	–	–
VIII. Nephritis	18	–	–	–	–	–	–	–	1	–	–	2	–
Nephria	23	1	–	1	1	–	–	–	1	1	1	4	1
Ischuria	22	1	1	–	–	–	–	–	1	1	–	–	–
Diabetes	22	–	–	–	–	–	–	–	–	–	3	2	1
Stone	39	–	–	–	–	–	–	–	1	1	–	–	–
Cystitis	16	–	–	–	–	–	–	–	–	–	2	–	1
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	90	1	–	–	–	–	1	–	–	1	–	2	2
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Uterine Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	2	–	–	–	–	–	–	–	1	–	–	–	–
Rheumatism	22	–	–	–	–	–	–	–	–	1	–	–	1
Joint and Bone Disease	43	–	–	–	–	2	–	1	2	6	5	5	3
XI. Carbuncle	2	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	2	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	8	2	2	2	–	–	–	–	–	–	1	–	–
XII. Cyanosis	8	6	2	–	–	–	–	–	–	–	–	–	–
Spina Bifida	9	6	2	1	–	–	–	–	–	–	–	–	–
Other Malformations	26	25	1	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	27	–	–	–	–	–	–	–	–	1	–	–	1
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	9	6	2	–	1	–	–	–	–	–	–	–	–
Neglect	1	1	–	–	–	–	–	–	–	–	–	–	–
Cold	11	–	–	–	–	–	–	–	–	–	–	1	1
Poison	15	–	–	1	1	2	1	1	–	–	–	1	2
Burns and Scalds	52	–	1	2	7	12	12	2	5	2	1	–	2
Hanging, etc.	19	–	–	–	–	–	–	–	–	1	–	2	1
Suffocation	30	7	3	–	1	–	1	–	1	–	2	2	2
Drowning	218	–	–	–	7	7	4	8	11	18	20	26	13
Fracture and Contusion	372	–	–	1	4	2	2	4	18	30	38	33	24
Wounds	33	–	–	–	–	–	–	–	1	9	1	3	2
Other Violent Causes	41	3	–	1	–	3	–	–	1	2	5	2	3
Not Specified	1147	378	115	115	101	49	31	17	43	27	30	19	22

CAUSES of DEATH in the MAINLAND DISTRICTS of SCOTLAND, at different Periods of Life, in 1856.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	5	–	2	3	4	2	3	1	–	1	–	–	–	–	–	–
Apoplexy	11	11	11	6	18	28	35	20	35	25	15	7	–	–	–	1
Paralysis	6	4	7	15	14	22	36	51	68	71	40	20	2	–	–	–
Delirium Tremens	5	6	3	–	4	2	1	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
Epilepsy	4	5	5	1	2	4	2	4	1	–	1	–	–	–	–	–
Tetanus	2	1	1	2	4	2	1	2	1	–	1	–	–	–	–	–
Insanity	–	1	3	1	–	–	–	–	1	1	–	–	–	–	–	–
Convulsions	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Brain Disease	11	9	5	7	7	10	7	6	9	8	3	1	–	–	–	1
Pericarditis	–	1	–	–	–	1	1	2	–	2	–	–	–	–	–	–
Aneurism	2	–	–	2	1	3	4	–	1	1	–	–	–	–	–	–
Heart Disease	11	14	25	34	36	36	36	72	71	39	17	6	1	–	–	–
Laryngitis	1	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–
Bronchitis	6	4	5	20	21	28	26	43	45	38	34	6	1	–	–	1
Pleurisy	5	1	2	6	6	9	12	9	11	10	3	2	–	–	–	1
Pneumonia	8	11	10	24	16	23	21	21	19	19	8	4	–	–	–	–
Asthma	8	1	7	13	16	15	18	27	13	20	8	5	–	–	–	–
Lung Disease	6	3	7	6	6	4	11	6	3	2	2	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	2	–	–	–	–	1	–	–	–	–	–
Gastritis	2	5	1	3	9	3	2	2	1	3	2	1	–	–	–	–
Enteritis	6	2	6	2	7	10	7	8	8	5	4	1	–	–	–	–
Peritonitis	2	–	4	5	2	2	6	5	5	6	–	–	–	–	–	–
Ascites	1	1	–	3	2	–	4	5	1	1	1	–	–	–	–	–
Ulceration of Intestines	1	2	1	2	7	5	7	5	3	3	–	1	–	–	–	–
Hernia	–	2	1	1	1	1	–	7	2	11	1	3	–	–	–	–
Ileus	1	10	4	4	9	6	6	7	9	5	2	2	–	–	–	–
Intussusception	–	1	–	2	2	4	2	–	2	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
Stomach Disease	2	7	3	6	13	10	16	15	13	7	8	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	4	3	5	3	6	6	–	2	2	–	–	–	–	–	–
Jaundice	–	2	3	–	3	2	5	4	2	6	1	1	–	–	–	–
Liver Disease	4	4	9	5	13	12	16	16	14	11	2	–	–	–	–	–
Spleen Disease	1	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–
Nephritis	2	–	–	1	1	3	4	1	–	1	1	1	–	–	–	–
Nephria	–	1	1	1	–	2	2	2	1	1	1	–	–	–	–	–
Ischuria	–	–	–	2	–	–	2	4	5	1	4	–	–	–	–	–
Diabetes	4	–	2	–	4	–	2	3	1	–	–	–	–	–	–	–
Stone	–	–	–	1	–	2	2	11	9	8	3	–	1	–	–	–
Cystitis	1	–	–	1	–	–	1	1	2	4	3	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	3	2	4	4	9	5	9	15	26	4	2	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Uterine Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	2	2	1	–	1	5	2	3	2	–	2	–	–	–	–
Joint Disease	2	2	4	–	2	–	3	2	–	2	2	–	–	–	–	–
Carbuncle	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Phlegmon	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	2	2	2	8	5	5	–	–	–	1	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	1	–	–	1	2	–	1	1	1	–	–	–	–	–	1
Poison	1	–	–	1	1	1	–	1	–	1	–	–	–	–	–	–
Burns and Scalds	1	1	–	–	–	–	–	1	2	–	–	–	1	–	–	–
Hanging, etc.	2	3	2	2	1	2	–	1	–	–	–	–	–	–	–	2
Suffocation	–	–	3	3	3	1	1	–	–	–	–	–	–	–	–	–
Drowning	26	13	7	12	10	6	9	3	6	2	3	–	–	–	–	7
Fracture and Contusion	39	21	26	27	21	15	16	11	11	12	7	1	3	1	–	5
Wounds	3	2	2	1	3	1	–	3	1	–	–	–	–	–	–	1
Other Violent Causes	6	2	–	1	3	2	1	2	1	1	–	–	–	–	–	2
Not Specified	30	21	27	18	31	41	23	1	1	–	–	–	–	–	–	7

CAUSES of DEATH in the MAINLAND DISTRICTS of SCOTLAND, at different Periods of Life, in 1856.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	14265	1195	329	749	1020	558	346	304	697	405	413	486	485
SPECIFIED CAUSES	13268	917	240	655	930	516	324	288	647	382	392	467	461
I. Zymotic Class	2991	130	76	261	479	302	196	191	360	157	102	97	86
II. Diseases of Uncertain Seat	772	11	3	2	9	3	5	3	8	10	12	8	14
III. Tubercular Class	2055	29	45	115	124	93	45	45	124	111	174	223	214
IV. Brain and Nervous System	1125	63	15	42	37	14	14	11	41	28	26	22	28
V. Organs of Circulation	456	3	1	2	3	1	–	–	13	21	17	18	16
VI. Respiratory Organs	1220	68	41	113	104	48	31	15	43	22	20	19	23
VII. Organs of Digestion	1061	74	33	97	130	26	14	5	27	13	8	27	22
VIII. Urinary Organs	75	–	1	–	–	2	–	2	3	1	2	4	8
IX. Organs of Generation	248	–	–	–	–	–	–	–	–	1	11	33	36
X. Organs of Locomotion	65	2	–	–	1	1	1	1	3	6	3	5	1
XI. Skin, etc.	7	3	1	1	–	–	–	–	–	–	–	–	–
XII. Malformation	28	19	3	2	1	–	–	–	1	–	1	–	–
XIII. Premature Debility	508	494	11	3	–	–	–	–	–	–	–	–	–
XIV. Atrophy	121	–	1	9	14	6	4	1	4	4	3	1	2
XV. Age	2202	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	56	8	4	4	1	1	–	1	–	–	1	1	2
XVII. Violent Deaths	278	13	5	4	27	19	14	13	20	8	12	9	9
I. Small Pox	192	17	4	28	34	12	17	7	26	8	8	9	5
Measles	207	7	2	25	75	32	20	13	20	6	4	1	1
Scarlatina	683	4	7	51	108	105	76	89	147	63	10	9	2
Hooping Cough	395	41	26	90	119	55	23	17	23	1	–	–	–
Croup	229	7	2	10	58	54	31	29	36	2	–	–	–
Thrush	4	2	–	–	1	–	–	–	–	–	–	–	–
Diarrhœa	212	19	16	24	36	11	3	2	3	3	2	3	2
Dysentery	90	1	2	2	5	3	1	2	5	1	–	3	4
Cholera	20	–	1	5	2	–	–	–	1	1	–	–	–
Influenza	84	4	2	3	3	–	–	1	2	5	–	–	1
Purpura	3	–	–	–	1	–	–	–	–	–	–	–	1
Ague	1	–	–	–	–	–	–	–	–	–	–	–	–
Worms	14	–	–	1	1	3	2	2	2	2	1	–	–
Infantile Fever	46	3	1	8	20	6	4	3	1	–	–	–	–
Typhus	635	4	6	11	14	20	18	25	91	60	73	53	46
Metria	86	–	–	–	–	–	–	–	–	–	3	17	21
Rheumatic Fever	21	–	–	–	–	–	–	1	1	3	1	–	3
Erysipelas	56	17	6	3	1	1	–	–	2	2	–	1	–
Syphilis	9	4	1	–	–	–	–	–	–	–	–	1	–
Noma	4	–	–	–	1	–	1	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	43	4	–	–	–	1	–	–	1	1	5	1	2
Dropsy	314	1	1	–	6	1	3	2	5	4	4	3	7
Abscess	25	3	–	–	1	1	–	1	1	2	2	1	3
Ulcer	5	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	38	3	1	2	2	–	1	–	1	1	–	2	–
Cancer	346	–	1	–	–	–	1	–	–	2	1	1	2
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	99	4	3	3	5	6	–	2	10	8	6	11	14
Tabes Mesenterica	116	5	4	12	30	26	4	2	10	8	1	1	3
Phthisis	1482	6	10	16	23	27	11	16	37	89	164	210	197
Hydrocephalus	358	14	28	84	66	34	30	25	67	6	3	1	–

CAUSES of DEATH in the MAINLAND DISTRICTS of SCOTLAND, at different Periods of Life, in 1856.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	445	405	364	404	421	495	643	689	907	932	777	505	177	64	13	37
SPECIFIED CAUSES	420	382	339	369	382	452	621	685	906	930	777	505	177	64	13	27
Zymotic Class	51	61	48	40	39	44	60	52	68	42	24	17	4	2	–	2
Uncertain Seat	26	36	40	61	68	62	83	84	93	60	49	16	2	1	–	3
Tubercular Class	167	115	90	95	67	61	48	30	21	11	4	1	–	–	–	3
Brain, etc.	30	23	37	33	43	66	101	101	116	115	80	29	6	1	–	3
Heart, etc.	16	13	19	23	24	39	52	46	57	45	23	3	–	–	–	1
Respiratory Organs	29	34	26	32	43	58	95	101	89	87	50	18	5	1	–	5
Digestive Organs	36	37	34	48	46	68	75	74	75	56	23	8	1	–	–	4
Urinary Organs	1	5	2	4	6	7	7	2	6	6	4	2	–	–	–	–
Generative Organs	49	41	29	10	12	9	4	7	2	3	1	–	–	–	–	–
Locomotive Organs	–	–	1	2	2	3	2	14	6	7	4	–	–	–	–	–
Skin	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	4	2	5	11	17	23	9	–	–	–	–	–	–	–	–	1
Age	–	–	–	–	–	–	69	156	354	482	508	403	158	59	13	–
Sudden Deaths	1	4	1	4	1	2	4	9	4	2	1	–	–	–	–	–
Violent Deaths	10	10	6	6	14	10	12	9	15	14	6	8	1	–	–	4
Small Pox	3	–	5	1	–	2	2	1	2	–	–	1	–	–	–	–
Measles	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	2	5	2	1	–	1	–	–	–	–	–	–	–	–	–	1
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Diarrhœa	2	2	1	5	3	10	9	11	15	9	12	5	2	2	–	–
Dysentery	2	5	3	2	9	6	9	7	9	2	4	2	1	–	–	–
Cholera	1	1	–	–	1	1	1	2	1	1	–	1	–	–	–	–
Influenza	1	–	1	–	3	3	13	8	12	14	3	3	1	–	–	1
Purpura	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	18	33	22	24	19	18	19	20	22	10	5	4	–	–	–	–
Metria	19	14	10	2	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	1	1	1	1	1	–	3	4	–	–	–	–	–	–
Erysipelas	–	1	3	2	2	1	5	2	4	2	–	1	–	–	–	–
Syphilis	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	4	3	2	1	3	3	3	3	4	1	–	–	–	–	1
Dropsy	10	13	11	18	19	23	31	36	54	26	28	7	1	–	–	–
Abscess	3	2	2	2	–	1	–	–	–	–	–	–	–	–	–	–
Ulcer	–	1	–	–	1	–	–	1	–	1	–	1	–	–	–	–
Fistula	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	1	–	–	–	1	1	4	5	1	8	–	1	1	–	–
Cancer	11	15	24	39	46	34	48	40	31	28	12	8	–	–	–	2
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	2	5	2	1	1	3	1	4	3	3	1	1	–	–	–	–
Tabes Mesenterica	–	1	1	1	2	1	1	1	–	1	–	–	–	–	–	1
Phthisis	165	109	87	93	64	57	46	25	18	7	3	–	–	–	–	2
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the MAINLAND DISTRICTS of SCOTLAND, at different Periods of Life, in 1856.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	89	1	2	10	8	2	7	3	16	7	6	6	2
Apoplexy	254	3	1	3	–	1	1	–	8	9	3	3	10
Paralysis	440	–	–	–	2	–	–	1	2	–	2	1	3
Delirium Tremens	6	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	33	–	–	–	–	–	1	–	2	2	3	5	1
Tetanus	11	2	1	–	–	–	1	–	–	1	1	–	1
Insanity	18	–	–	–	–	–	–	–	–	–	1	1	1
Convulsions	133	55	8	27	23	5	2	4	2	–	–	2	1
Brain Disease	141	2	3	2	4	6	2	3	11	9	10	4	9
V. Pericarditis	17	1	–	–	–	–	–	–	5	4	2	–	–
Aneurism	8	–	–	–	–	–	–	–	–	–	–	2	–
Heart Disease	431	2	1	2	3	1	–	–	8	17	15	16	16
VI. Laryngitis	22	2	–	3	4	3	2	1	2	–	–	–	–
Bronchitis	574	37	21	60	58	23	14	8	18	8	6	4	10
Pleurisy	90	1	1	1	2	1	–	–	3	1	1	2	4
Pneumonia	346	26	19	42	38	20	14	6	18	9	6	8	8
Asthma	129	–	–	–	–	–	–	–	1	1	1	1	1
Lung Disease	59	2	–	7	2	1	1	–	1	3	6	4	–
VII. Teething	171	–	7	57	95	11	1	–	–	–	–	–	–
Quinsey	11	2	–	–	3	1	2	1	–	–	–	–	–
Gastritis	49	5	2	–	–	1	1	–	2	2	2	1	1
Enteritis	202	33	15	25	19	9	6	2	9	4	–	5	3
Peritonitis	79	3	2	1	2	–	1	1	4	2	2	8	4
Ascites	45	–	–	–	–	–	–	–	1	2	–	–	1
Ulceration of Intestines	54	2	–	1	1	–	–	–	2	–	1	3	2
Hernia	23	1	–	–	–	1	–	–	–	–	–	–	–
Ileus	75	1	1	1	1	–	1	–	–	1	–	3	3
Intussusception	7	2	1	–	–	–	–	–	1	–	–	–	
Stricture of Intestines	5	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	132	15	3	12	4	1	–	–	8	–	1	1	2
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	46	–	–	–	1	–	–	–	–	–	2	2	1
Jaundice	64	8	1	–	4	2	–	–	–	–	–	1	2
Liver Disease	95	2	1	–	–	–	2	1	–	2	–	3	3
Spleen Disease	3	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	12	–	1	–	–	–	–	1	–	–	–	–	–
Nephria	20	–	–	–	–	–	–	–	2	–	1	1	3
Ischuria	3	–	–	–	–	1	–	–	–	–	–	–	1
Diabetes	8	–	–	–	–	–	–	–	–	1	–	1	3
Stone	4	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	4	–	–	–	–	–	–	–	–	–	–	1	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	24	–	–	–	–	1	–	1	1	–	1	1	1
IX. Paramenia	9	–	–	–	–	–	–	–	–	1	2	2	–
Ovarian Dropsy	23	–	–	–	–	–	–	–	–	–	–	–	1
Childbirth	164	–	–	–	–	–	–	–	–	–	6	28	31
Uterine Disease	52	–	–	–	–	–	–	–	–	–	3	3	4
X. Arthritis	6	1	–	–	–	1	–	1	1	–	–	1	–
Rheumatism	36	–	–	–	–	–	–	–	–	1	–	2	1
Joint and Bone Disease	23	1	–	–	1	–	1	–	2	5	3	2	–
XI. Carbuncle	2	1	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	1	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	4	2	1	1	–	–	–	–	–	–	–	–	–
XII. Cyanosis	7	5	1	–	–	–	–	–	–	–	1	–	–
Spina Bifida	9	6	1	1	1	–	–	–	–	–	–	–	–
Other Malformations	12	8	1	1	–	–	–	–	1	–	–	–	–
XVII. Intemperance	11	–	–	–	–	–	–	–	–	–	–	–	–
Privation	2	–	–	–	1	–	–	–	–	–	–	–	–
Want of Breast Milk	2	2	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	4	1	–	–	–	–	–	–	–	–	–	–	–
Poison	4	–	–	–	–	1	–	–	–	–	–	1	1
Burns and Scalds	97	–	2	3	12	13	10	8	12	1	–	2	1
Hanging, etc.	13	–	–	–	–	–	–	–	–	–	1	1	–
Suffocation	13	6	2	–	2	–	1	1	–	1	–	–	–
Drowning	49	–	–	–	8	2	1	3	–	2	3	2	4
Fracture and Contusion	65	–	–	1	4	3	1	1	7	3	8	3	2
Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	17	4	1	–	–	–	1	–	1	1	–	–	1
Not Specified	997	278	89	94	90	42	22	16	50	23	21	19	24

CAUSES of DEATH in the MAINLAND DISTRICTS of SCOTLAND, at different Periods of Life, in 1856.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	3	4	4	2	–	–	2	1	2	1	–	–	–	–	–	–
Apoplexy	9	5	6	12	15	23	28	31	31	24	20	5	3	–	–	–
Paralysis	5	5	13	14	15	32	58	56	72	79	52	23	3	1	–	1
Delirium Tremens	–	2	1	2	–	–	–	–	–	–	–	–	–	–	–	1
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	2	5	1	–	3	1	2	2	–	2	1	–	–	–	–	–
Tetanus	–	–	1	–	–	1	1	–	1	–	–	–	–	–	–	–
Insanity	–	–	1	1	3	1	1	4	–	–	4	–	–	–	–	–
Convulsions	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Brain Disease	9	1	10	2	7	8	9	7	10	9	3	1	–	–	–	–
Pericarditis	–	–	1	–	–	1	1	1	–	–	1	–	–	–	–	–
Aneurism	–	1	–	1	1	–	–	1	–	1	1	–	–	–	–	–
Heart Disease	16	12	18	22	23	38	51	44	57	44	21	3	–	–	–	1
Laryngitis	–	1	–	1	–	1	1	–	–	1	–	–	–	–	–	–
Bronchitis	9	8	8	9	19	21	36	41	50	54	34	9	3	1	–	5
Pleurisy	4	4	5	4	3	8	11	11	7	8	4	4	–	–	–	–
Pneumonia	12	14	8	9	7	10	15	25	10	8	8	4	2	–	–	–
Asthma	1	4	3	6	10	15	27	19	19	15	4	1	–	–	–	–
Lung Disease	3	3	2	3	4	3	5	5	3	1	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Gastritis	2	1	–	–	2	3	7	6	5	3	1	1	–	–	–	1
Enteritis	3	9	4	8	4	8	4	12	5	10	2	3	–	–	–	–
Peritonitis	5	7	5	5	1	5	7	4	5	2	1	1	–	–	–	1
Ascites	1	2	3	3	5	3	10	6	4	3	1	–	–	–	–	–
Ulceration of Intestines	2	6	1	3	4	9	4	5	3	3	2	–	–	–	–	–
Hernia	2	1	–	2	3	1	2	1	6	2	1	–	–	–	–	–
Ileus	5	4	4	3	1	7	7	8	7	10	6	1	–	–	–	–
Intussusception	–	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–
Stricture of Intestines	–	1	–	1	–	–	1	–	1	1	–	–	–	–	–	–
Stomach Disease	5	–	8	9	5	12	9	13	11	9	2	1	–	–	–	1
Pancreas	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	2	3	3	5	7	5	5	3	4	3	–	–	–	–	–
Jaundice	4	–	1	4	4	–	7	8	8	6	1	1	1	–	–	1
Liver Disease	6	4	5	7	10	12	11	6	15	2	3	–	–	–	–	–
Spleen Disease	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–
Nephritis	1	–	1	1	2	1	–	1	1	1	1	–	–	–	–	–
Nephria	–	1	–	3	2	1	4	–	–	–	2	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Diabetes	–	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	1	–	–	2	1	–	–	–	–	–
Cystitis	–	–	–	–	–	1	–	–	1	–	–	1	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	2	1	–	2	3	2	1	3	3	–	1	–	–	–	–
Paramenia	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	4	1	1	4	3	3	2	2	2	–	–	–	–	–	–
Childbirth	40	31	24	3	1	–	–	–	–	–	–	–	–	–	–	–
Uterine Disease	8	4	3	6	7	6	1	5	–	1	1	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Rheumatism	–	–	–	2	1	3	2	12	5	4	3	–	–	–	–	–
Joint Disease	–	–	1	–	1	–	–	2	1	3	–	–	–	–	–	–
Carbuncle	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Intemperance	3	1	1	–	2	2	–	1	1	–	–	–	–	–	–	–
Privation	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–
Poison	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	1	3	1	1	–	3	4	6	7	3	4	–	–	–	–
Hanging, etc.	2	–	–	1	4	2	2	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	4	4	–	1	2	2	2	3	3	1	–	–	–	–	–	2
Fracture and Contusion	1	2	1	1	3	2	2	1	5	5	3	4	1	–	–	1
Wounds	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	2	1	–	2	2	–	–	–	–	–	–	–	–	–	1
Not Specified	25	23	25	35	39	43	22	4	1	2	–	–	–	–	–	10

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1856.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
All Causes	27538	2990	1038	2446	3141	1640	1016	761	1503	598	815	946	922
Specified Causes	26190	2459	880	2299	3010	1597	997	733	1464	585	796	928	898
I. Zymotic Class	7484	323	293	947	1535	934	638	450	791	165	171	151	128
II. Diseases of Uncertain Seat	1002	25	11	13	22	17	16	6	29	27	16	24	45
III. Tubercular Class	4628	44	148	383	489	268	136	116	315	190	349	423	375
IV. Brain and Nervous System	2075	208	64	114	109	54	36	34	74	59	47	54	51
V. Organs of Circulation	933	5	1	1	2	3	3	4	15	34	42	39	41
VI. Respiratory Organs	3316	217	191	437	393	193	114	71	120	29	50	67	76
VII. Organs of Digestion	1996	183	111	351	378	70	21	15	34	28	34	47	53
VIII. Urinary Organs	256	1	1	1	2	5	3	2	5	9	9	18	23
IX. Organs of Generation	202	–	–	–	–	–	–	–	–	–	6	31	41
X. Organs of Locomotion	109	1	–	–	2	1	1	2	8	10	15	7	3
XI. Skin, etc.	29	4	2	3	3	2	–	–	1	1	1	2	1
XII. Malformation	48	40	3	–	3	–	–	–	1	1	–	–	–
XIII. Premature Debility	1416	1368	40	8	–	–	–	–	–	–	–	–	–
XIV. Atrophy	239	3	7	30	44	22	5	9	13	4	1	4	1
XV. Age	1580	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	80	8	1	2	–	1	1	–	1	2	2	4	4
XVII. Violent Deaths	797	29	7	9	28	27	23	24	57	26	53	57	56
I. Small Pox	861	47	58	161	172	120	84	45	73	11	19	28	13
Measles	526	8	8	91	211	105	43	24	33	2	1	–	–
Scarlatina	1581	10	24	124	271	263	230	182	372	60	22	4	7
Hooping Cough	1580	72	95	352	501	237	137	94	87	5	–	–	–
Croup	492	25	15	57	136	94	68	47	47	3	–	–	–
Thrush	16	10	3	1	2	–	–	–	–	–	–	–	–
Diarrhœa	648	86	49	97	143	26	9	8	10	7	2	9	8
Dysentery	223	4	3	18	26	11	5	1	14	2	7	3	6
Cholera	48	1	4	8	7	2	1	1	2	–	–	2	1
Influenza	60	2	–	1	–	6	5	1	3	–	2	1	–
Purpura	21	1	2	1	1	3	–	1	1	1	2	1	1
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	12	–	–	1	2	4	4	1	–	–	–	–	–
Infantile Fever	84	3	7	14	28	18	9	4	1	–	–	–	–
Typhus	1067	3	1	6	30	40	40	40	141	70	109	85	69
Metria	55	–	–	–	–	–	–	–	–	–	3	9	10
Rheumatic Fever	16	1	–	–	–	–	1	–	–	3	–	2	2
Erysipelas	125	31	3	7	3	3	1	–	6	1	3	5	10
Syphilis	58	19	20	6	1	1	–	–	–	–	–	2	1
Noma	11	–	1	2	1	1	1	1	1	–	1	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	64	7	1	4	–	1	–	1	2	2	2	2	4
Dropsy	418	2	4	1	11	10	11	4	24	19	5	15	22
Abscess	56	3	–	5	4	2	–	–	1	5	1	2	6
Ulcer	18	2	1	1	3	–	–	–	–	–	1	–	–
Fistula	6	–	–	–	–	–	–	–	–	–	–	–	1
Mortification	70	6	4	2	3	4	2	1	1	–	1	–	1
Cancer	369	5	1	–	1	–	3	–	1	1	6	5	11
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	190	2	2	12	15	8	8	5	14	26	22	18	12
Tabes Mesenterica	263	14	16	32	81	36	16	16	22	11	7	2	1
Phthisis	3113	2	27	73	120	96	42	46	149	144	317	401	360
Hydrocephalus	1062	26	103	266	273	128	70	49	130	9	3	2	2

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1856.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	887	874	924	824	851	919	967	857	899	786	529	262	92	19	9	23
Specified Causes	869	854	906	791	821	891	944	855	899	786	529	262	92	19	9	17
Zymotic Class	108	112	112	106	101	97	95	86	65	36	29	8	–	–	–	3
Uncertain Seat	40	49	74	76	91	110	111	64	58	50	19	7	2	–	–	–
Tubercular Class	319	251	247	190	138	101	74	44	21	7	–	–	–	–	–	–
Brain, etc.	59	75	80	86	92	136	163	154	164	89	50	18	5	–	–	–
Heart, etc.	52	74	76	72	73	109	85	83	64	36	15	4	–	–	–	–
Respiratory Organs	90	102	127	113	153	176	180	144	114	100	36	21	1	–	–	1
Digestive Organs	70	61	76	61	82	73	86	60	56	23	18	3	–	–	–	2
Urinary Organs	14	20	13	14	12	21	18	20	18	16	10	1	–	–	–	–
Generative Organs	40	40	23	8	4	5	3	–	–	1	–	–	–	–	–	–
Locomotive Organs	2	9	4	5	5	10	8	9	2	3	1	–	–	1	–	–
Skin	–	1	–	–	–	1	4	–	1	1	–	1	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	7	4	11	10	17	23	23	–	1	–	–	–	–	–	–	–
Age	–	–	–	–	–	1	48	162	314	405	342	197	84	17	9	1
Sudden Deaths	6	6	6	6	4	3	12	5	4	2	–	–	–	–	–	–
Violent Deaths	62	50	57	44	49	25	34	24	17	17	9	2	–	1	–	10
Small Pox	6	9	7	2	3	–	1	–	1	–	–	–	–	–	–	1
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	3	3	1	–	–	5	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	14	11	15	13	21	16	29	29	22	12	9	3	–	–	–	–
Dysentery	4	9	9	12	9	19	19	14	14	6	4	4	–	–	–	–
Cholera	4	2	2	1	3	1	5	–	1	–	–	–	–	–	–	–
Influenza	1	2	4	3	4	5	2	8	3	2	5	–	–	–	–	–
Purpura	1	–	–	3	–	1	–	–	–	1	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	54	57	63	66	50	47	33	28	17	7	8	1	–	–	–	2
Metria	13	13	6	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	1	–	1	1	1	2	–	–	–	–	–	–	–	–
Erysipelas	3	5	3	4	9	2	4	5	7	8	2	–	–	–	–	–
Syphilis	4	1	1	1	1	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	7	6	5	4	6	3	2	2	1	2	–	–	–	–	–	–
Dropsy	15	14	26	22	32	46	48	26	32	19	7	2	1	–	–	–
Abscess	2	4	3	7	1	2	5	1	1	–	1	–	–	–	–	–
Ulcer	–	–	–	2	2	2	2	1	–	1	–	–	–	–	–	–
Fistula	–	–	1	–	3	–	–	–	1	–	–	–	–	–	–	–
Mortification	4	2	1	3	2	8	5	4	3	9	3	1	–	–	–	–
Cancer	12	23	38	38	45	49	49	30	20	18	8	4	1	–	–	–
Gout	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Scrofula	11	7	5	2	5	3	6	4	2	1	–	–	–	–	–	–
Tabes Mesenterica	–	1	1	–	6	1	–	–	–	–	–	–	–	–	–	–
Phthisis	308	243	240	188	127	97	68	40	19	6	–	–	–	–	–	–
Hydrocephalus	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1856.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	149	5	10	22	19	12	9	9	15	7	8	5	5
Apoplexy	434	3	4	10	4	4	1	5	12	16	7	13	14
Paralysis	569	–	–	2	–	1	1	1	2	3	3	9	6
Delirium Tremens	28	–	–	–	–	–	–	–	–	–	–	3	4
Chorea	6	–	–	–	–	–	–	–	–	1	3	–	–
Epilepsy	75	–	–	1	1	–	–	1	4	6	8	6	5
Tetanus	32	7	–	1	3	–	–	–	1	4	–	2	1
Insanity	26	–	–	–	–	–	–	–	–	–	–	–	1
Convulsions	430	185	45	65	70	22	16	6	9	4	1	–	1
Brain Disease	326	8	5	13	12	15	9	12	31	18	17	16	14
V. Pericarditis	29	–	–	–	1	1	–	–	3	3	5	4	3
Aneurism	44	–	–	–	–	–	–	–	–	–	1	1	5
Heart Disease	860	5	1	1	1	2	3	4	12	31	36	34	33
VI. Laryngitis	59	2	1	2	7	4	12	3	6	–	3	1	2
Bronchitis	1562	123	96	236	193	87	56	24	45	12	9	23	25
Pleurisy	116	2	4	5	2	2	–	5	14	2	5	5	9
Pneumonia	1112	86	87	185	180	92	41	32	45	12	23	25	24
Asthma	296	–	–	2	–	–	1	–	–	–	1	4	7
Lung Disease	171	4	3	7	11	8	4	7	10	3	9	9	9
VII. Teething	658	1	37	277	312	29	1	–	1	–	–	–	–
Quinsey	25	–	3	4	3	5	1	1	–	1	–	1	–
Gastritis	60	5	2	5	6	1	–	–	4	–	3	5	2
Enteritis	394	108	50	41	40	18	8	7	13	5	9	9	6
Peritonitis	107	9	2	4	–	1	2	–	5	8	7	9	13
Ascites	37	–	–	–	1	1	1	1	1	–	–	–	3
Ulceration of Intestines	65	1	–	–	1	4	–	2	–	1	3	6	8
Hernia	34	1	1	–	–	–	–	–	–	–	–	2	–
Ileus	87	12	1	1	2	–	2	1	2	3	3	2	3
Intussusception	13	–	4	–	–	–	–	–	–	2	–	–	–
Stricture of Intestines	5	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	165	15	7	15	10	4	4	2	4	1	2	4	4
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	51	3	1	–	2	–	–	–	1	1	–	1	2
Jaundice	67	23	1	2	1	5	–	–	1	–	1	2	4
Liver Disease	223	5	2	2	–	2	2	1	2	5	5	6	8
Spleen Disease	5	–	–	–	–	–	–	–	–	1	1	–	–
VIII. Nephritis	13	–	–	–	–	2	1	–	1	–	–	–	3
Nephria	61	–	–	–	1	2	–	1	1	5	4	6	9
Ischuria	12	1	–	1	–	–	–	–	–	–	1	–	–
Diabetes	21	–	–	–	1	–	–	–	–	1	–	4	3
Stone	14	–	–	–	–	–	–	1	1	2	–	–	–
Cystitis	10	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	124	–	1	–	–	1	2	–	2	1	4	8	8
IX. Paramenia	4	–	–	–	–	–	–	–	–	–	2	–	–
Ovarian Dropsy	11	–	–	–	–	–	–	–	–	–	1	–	–
Childbirth	160	–	–	–	–	–	–	–	–	–	3	31	40
Uterine Disease	27	–	–	–	–	–	–	–	–	–	–	–	1
X. Arthritis	7	1	–	–	–	–	–	–	–	1	3	1	–
Rheumatism	41	–	–	–	–	1	–	–	2	1	1	2	–
Joint and Bone Disease	61	–	–	–	2	–	1	2	6	8	11	4	3
XI. Carbuncle	12	–	–	–	–	–	–	–	–	1	1	1	–
Phlegmon	2	1	–	1	–	–	–	–	–	–	–	–	–
Skin Disease	15	3	2	2	3	2	–	–	1	–	–	1	1
XII. Cyanosis	11	9	1	–	–	–	–	–	1	–	–	–	–
Spina Bifida	13	10	1	–	1	–	–	–	–	1	–	–	–
Other Malformations	24	21	1	–	2	–	–	–	–	–	–	–	–
XVII. Intemperance	39	–	–	–	–	–	–	–	–	–	–	1	2
Privation	4	1	–	1	–	1	–	–	–	–	–	–	–
Want of Breast Milk	15	10	4	1	–	–	–	–	–	–	–	–	–
Neglect	3	3	–	–	–	–	–	–	–	–	–	–	–
Cold	2	1	1	–	–	–	–	–	–	–	–	–	–
Poison	25	4	–	–	1	–	–	1	2	–	1	1	2
Burns and Scalds	136	–	–	5	17	14	20	15	27	1	2	3	1
Hanging, etc.	20	–	–	–	–	–	–	–	–	–	3	2	2
Suffocation	32	5	2	–	2	2	–	–	3	1	1	2	2
Drowning	193	2	–	–	3	2	–	2	11	11	19	21	24
Fracture and Contusion	285	–	–	–	5	5	3	6	13	11	25	24	22
Wounds	19	–	–	–	–	1	–	–	–	1	1	1	1
Other Violent Causes	24	3	–	2	–	2	–	–	1	1	1	2	–
Not Specified	1348	531	158	147	131	43	19	28	39	13	19	18	24

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1856.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	3	2	5	3	3	1	2	2	2	–	–	–	–	–	–	–
Apoplexy	15	20	22	28	24	41	46	46	51	21	18	6	3	–	–	–
Paralysis	16	19	15	31	39	55	83	85	97	60	28	11	2	–	–	–
Delirium Tremens	2	5	10	3	1	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Epilepsy	6	9	5	4	2	6	5	3	1	2	–	–	–	–	–	–
Tetanus	–	1	1	–	3	2	–	1	3	2	–	–	–	–	–	–
Insanity	1	1	2	2	2	10	3	1	2	1	–	–	–	–	–	–
Convulsions	–	2	2	1	–	–	–	–	1	–	–	–	–	–	–	–
Brain Disease	16	16	17	14	18	20	24	16	7	3	4	1	–	–	–	–
Pericarditis	–	–	2	1	1	1	1	1	–	2	–	–	–	–	–	–
Aneurism	5	5	6	5	5	3	5	1	1	1	–	–	–	–	–	–
Heart Disease	47	69	68	66	67	105	79	81	63	33	15	4	–	–	–	–
Laryngitis	3	2	2	2	2	1	1	1	2	–	–	–	–	–	–	–
Bronchitis	31	35	51	39	66	76	86	71	74	61	28	14	1	–	–	–
Pleurisy	7	4	9	6	7	8	8	6	4	1	1	–	–	–	–	–
Pneumonia	31	35	37	26	37	37	23	25	13	8	3	4	–	–	–	1
Asthma	10	12	18	28	29	42	53	38	19	26	4	2	–	–	–	–
Lung Disease	8	14	10	12	12	12	9	3	2	4	–	1	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	2	1	–	2	1	–	–	–	–	–	–	–
Gastritis	7	1	4	1	2	3	3	2	2	–	2	–	–	–	–	–
Enteritis	13	11	12	4	8	8	10	7	4	3	–	–	–	–	–	–
Peritonitis	10	7	6	8	3	2	4	2	1	2	2	–	–	–	–	–
Ascites	3	5	1	2	3	3	5	2	4	1	–	–	–	–	–	–
Ulceration of Intestines	5	8	2	4	6	2	5	3	3	–	1	–	–	–	–	–
Hernia	4	1	2	1	4	2	3	2	4	3	4	–	–	–	–	–
Ileus	5	3	4	4	8	2	6	11	5	2	3	2	–	–	–	–
Intussusception	1	–	1	2	–	1	1	–	–	–	1	–	–	–	–	–
Stricture of Intestines	–	–	3	–	–	–	–	1	–	1	–	–	–	–	–	–
Stomach Disease	6	6	8	12	14	11	13	9	10	1	2	–	–	–	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	4	7	2	5	7	6	3	2	1	1	–	–	–	–	–
Jaundice	1	–	3	5	3	3	4	2	4	1	1	–	–	–	–	–
Liver Disease	13	15	22	16	24	28	25	13	16	8	1	1	–	–	–	1
Spleen Disease	–	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–
Nephritis	–	3	–	–	–	–	3	–	–	–	–	–	–	–	–	–
Nephria	6	7	4	4	1	2	3	3	2	–	–	–	–	–	–	–
Ischuria	1	1	–	1	1	–	–	–	1	1	3	–	–	–	–	–
Diabetes	3	4	–	–	1	2	1	1	–	–	–	–	–	–	–	–
Stone	–	–	1	1	–	1	1	2	3	–	1	–	–	–	–	–
Cystitis	1	–	–	1	1	–	3	–	1	2	1	–	–	–	–	–
Stricture of Urethra	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	3	5	8	6	8	16	7	14	11	13	5	1	–	–	–	–
Paramenia	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	3	3	2	2	–	–	–	–	–	–	–	–	–	–
Childbirth	34	37	14	1	–	–	–	–	–	–	–	–	–	–	–	–
Uterine Disease	6	3	4	4	2	3	3	–	–	1	–	–	–	–	–	–
Arthritis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	5	2	1	4	6	4	7	1	2	–	–	–	1	–	–
Joint Disease	1	3	2	4	1	4	4	2	1	1	1	–	–	–	–	–
Carbuncle	–	1	–	–	–	1	4	–	1	1	–	1	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	3	8	5	3	6	6	2	2	–	1	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	2	3	–	2	2	2	2	–	–	–	–	–	–	–	–	–
Burns and Scalds	4	1	1	3	4	1	3	5	3	1	3	1	–	1	–	–
Hanging, etc.	2	–	3	3	1	1	1	–	2	–	–	–	–	–	–	–
Suffocation	1	1	3	1	3	–	–	1	–	1	–	–	–	–	–	1
Drowning	19	12	16	11	11	5	8	4	3	4	–	–	–	–	–	5
Fracture and Contusion	30	19	27	19	18	8	14	11	7	8	6	1	–	–	–	3
Wounds	–	3	1	1	3	–	4	–	2	–	–	–	–	–	–	–
Other Violent Causes	1	3	1	1	1	2	–	–	–	2	–	–	–	–	–	1
Not Specified	18	20	18	33	30	28	23	2	–	–	–	–	–	–	–	6

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1856.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	13816	1665	578	1277	1598	819	548	410	806	317	396	461	437
SPECIFIED CAUSES	13104	1372	492	1193	1525	799	541	398	783	310	384	450	428
I. Zymotic Class	3777	179	151	470	772	452	343	244	405	77	95	80	52
II. Diseases of Uncertain Seat	399	12	6	6	12	9	14	5	13	19	6	15	17
III. Tubercular Class	2280	27	90	211	247	133	75	63	177	99	139	203	175
IV. Brain and Nervous System	1115	125	36	59	67	27	23	20	46	35	23	26	28
V. Organs of Circulation	462	3	–	–	1	2	3	–	7	12	19	19	24
VI. Respiratory Organs	1726	118	110	252	202	107	57	37	63	9	25	29	40
VII. Organs of Digestion	991	111	67	170	186	35	9	9	20	17	18	20	21
VIII. Urinary Organs	180	–	1	–	–	3	3	1	2	6	3	9	16
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	60	1	–	–	1	1	1	–	6	7	9	4	2
XI. Skin, etc.	19	2	1	2	2	1	–	–	–	–	–	2	1
XII. Malformation	25	21	1	–	2	–	–	–	–	1	–	–	–
XIII. Premature Debility	773	748	23	2	–	–	–	–	–	–	–	–	–
XIV. Atrophy	113	3	3	16	20	13	1	3	8	3	–	1	1
XV. Age	580	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	46	7	–	1	–	–	1	–	1	1	2	2	2
XVII. Violent Deaths	558	15	3	4	13	16	11	16	35	24	45	40	49
I. Small Pox	463	30	30	86	81	57	47	31	39	6	13	19	6
Measles	266	3	2	53	101	53	23	13	16	1	1	–	–
Scarlatina	846	7	13	65	155	140	132	93	195	26	11	3	1
Hooping Cough	716	38	47	153	238	92	61	50	36	1	–	–	–
Croup	270	13	6	30	76	49	41	28	25	2	–	–	–
Thrush	6	6	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	339	50	27	48	68	16	7	5	2	5	1	4	4
Dysentery	112	2	3	12	17	8	3	–	11	2	3	1	2
Cholera	24	–	1	3	3	2	1	1	2	–	–	1	–
Influenza	25	–	–	1	–	3	3	1	2	–	–	–	–
Purpura	10	1	1	1	1	–	–	–	1	–	–	1	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	7	–	–	1	1	2	2	1	–	–	–	–	–
Infantile Fever	46	2	5	6	15	11	5	1	1	–	–	–	–
Typhus	544	1	1	4	13	18	18	20	69	32	63	49	33
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	6	1	–	–	–	–	–	–	–	2	–	1	–
Erysipelas	60	15	2	1	1	1	–	–	6	–	3	–	6
Syphilis	32	10	12	4	1	–	–	–	–	–	–	1	–
Noma	5	–	1	2	1	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	43	3	1	3	–	–	–	1	–	2	–	2	3
Dropsy	183	2	2	1	9	7	11	3	11	15	2	8	9
Abscess	25	1	–	1	1	–	–	–	1	2	1	2	1
Ulcer	7	–	1	–	1	–	–	–	–	–	–	–	–
Fistula	5	–	–	–	–	–	–	–	–	–	–	–	1
Mortification	33	4	2	1	–	2	1	1	–	–	–	–	1
Cancer	103	2	–	–	1	–	2	–	1	–	3	3	2
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	113	2	2	7	6	6	5	2	7	17	13	13	9
Tabes Mesenterica	145	10	8	20	45	20	7	7	13	5	3	1	1
Phthisis	1450	2	14	38	61	45	25	30	78	72	123	187	164
Hydrocephalus	572	13	66	146	135	62	38	24	79	5	–	2	1

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1856.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	413	404	463	407	399	453	455	389	413	348	215	111	15	3	3	13
SPECIFIED CAUSES	406	394	451	394	392	442	444	388	413	348	215	111	15	3	3	10
Zymotic Class	43	44	58	55	60	42	44	41	32	17	15	5	–	–	–	1
Uncertain Seat	14	17	24	24	30	42	44	24	20	18	6	1	1	–	–	–
Tubercular Class	153	104	111	83	64	50	40	20	13	3	–	–	–	–	–	–
Brain, etc.	29	38	51	49	48	79	78	75	83	41	19	8	2	–	–	–
Heart, etc.	24	43	33	33	35	61	39	38	28	24	11	3	–	–	–	–
Respiratory Organs	48	56	69	66	70	82	86	66	54	55	14	10	–	–	–	1
Digestive Organs	30	25	37	35	42	34	32	28	26	11	6	2	–	–	–	–
Urinary Organs	10	13	11	8	10	16	15	16	12	15	9	1	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	2	6	3	3	1	4	5	1	2	1	–	–	–	–	–	–
Skin	–	1	–	–	–	1	3	–	1	1	–	1	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	4	3	6	12	15	–	1	–	–	–	–	–	–	–
Age	–	–	–	–	–	1	14	60	125	152	131	80	12	2	3	–
Sudden Deaths	4	4	4	2	1	2	7	2	3	–	–	–	–	–	–	–
Violent Deaths	49	43	46	33	25	16	22	17	13	10	4	–	–	1	–	8
Small Pox	1	6	5	2	2	–	1	–	1	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	1	1	–	–	3	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	4	3	7	8	12	8	15	16	15	7	5	2	–	–	–	–
Dysentery	1	4	6	7	5	7	5	4	3	3	1	2	–	–	–	–
Cholera	2	–	1	–	3	–	3	–	1	–	–	–	–	–	–	–
Influenza	1	–	1	2	2	1	1	5	–	1	1	–	–	–	–	–
Purpura	1	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	28	27	33	33	30	21	16	14	9	2	8	1	–	–	–	1
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	1	2	3	1	6	1	2	2	3	4	–	–	–	–	–	–
Syphilis	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	3	5	3	4	5	2	2	2	1	1	–	–	–	–	–	–
Dropsy	5	1	12	8	9	15	18	12	12	8	2	–	1	–	–	–
Abscess	–	2	3	3	–	2	3	1	–	–	1	–	–	–	–	–
Ulcer	–	–	–	–	–	2	2	1	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	3	–	–	–	1	–	–	–	–	–	–	–
Mortification	2	2	–	2	1	7	1	1	1	3	1	–	–	–	–	–
Cancer	4	7	6	7	12	14	18	7	5	6	2	1	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	5	5	2	2	2	1	2	3	2	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	1	–	4	–	–	–	–	–	–	–	–	–	–	–
Phthisis	148	99	107	81	58	49	38	17	11	3	–	–	–	–	–	–
Hydrocephalus	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1856.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	83	4	6	12	12	6	6	5	7	2	3	3	3
Apoplexy	235	3	2	3	2	–	1	5	10	13	2	3	7
Paralysis	268	–	–	1	–	1	–	1	1	1	1	4	2
Delirium Tremens	26	–	–	–	–	–	–	–	–	–	–	3	3
Chorea	2	–	–	–	–	–	–	–	–	–	1	–	–
Epilepsy	36	–	–	1	1	–	–	1	3	2	5	3	3
Tetanus	24	6	–	–	3	–	–	–	1	3	–	2	–
Insanity	6	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	242	108	27	32	41	14	12	1	4	1	–	–	1
Brain Disease	193	4	1	10	8	6	4	7	20	13	11	8	9
V. Pericarditis	14	–	–	–	–	–	–	–	1	2	3	1	3
Aneurism	31	–	–	–	–	–	–	–	–	–	–	1	4
Heart Disease	417	3	–	–	1	2	3	–	6	10	16	17	17
VI. Laryngitis	29	2	1	2	2	3	7	2	2	–	1	1	–
Bronchitis	765	67	50	132	102	44	26	12	20	3	5	8	9
Pleurisy	67	–	2	2	–	–	–	3	8	–	3	3	6
Pneumonia	641	48	55	112	93	54	23	17	28	5	13	9	15
Asthma	139	–	–	1	–	–	–	–	–	–	–	2	3
Lung Disease	85	1	2	3	5	6	1	3	5	1	3	6	7
VII. Teething	309	–	18	128	148	13	1	–	1	–	–	–	–
Quinsey	14	–	3	2	2	1	1	1	–	–	–	–	–
Gastritis	36	4	2	4	4	1	–	–	3	–	–	2	1
Enteritis	200	65	33	22	20	8	–	4	6	2	6	3	2
Peritonitis	51	7	2	3	–	1	1	–	4	8	3	3	5
Ascites	14	–	–	–	1	1	–	–	–	–	–	–	1
Ulceration of Intestines	34	1	–	–	1	4	–	2	–	1	2	4	3
Hernia	18	–	1	–	–	–	–	–	–	–	–	1	–
Ileus	45	8	1	1	1	–	1	–	1	1	2	2	3
Intussusception	6	–	2	–	–	–	–	–	–	1	–	–	–
Stricture of Intestines	2	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	89	9	3	8	9	3	3	1	2	1	–	1	3
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	23	2	1	–	–	–	–	–	1	1	–	–	–
Jaundice	29	14	–	–	–	2	–	–	1	–	–	–	–
Liver Disease	118	1	1	2	–	1	2	1	1	1	5	4	3
Spleen Disease	3	–	–	–	–	–	–	–	–	1	–	–	–
VIII. Nephritis	12	–	–	–	–	2	1	–	1	–	–	–	3
Nephria	32	–	–	–	–	–	–	–	1	4	1	3	5
Ischuria	8	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	11	–	–	–	–	–	–	–	–	–	–	–	3
Stone	12	–	–	–	–	–	–	1	–	2	–	–	–
Cystitis	8	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	96	–	1	–	–	1	2	–	–	–	2	6	5
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Uterine Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	4	1	–	–	–	–	–	–	–	1	1	1	–
Rheumatism	18	–	–	–	–	1	–	–	2	–	–	–	–
Joint and Bone Disease	38	–	–	–	1	–	1	–	4	6	8	3	2
XI. Carbuncle	9	–	–	–	–	–	–	–	–	–	–	1	–
Phlegmon	2	1	–	1	–	–	–	–	–	–	–	–	–
Skin Disease	8	1	1	1	2	1	–	–	–	–	–	1	1
XII. Cyanosis	5	4	1	–	–	–	–	–	–	–	–	–	–
Spina Bifida	8	6	–	–	1	–	–	–	–	1	–	–	–
Other Malformations	12	11	–	–	1	–	–	–	–	–	–	–	–
XVII. Intemperance	24	–	–	–	–	–	–	–	–	–	–	1	2
Privation	2	–	–	–	–	1	–	–	–	–	–	–	–
Want of Breast Milk	9	7	2	–	–	–	–	–	–	–	–	–	–
Neglect	1	1	–	–	–	–	–	–	–	–	–	–	–
Cold	1	–	1	–	–	–	–	–	–	–	–	–	–
Poison	11	3	–	–	–	–	–	1	–	–	–	–	1
Burns and Scalds	63	–	–	3	9	8	9	8	12	1	1	1	1
Hanging, etc.	14	–	–	–	–	–	–	–	–	–	2	1	1
Suffocation	19	2	–	–	1	2	–	–	2	–	1	2	1
Drowning	155	1	–	–	1	1	–	2	10	11	16	14	20
Fracture and Contusion	225	–	–	–	2	2	2	5	10	10	23	19	22
Wounds	18	–	–	–	–	–	–	–	–	1	1	1	1
Other Violent Causes	16	1	–	1	–	2	–	–	1	1	1	1	–
Not Specified	712	293	86	84	73	20	7	12	23	7	12	11	9

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1856.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	1	5	2	1	1	2	–	2	–	–	–	–	–	–	–
Apoplexy	7	12	11	15	10	29	26	26	28	9	8	2	1	–	–	–
Paralysis	9	7	9	20	20	26	33	37	47	31	10	6	1	–	–	–
Delirium Tremens	2	5	9	3	1	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	2	1	3	1	1	5	1	3	–	–	–	–	–	–	–	–
Tetanus	–	1	1	–	2	2	–	1	2	–	–	–	–	–	–	–
Insanity	–	–	1	–	1	3	–	–	1	–	–	–	–	–	–	–
Convulsions	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	9	11	10	8	12	13	16	8	3	1	1	–	–	–	–	–
Pericarditis	–	–	–	1	–	1	–	–	–	2	–	–	–	–	–	–
Aneurism	4	5	3	4	4	2	2	1	–	1	–	–	–	–	–	–
Heart Disease	20	38	30	28	31	58	37	37	28	21	11	3	–	–	–	–
Laryngitis	2	1	–	1	1	–	–	–	1	–	–	–	–	–	–	–
Bronchitis	13	15	24	24	29	35	39	27	30	31	13	7	–	–	–	–
Pleurisy	5	2	6	5	2	6	7	4	2	1	–	–	–	–	–	–
Pneumonia	19	20	26	20	20	21	11	17	8	4	1	1	–	–	–	1
Asthma	4	9	10	12	14	14	25	15	11	17	–	2	–	–	–	–
Lung Disease	5	9	3	4	4	6	4	3	2	2	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	2	1	–	1	–	–	–	–	–	–	–	–
Gastritis	4	1	3	–	2	1	2	1	1	–	–	–	–	–	–	–
Enteritis	2	4	8	3	3	3	2	2	–	2	–	–	–	–	–	–
Peritonitis	3	1	–	3	1	1	3	–	–	–	2	–	–	–	–	–
Ascites	2	1	–	1	2	2	–	1	2	–	–	–	–	–	–	–
Ulceration of Intestines	3	3	1	3	2	1	1	2	–	–	–	–	–	–	–	–
Hernia	2	1	–	–	1	1	1	2	3	3	2	–	–	–	–	–
Ileus	1	2	4	2	4	–	3	4	3	–	–	1	–	–	–	–
Intussusception	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
Stomach Disease	2	2	5	6	7	5	6	5	7	1	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	2	3	2	1	2	2	1	1	1	1	–	–	–	–	–
Jaundice	1	–	1	2	1	2	1	1	2	1	–	–	–	–	–	–
Liver Disease	7	8	10	12	16	14	11	7	7	2	1	1	–	–	–	–
Spleen Disease	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Nephritis	–	3	–	–	–	–	2	–	–	–	–	–	–	–	–	–
Nephria	3	5	2	3	1	1	2	1	–	–	–	–	–	–	–	–
Ischuria	1	–	–	1	1	–	–	–	1	1	3	–	–	–	–	–
Diabetes	3	2	–	–	1	2	–	–	–	–	–	–	–	–	–	–
Stone	–	–	1	1	–	1	1	2	2	–	1	–	–	–	–	–
Cystitis	1	–	–	–	–	–	3	–	1	2	1	–	–	–	–	–
Stricture of Urethra	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	2	3	8	2	7	12	7	13	8	12	4	1	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Uterine Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	4	1	–	1	3	2	1	1	1	–	–	–	–	–	–
Joint Disease	1	2	2	3	–	1	3	–	1	–	–	–	–	–	–	–
Carbuncle	–	1	–	–	–	1	3	–	1	1	–	1	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	1	6	3	2	3	3	1	2	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	2	–	1	–	1	1	–	–	–	–	–	–	–	–	–
Burns and Scalds	2	1	–	1	–	1	–	2	2	–	–	–	–	1	–	–
Hanging, etc.	1	–	2	3	–	1	1	–	2	–	–	–	–	–	–	–
Suffocation	–	1	2	1	1	–	–	1	–	1	–	–	–	–	–	1
Drowning	16	11	15	9	5	2	7	3	3	4	–	–	–	–	–	4
Fracture and Contusion	27	18	22	15	13	6	8	8	4	3	4	–	–	–	–	2
Wounds	–	3	1	1	3	–	4	–	2	–	–	–	–	–	–	–
Other Violent Causes	1	1	1	–	–	2	–	–	–	2	–	–	–	–	–	1
Not Specified	7	10	12	13	7	11	11	1	–	–	–	–	–	–	–	3

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1856.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	13722	1325	460	1169	1543	821	468	351	697	281	419	485	485
SPECIFIED CAUSES	13086	1087	388	1106	1485	798	456	335	681	275	412	478	470
I. Zymotic Class	3707	144	142	477	763	482	295	206	386	88	76	71	76
II. Diseases of Uncertain Seat	603	13	5	7	10	8	2	1	16	8	10	9	28
III. Tubercular Class	2348	17	58	172	242	135	61	53	138	91	210	220	200
IV. Brain and Nervous System	960	83	28	55	42	27	13	14	28	24	24	28	23
V. Organs of Circulation	471	2	1	1	1	1	–	4	8	22	23	20	17
VI. Respiratory Organs	1590	99	81	185	191	86	57	34	57	20	25	38	36
VII. Organs of Digestion	1005	72	44	181	192	35	12	6	14	11	16	27	32
VIII. Urinary Organs	76	1	–	1	2	2	–	1	3	3	6	9	7
IX. Organs of Generation	202	–	–	–	–	–	–	–	–	–	6	31	41
X. Organs of Locomotion	49	–	–	–	1	–	–	2	2	3	6	3	1
XI. Skin, etc.	10	2	1	1	1	1	–	–	1	1	1	–	–
XII. Malformation	23	19	2	–	1	–	–	–	1	–	–	–	–
XIII. Premature Debility	643	620	17	6	–	–	–	–	–	–	–	–	–
XIV. Atrophy	126	–	4	14	24	9	4	6	5	1	1	3	–
XV. Age	1000	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	34	1	1	1	–	1	–	–	–	1	–	2	2
XVII. Violent Deaths	239	14	4	5	15	11	12	8	22	2	8	17	7
I. Small Pox	398	17	28	75	91	63	37	14	34	5	6	9	7
Measles	260	5	6	38	110	52	20	11	17	1	–	–	–
Scarlatina	735	3	11	59	116	123	98	89	177	34	11	1	6
Hooping Cough	864	34	48	199	263	145	76	44	51	4	–	–	–
Croup	222	12	9	27	60	45	27	19	22	1	–	–	–
Thrush	10	4	3	1	2	–	–	–	–	–	–	–	–
Diarrhœa	309	36	22	49	75	10	2	3	8	2	1	5	4
Dysentery	111	2	–	6	9	3	2	1	3	–	4	2	4
Cholera	24	1	3	5	4	–	–	–	–	–	–	1	1
Influenza	35	2	–	–	–	3	2	–	1	–	2	1	–
Purpura	11	–	1	–	–	3	–	1	–	1	2	–	1
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	5	–	–	–	1	2	2	–	–	–	–	–	–
Infantile Fever	38	1	2	8	13	7	4	3	–	–	–	–	–
Typhus	523	2	–	2	17	22	22	20	72	38	46	36	36
Metria	55	–	–	–	–	–	–	–	–	–	3	9	10
Rheumatic Fever	10	–	–	–	–	–	1	–	–	1	–	1	2
Erysipelas	65	16	1	6	2	2	1	–	–	1	–	5	4
Syphilis	26	9	8	2	–	1	–	–	–	–	–	1	1
Noma	6	–	–	–	–	1	1	1	1	–	1	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	21	4	–	1	–	1	–	–	2	–	2	–	1
Dropsy	235	–	2	–	2	3	–	1	13	4	3	7	13
Abscess	31	2	–	4	3	2	–	–	–	3	–	–	5
Ulcer	11	2	–	1	2	–	–	–	–	–	1	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	37	2	2	1	3	2	1	–	1	–	1	–	–
Cancer	266	3	1	–	–	–	1	–	–	1	3	2	9
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	77	–	–	5	9	2	3	3	7	9	9	5	3
Tabes Mesenterica	118	4	8	12	36	16	9	9	9	6	4	1	–
Phthisis	1663	–	13	35	59	51	17	16	71	72	194	214	196
Hydrocephalus	490	13	37	120	138	66	32	25	51	4	3	–	1

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1856.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	474	470	461	417	452	466	512	468	486	438	314	151	77	16	6	10
SPECIFIED CAUSES	463	460	455	397	429	449	500	467	486	438	314	151	77	16	6	7
Zymotic Class	65	68	54	51	41	55	51	45	33	19	14	3	–	–	–	2
Uncertain Seat	26	32	50	52	61	68	67	40	38	32	13	6	1	–	–	–
Tubercular Class	166	147	136	107	74	51	34	24	8	4	–	–	–	–	–	–
Brain, etc.	30	37	29	37	44	57	85	79	81	48	31	10	3	–	–	–
Heart, etc.	28	31	43	39	38	48	46	45	36	12	4	1	–	–	–	–
Respiratory Organs	42	46	58	47	83	94	94	78	60	45	22	11	1	–	–	–
Digestive Organs	40	36	39	26	40	39	54	32	30	12	12	1	–	–	–	2
Urinary Organs	4	7	2	6	2	5	3	4	6	1	1	–	–	–	–	–
Generative Organs	40	40	23	8	4	5	3	–	–	1	–	–	–	–	–	–
Locomotive Organs	–	3	1	2	4	6	3	8	–	2	1	–	–	1	–	–
Skin	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	7	4	7	7	11	11	8	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	34	102	189	253	211	117	72	15	6	1
Sudden Deaths	2	2	2	4	3	1	5	3	1	2	–	–	–	–	–	–
Violent Deaths	13	7	11	11	24	9	12	7	4	7	5	2	–	–	–	2
Small Pox	5	3	2	–	1	–	–	–	–	–	–	–	–	–	–	1
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	3	2	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	10	8	8	5	9	8	14	13	7	5	4	1	–	–	–	–
Dysentery	3	5	3	5	4	12	14	10	11	3	3	2	–	–	–	–
Cholera	2	2	1	1	–	1	2	–	–	–	–	–	–	–	–	–
Influenza	–	2	3	1	2	4	1	3	3	1	4	–	–	–	–	–
Purpura	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	26	30	30	33	20	26	17	14	8	5	–	–	–	–	–	1
Metria	13	13	6	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	1	1	1	2	–	–	–	–	–	–	–	–
Erysipelas	2	3	–	3	3	1	2	3	4	4	2	–	–	–	–	–
Syphilis	1	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	4	1	2	–	1	1	–	–	–	1	–	–	–	–	–	–
Dropsy	10	13	14	14	23	31	30	14	20	11	5	2	–	–	–	–
Abscess	2	2	–	4	1	–	2	–	1	–	–	–	–	–	–	–
Ulcer	–	–	–	2	2	–	–	–	–	1	–	–	–	–	–	–
Fistula	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	–	1	1	1	1	4	3	2	6	2	1	–	–	–	–
Cancer	8	16	32	31	33	35	31	23	15	12	6	3	1	–	–	–
Gout	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Scrofula	6	2	3	–	3	2	4	1	–	1	–	–	–	–	–	–
Tabes Mesenterica	–	1	–	–	2	1	–	–	–	–	–	–	–	–	–	–
Phthisis	160	144	133	107	69	48	30	23	8	3	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1856.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	66	1	4	10	7	6	3	4	8	5	5	2	2
Apoplexy	199	–	2	7	2	4	–	–	2	3	5	10	7
Paralysis	301	–	–	1	–	–	1	–	1	2	2	5	4
Delirium Tremens	2	–	–	–	–	–	–	–	–	–	–	–	1
Chorea	4	–	–	–	–	–	–	–	–	1	2	–	–
Epilepsy	39	–	–	–	–	–	–	–	1	4	3	3	2
Tetanus	8	1	–	1	–	–	–	–	–	1	–	–	1
Insanity	20	–	–	–	–	–	–	–	–	–	–	–	1
Convulsions	188	77	18	33	29	8	4	5	5	3	1	–	–
Brain Disease	133	4	4	3	4	9	5	5	11	5	6	8	5
V. Pericarditis	15	–	–	–	1	1	–	–	2	1	2	3	–
Aneurism	13	–	–	–	–	–	–	–	–	–	1	–	1
Heart Disease	443	2	1	1	–	–	–	4	6	21	20	17	16
VI. Laryngitis	30	–	–	–	5	1	5	1	4	–	2	–	2
Bronchitis	797	56	46	104	91	43	30	12	25	9	4	15	16
Pleurisy	49	2	2	3	2	2	–	2	6	2	2	2	3
Pneumonia	471	38	32	73	87	38	18	15	17	7	10	16	9
Asthma	157	–	–	1	–	–	1	–	–	–	1	2	4
Lung Disease	86	3	1	4	6	2	3	4	5	2	6	3	2
VII. Teething	349	1	19	149	164	16	–	–	–	–	–	–	–
Quinsey	11	–	–	2	1	4	–	–	–	1	–	1	–
Gastritis	24	1	–	1	2	–	–	–	1	–	3	3	1
Enteritis	194	43	17	19	20	10	8	3	7	3	3	6	4
Peritonitis	56	2	–	1	–	–	1	–	1	–	4	6	8
Ascites	23	–	–	–	–	–	1	1	1	–	–	–	2
Ulceration of Intestines	31	–	–	–	–	–	–	–	–	–	1	2	5
Hernia	16	1	–	–	–	–	–	–	–	–	–	1	–
Ileus	42	4	–	–	1	–	1	1	1	2	1	–	–
Intussusception	7	–	2	–	–	–	–	–	–	1	–	–	–
Stricture of Intestines	3	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	76	6	4	7	1	1	1	1	2	–	2	3	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	28	1	–	–	2	–	–	–	–	–	–	1	2
Jaundice	38	9	1	2	1	3	–	–	–	–	1	2	4
Liver Disease	105	4	1	–	–	1	–	–	1	4	–	2	5
Spleen Disease	2	–	–	–	–	–	–	–	–	–	1	–	–
VIII. Nephritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	29	–	–	–	1	2	–	1	–	1	3	3	4
Ischuria	4	1	–	1	–	–	–	–	–	–	1	–	–
Diabetes	10	–	–	–	1	–	–	–	–	1	–	4	–
Stone	2	–	–	–	–	–	–	–	1	–	–	–	–
Cystitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	28	–	–	–	–	–	–	–	2	1	2	2	3
IX. Paramenia	4	–	–	–	–	–	–	–	–	–	2	–	–
Ovarian Dropsy	11	–	–	–	–	–	–	–	–	–	1	–	–
Childbirth	160	–	–	–	–	–	–	–	–	–	3	31	40
Uterine Disease	27	–	–	–	–	–	–	–	–	–	–	–	1
X. Arthritis	3	–	–	–	–	–	–	–	–	–	2	–	–
Rheumatism	23	–	–	–	–	–	–	–	–	1	1	2	–
Joint and Bone Disease	23	–	–	–	1	–	–	2	2	2	3	1	1
XI. Carbuncle	3	–	–	–	–	–	–	–	–	1	1	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	7	2	1	1	1	1	–	–	1	–	–	–	–
XII. Cyanosis	6	5	–	–	–	–	–	–	1	–	–	–	–
Spina Bifida	5	4	1	–	–	–	–	–	–	–	–	–	–
Other Malformations	12	10	1	–	1	–	–	–	–	–	–	–	–
XVII. Intemperance	15	–	–	–	–	–	–	–	–	–	–	–	–
Privation	2	1	–	1	–	–	–	–	–	–	–	–	–
Want of Breast Milk	6	3	2	1	–	–	–	–	–	–	–	–	–
Neglect	2	2	–	–	–	–	–	–	–	–	–	–	–
Cold	1	1	–	–	–	–	–	–	–	–	–	–	–
Poison	14	1	–	–	1	–	–	–	2	–	1	1	1
Burns and Scalds	73	–	–	2	8	6	11	7	15	–	1	2	–
Hanging, etc.	6	–	–	–	–	–	–	–	–	–	1	1	1
Suffocation	13	3	2	–	1	–	–	–	1	1	–	–	1
Drowning	38	1	–	–	2	1	–	–	1	–	3	7	4
Fracture and Contusion	60	–	–	–	3	3	1	1	3	1	2	5	–
Wounds	1	–	–	–	–	1	–	–	–	–	–	–	–
Other Violent Causes	8	2	–	1	–	–	–	–	–	–	–	1	–
Not Specified	636	238	72	63	58	23	12	16	16	6	7	7	15

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1856.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	3	1	–	1	2	–	–	2	–	–	–	–	–	–	–	–
Apoplexy	8	8	11	13	14	12	20	20	23	12	10	4	2	–	–	–
Paralysis	7	12	6	11	19	29	50	48	50	29	18	5	1	–	–	–
Delirium Tremens	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Epilepsy	4	8	2	3	1	1	4	–	1	2	–	–	–	–	–	–
Tetanus	–	–	–	–	1	–	–	–	1	2	–	–	–	–	–	–
Insanity	1	1	1	2	1	7	3	1	1	1	–	–	–	–	–	–
Convulsions	–	2	1	1	–	–	–	–	1	–	–	–	–	–	–	–
Brain Disease	7	5	7	6	6	7	8	8	4	2	3	1	–	–	–	–
Pericarditis	–	–	2	–	1	–	1	1	–	–	–	–	–	–	–	–
Aneurism	1	–	3	1	1	1	3	–	1	–	–	–	–	–	–	–
Heart Disease	27	31	38	38	36	47	42	44	35	12	4	1	–	–	–	–
Laryngitis	1	1	2	1	1	1	1	1	1	–	–	–	–	–	–	–
Bronchitis	18	20	27	15	37	41	47	44	44	30	15	7	1	–	–	–
Pleurisy	2	2	3	1	5	2	1	2	2	–	1	–	–	–	–	–
Pneumonia	12	15	11	6	17	16	12	8	5	4	2	3	–	–	–	–
Asthma	6	3	8	16	15	28	28	23	8	9	4	–	–	–	–	–
Lung Disease	3	5	7	8	8	6	5	–	–	2	–	1	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Gastritis	3	–	1	1	–	2	1	1	1	–	2	–	–	–	–	–
Enteritis	11	7	4	1	5	5	8	5	4	1	–	–	–	–	–	–
Peritonitis	7	6	6	5	2	1	1	2	1	2	–	–	–	–	–	–
Ascites	1	4	1	1	1	1	5	1	2	1	–	–	–	–	–	–
Ulceration of Intestines	2	5	1	1	4	1	4	1	3	–	1	–	–	–	–	–
Hernia	2	–	2	1	3	1	2	–	1	–	2	–	–	–	–	–
Ileus	4	1	–	2	4	2	3	7	2	2	3	1	–	–	–	–
Intussusception	–	–	1	1	–	–	1	–	–	–	1	–	–	–	–	–
Stricture of Intestines	–	–	2	–	–	–	–	1	–	–	–	–	–	–	–	–
Stomach Disease	4	4	3	6	7	6	7	4	3	–	2	–	–	–	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	2	4	–	4	5	4	2	1	–	–	–	–	–	–	–
Jaundice	–	–	2	3	2	1	3	1	2	–	1	–	–	–	–	–
Liver Disease	6	7	12	4	8	14	14	6	9	6	–	–	–	–	–	1
Spleen Disease	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Nephria	3	2	2	1	–	1	1	2	2	–	–	–	–	–	–	–
Ischuria	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	2	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Cystitis	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	2	–	4	1	4	–	1	3	1	1	–	–	–	–	–
Paramenia	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	3	3	2	2	–	–	–	–	–	–	–	–	–	–
Childbirth	34	37	14	1	–	–	–	–	–	–	–	–	–	–	–	–
Uterine Disease	6	3	4	4	2	3	3	–	–	1	–	–	–	–	–	–
Arthritis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	1	1	1	3	3	2	6	–	1	–	–	–	1	–	–
Joint Disease	–	1	–	1	1	3	1	2	–	1	1	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	2	2	2	1	3	3	1	–	–	1	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	1	–	1	2	1	1	–	–	–	–	–	–	–	–	–
Burns and Scalds	2	–	1	2	4	–	3	3	1	1	3	1	–	–	–	–
Hanging, etc.	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–
Drowning	3	1	1	2	6	3	1	1	–	–	–	–	–	–	–	1
Fracture and Contusion	3	1	5	4	5	2	6	3	3	5	2	1	–	–	–	1
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	2	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Not Specified	11	10	6	20	23	17	12	1	–	–	–	–	–	–	–	3

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1856.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
All Causes	10298	1226	414	1073	1400	622	376	286	504	209	299	381	363
Specified Causes	9820	1011	358	1018	1358	611	372	272	491	204	292	378	355
I. Zymotic Class	2765	116	108	397	641	307	217	159	229	43	68	63	58
II. Diseases of Uncertain Seat	295	10	3	5	10	8	6	3	13	10	5	7	19
III. Tubercular Class	1794	16	55	150	224	121	51	41	112	72	127	168	138
IV. Brain and Nervous System	714	80	24	61	45	29	14	13	28	24	7	20	15
V. Organs of Circulation	290	4	1	–	–	1	1	–	5	9	13	16	15
VI. Respiratory Organs	1479	88	94	215	214	99	62	37	58	15	27	35	44
VII. Organs of Digestion	849	88	48	169	192	29	11	7	13	7	16	18	23
VIII. Urinary Organs	57	–	1	–	1	–	–	1	1	2	6	5	1
IX. Organs of Generation	86	–	–	–	–	–	–	–	–	–	2	14	19
X. Organs of Locomotion	38	1	–	–	1	–	–	–	2	5	5	1	–
XI. Skin, etc.	5	1	1	1	–	–	–	–	–	1	–	–	–
XII. Malformation	12	11	–	–	–	–	–	–	–	1	–	–	–
XIII. Premature Debility	604	577	23	4	–	–	–	–	–	–	–	–	–
XIV. Atrophy	94	–	–	12	17	8	3	2	7	3	–	4	–
XV. Age	423	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	17	5	–	–	–	1	1	–	–	–	–	1	1
XVII. Violent Deaths	298	14	–	4	13	8	6	9	23	12	16	26	22
I. Small Pox	127	6	7	34	28	15	9	5	4	1	2	12	1
Measles	134	4	–	26	63	19	6	6	10	–	–	–	–
Scarlatina	361	1	5	30	69	48	57	42	85	14	4	1	1
Hooping Cough	901	36	49	202	286	138	83	57	48	2	–	–	–
Croup	178	8	7	23	55	30	23	18	14	–	–	–	–
Thrush	7	4	2	1	–	–	–	–	–	–	–	–	–
Diarrhœa	336	40	24	47	89	10	5	5	4	3	–	4	7
Dysentery	98	1	2	13	12	6	5	–	5	–	4	1	3
Cholera	24	–	2	4	3	2	1	1	–	–	–	–	1
Influenza	19	–	–	1	–	4	3	1	3	–	–	–	–
Purpura	6	–	1	1	1	1	–	1	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	2	–	–	–	–	1	1	–	–	–	–	–	–
Infantile Fever	34	–	3	9	12	7	2	1	–	–	–	–	–
Typhus	439	–	–	–	20	23	20	21	54	23	55	40	34
Metria	23	–	–	–	–	–	–	–	–	–	2	4	3
Rheumatic Fever	8	1	–	–	–	–	1	–	–	–	–	–	2
Erysipelas	43	13	–	2	2	1	–	–	2	–	1	1	5
Syphilis	18	2	5	3	1	1	–	–	–	–	–	–	1
Noma	7	–	1	1	–	1	1	1	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	17	2	–	1	–	–	–	–	–	2	–	1	2
Dropsy	141	2	–	1	5	6	6	3	11	6	1	4	8
Abscess	22	1	–	3	2	1	–	–	1	2	1	1	4
Ulcer	5	–	1	–	1	–	–	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	16	2	2	–	1	1	–	–	1	–	1	–	–
Cancer	93	3	–	–	1	–	–	–	–	–	2	1	5
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	66	1	–	5	3	4	1	2	5	12	5	5	3
Tabes Mesenterica	105	3	6	18	37	17	5	2	9	5	–	–	1
Phthisis	1237	–	8	29	70	51	22	20	68	53	122	163	134
Hydrocephalus	386	12	41	98	114	49	23	17	30	2	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1856.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	379	309	351	308	285	298	322	261	242	180	126	61	17	3	–	3
Specified Causes	374	302	348	303	272	292	317	261	242	180	126	61	17	3	–	2
Zymotic Class	51	42	49	41	32	36	36	30	22	11	8	1	–	–	–	–
Uncertain Seat	14	17	26	23	21	29	29	17	10	9	1	–	–	–	–	–
Tubercular Class	131	74	94	78	52	29	31	18	8	4	–	–	–	–	–	–
Brain, etc.	23	22	29	22	34	48	66	32	40	26	7	4	1	–	–	–
Heart, etc.	14	27	25	30	20	32	22	27	19	5	3	1	–	–	–	–
Respiratory Organs	52	48	53	48	52	68	65	51	21	23	6	4	–	–	–	–
Digestive Organs	29	26	33	24	32	22	27	16	12	5	2	–	–	–	–	–
Urinary Organs	3	8	2	5	2	2	4	6	2	4	1	–	–	–	–	–
Generative Organs	23	12	7	5	2	1	1	–	–	–	–	–	–	–	–	–
Locomotive Organs	2	5	1	2	5	5	–	3	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	3	4	5	2	4	8	12	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	11	54	104	87	97	51	16	3	–	–
Sudden Deaths	2	–	1	2	–	1	1	1	–	–	–	–	–	–	–	–
Violent Deaths	27	17	23	21	16	11	12	6	4	5	1	–	–	–	–	2
Small Pox	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	1	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	10	8	7	6	10	9	14	14	11	4	4	1	–	–	–	–
Dysentery	3	3	2	3	3	8	6	8	5	3	2	–	–	–	–	–
Cholera	3	2	1	–	2	–	2	–	–	–	–	–	–	–	–	–
Influenza	1	–	1	1	1	–	1	–	1	–	1	–	–	–	–	–
Purpura	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	22	20	28	28	14	16	10	6	3	2	–	–	–	–	–	–
Metria	7	3	4	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–
Erysipelas	1	2	2	1	2	1	2	1	2	2	–	–	–	–	–	–
Syphilis	2	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	1	2	1	2	1	–	1	–	–	–	–	–	–	–	–
Dropsy	5	8	9	8	6	11	17	11	4	8	1	–	–	–	–	–
Abscess	–	2	2	–	–	–	2	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	–	–	2	1	2	1	1	–	–	–	–	–	–	–	–
Cancer	7	6	12	10	12	14	9	4	6	1	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	7	2	2	–	3	2	1	2	–	1	–	–	–	–	–	–
Tabes Mesenterica	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Phthisis	124	72	91	78	48	27	30	16	8	3	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1856.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	71	1	6	14	13	6	3	4	8	5	–	1	1
Apoplexy	140	1	1	6	1	3	1	1	2	6	2	7	5
Paralysis	171	–	–	–	–	1	–	1	2	–	1	1	3
Delirium Tremens	5	–	–	–	–	–	–	–	–	–	–	1	–
Chorea	2	–	–	–	–	–	–	–	–	1	–	–	–
Epilepsy	25	–	–	–	1	–	–	1	2	4	1	2	1
Tetanus	11	1	–	–	1	–	–	–	–	1	–	2	–
Insanity	8	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	171	76	15	33	24	10	9	2	2	–	–	–	–
Brain Disease	110	1	2	8	5	9	1	4	12	7	3	6	5
V. Pericarditis	7	–	–	–	–	–	–	–	–	–	3	3	–
Aneurism	7	–	–	–	–	–	–	–	–	–	–	–	2
Heart Disease	276	4	1	–	–	1	1	–	5	9	10	13	13
VI. Laryngitis	28	1	–	2	4	3	7	2	3	–	–	–	–
Bronchitis	667	39	43	95	99	43	31	13	26	9	5	13	17
Pleurisy	32	1	2	4	–	–	–	1	3	–	2	1	5
Pneumonia	565	46	48	113	107	51	22	17	18	5	13	13	15
Asthma	116	–	–	–	–	–	–	–	–	–	–	4	4
Lung Disease	71	1	1	1	4	2	2	4	8	1	7	4	3
VII. Teething	315	–	14	133	153	13	1	–	1	–	–	–	–
Quinsey	7	–	–	1	2	2	–	–	–	–	–	–	–
Gastritis	23	1	1	2	2	–	–	–	–	–	2	3	2
Enteritis	200	56	24	25	25	9	6	3	7	3	6	3	3
Peritonitis	30	1	–	1	–	1	1	–	1	2	2	1	6
Ascites	12	–	–	–	1	–	–	1	–	–	–	–	2
Ulceration of Intestines	16	–	–	–	–	1	–	1	–	–	–	1	2
Hernia	6	1	–	–	–	–	–	–	–	–	–	1	–
Ileus	33	8	1	1	1	–	–	–	2	–	1	2	2
Intussusception	7	–	2	–	–	–	–	–	–	1	–	–	–
Stricture of Intestines	2	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	72	9	3	5	5	1	2	1	1	–	2	3	2
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	20	3	–	–	2	–	–	–	1	–	–	1	–
Jaundice	22	7	1	–	1	2	–	–	–	–	–	–	2
Liver Disease	83	2	2	1	–	–	1	1	–	1	3	3	2
Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	2	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	14	–	–	–	–	–	–	1	1	2	2	1	1
Ischuria	4	–	–	–	–	–	–	–	–	–	1	–	–
Diabetes	7	–	–	–	1	–	–	–	–	–	–	2	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	3	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	27	–	1	–	–	–	–	–	–	–	3	2	–
IX. Paramenia	1	–	–	–	–	–	–	–	–	–	1	–	–
Ovarian Dropsy	3	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	69	–	–	–	–	–	–	–	–	–	1	14	19
Uterine Disease	13	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	5	1	–	–	–	–	–	–	–	1	2	–	–
Rheumatism	16	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	17	–	–	–	1	–	–	–	2	4	3	1	–
XI. Carbuncle	2	–	–	–	–	–	–	–	–	1	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	3	1	1	1	–	–	–	–	–	–	–	–	–
XII. Cyanosis	1	1	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	5	4	–	–	–	–	–	–	–	1	–	–	–
Other Malformations	6	6	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	11	–	–	–	–	–	–	–	–	–	–	1	–
Privation	2	–	–	1	–	1	–	–	–	–	–	–	–
Want of Breast Milk	5	5	–	–	–	–	–	–	–	–	–	–	–
Neglect	3	3	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	10	3	–	–	1	–	–	1	–	–	1	–	1
Burns and Scalds	58	–	–	2	10	3	6	5	13	1	1	3	–
Hanging, etc.	8	–	–	–	–	–	–	–	–	–	–	1	2
Suffocation	7	–	–	–	–	–	–	–	1	1	–	2	1
Drowning	72	1	–	–	–	1	–	–	4	6	4	10	10
Fracture and Contusion	111	–	–	–	2	2	–	3	4	4	10	8	8
Wounds	3	–	–	–	–	1	–	–	–	–	–	–	–
Other Violent Causes	8	2	–	1	–	–	–	–	1	–	–	1	–
Not Specified	478	215	56	55	42	11	4	14	13	5	7	3	8

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1856.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	1	4	–	2	–	2	–	–	–	–	–	–	–	–	–
Apoplexy	10	4	10	5	11	14	19	12	13	2	1	2	1	–	–	–
Paralysis	5	4	6	12	11	22	34	18	22	21	5	2	–	–	–	–
Delirium Tremens	–	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	2	6	–	1	–	2	2	–	–	–	–	–	–	–	–	–
Tetanus	–	1	–	–	2	1	–	–	2	–	–	–	–	–	–	–
Insanity	–	–	1	–	2	3	1	–	1	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	6	5	5	3	6	6	8	2	2	3	1	–	–	–	–	–
Pericarditis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Aneurism	2	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–
Heart Disease	12	27	24	29	19	32	22	26	19	5	3	1	–	–	–	–
Laryngitis	2	2	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Bronchitis	18	18	27	22	27	34	30	28	12	10	4	4	–	–	–	–
Pleurisy	2	1	2	2	2	1	2	–	1	–	–	–	–	–	–	–
Pneumonia	18	15	12	9	11	11	7	10	2	2	–	–	–	–	–	–
Asthma	6	5	7	10	9	18	24	12	6	9	2	–	–	–	–	–
Lung Disease	6	7	4	5	3	4	1	1	–	2	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Gastritis	3	1	2	1	–	–	1	–	–	–	2	–	–	–	–	–
Enteritis	4	7	7	1	2	3	1	3	1	1	–	–	–	–	–	–
Peritonitis	3	3	–	3	1	1	2	–	–	1	–	–	–	–	–	–
Ascites	2	1	–	–	1	1	1	1	1	–	–	–	–	–	–	–
Ulceration of Intestines	3	1	1	2	2	–	1	–	1	–	–	–	–	–	–	–
Hernia	1	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–
Ileus	3	1	2	2	3	–	–	3	–	1	–	–	–	–	–	–
Intussusception	1	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	4	1	5	7	3	5	7	4	2	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	3	2	–	2	–	3	1	1	–	–	–	–	–	–	–
Jaundice	1	–	–	2	2	1	2	–	1	–	–	–	–	–	–	–
Liver Disease	3	8	9	4	13	11	8	4	5	2	–	–	–	–	–	–
Spleen Disease	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Nephria	1	2	1	2	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–
Diabetes	1	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	3	1	2	2	1	3	5	1	2	1	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–
Childbirth	19	10	5	1	–	–	–	–	–	–	–	–	–	–	–	–
Uterine Disease	4	2	1	3	1	1	1	–	–	–	–	–	–	–	–	–
Arthritis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	3	1	–	4	4	–	3	–	–	–	–	–	–	–	–
Joint Disease	1	1	–	2	1	1	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	1	2	1	1	2	3	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	3	1	1	2	2	1	2	1	1	–	–	–	–	–	–	–
Hanging, etc.	2	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–
Suffocation	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Drowning	7	4	6	4	4	2	4	1	2	1	–	–	–	–	–	1
Fracture and Contusion	13	7	13	12	6	5	3	4	1	4	1	–	–	–	–	1
Wounds	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	5	7	3	5	13	6	5	–	–	–	–	–	–	–	–	1

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1856.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	5193	698	227	579	719	316	190	153	273	110	149	172	166
SPECIFIED CAUSES	4934	567	197	543	698	312	190	150	266	108	144	171	163
I. Zymotic Class	1377	62	53	194	319	145	113	92	116	16	37	31	27
II. Diseases of Uncertain Seat	113	6	2	3	4	4	6	2	7	8	1	4	7
III. Tubercular Class	879	9	34	95	120	67	25	17	61	36	54	77	59
IV. Brain and Nervous System	395	48	13	32	28	15	9	8	17	14	3	10	9
V. Organs of Circulation	146	2	–	–	–	1	1	–	2	2	8	8	9
VI. Respiratory Organs	790	53	54	117	120	58	28	20	34	6	17	15	25
VII. Organs of Digestion	421	50	27	90	96	13	4	3	7	5	8	5	11
VIII. Urinary Organs	38	–	1	–	–	–	–	–	1	2	3	1	–
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	22	1	–	–	–	–	–	–	2	5	1	1	–
XI. Skin, etc.	3	–	1	1	–	–	–	–	–	–	–	–	–
XII. Malformation	6	5	–	–	–	–	–	–	–	1	–	–	–
XIII. Premature Debility	329	315	12	2	–	–	–	–	–	–	–	–	–
XIV. Atrophy	45	–	–	7	5	4	1	1	5	3	–	1	–
XV. Age	150	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	10	5	–	–	–	–	1	–	–	–	–	–	–
XVII. Violent Deaths	210	11	–	2	6	5	2	7	14	10	12	18	16
I. Small Pox	76	5	5	18	17	8	6	4	1	–	2	8	1
Measles	63	1	–	14	28	9	2	6	3	–	–	–	–
Scarlatina	207	1	1	13	46	30	37	26	45	4	1	1	–
Hooping Cough	403	14	24	96	130	53	34	30	21	1	–	–	–
Croup	95	5	2	11	29	16	13	11	8	–	–	–	–
Thrush	3	3	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	177	25	12	22	46	4	4	3	1	2	–	1	3
Dysentery	48	1	2	9	6	4	3	–	4	–	1	–	1
Cholera	12	–	–	2	1	2	1	1	–	–	–	–	–
Influenza	10	–	–	1	–	2	1	1	2	–	–	–	–
Purpura	3	–	–	1	1	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	–	–	1	–	–	–	–	–	–
Infantile Fever	19	–	3	5	6	5	–	–	–	–	–	–	–
Typhus	222	–	–	–	7	11	11	10	29	9	32	21	19
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	3	1	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	24	5	–	–	1	1	–	–	2	–	1	–	3
Syphilis	8	1	3	1	1	–	–	–	–	–	–	–	–
Noma	3	–	1	1	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	14	–	–	1	–	–	–	–	–	2	–	1	1
Dropsy	61	2	–	1	3	4	6	2	6	5	–	1	5
Abscess	10	1	–	1	–	–	–	–	1	1	1	1	1
Ulcer	2	–	1	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	6	1	1	–	–	–	–	–	–	–	–	–	–
Cancer	20	2	–	–	1	–	–	–	–	–	–	1	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	38	1	–	2	2	3	–	1	3	8	2	5	2
Tabes Mesenterica	66	3	3	13	22	9	3	2	4	4	–	–	1
Phthisis	560	–	6	16	38	26	11	8	37	24	52	72	56
Hydrocephalus	215	5	25	64	58	29	11	6	17	–	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1856.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	166	136	169	146	137	146	155	117	107	81	51	29	–	–	–	1
SPECIFIED CAUSES	165	133	167	144	134	143	153	117	107	81	51	29	–	–	–	1
Zymotic Class	19	18	24	22	17	13	19	14	15	6	4	1	–	–	–	–
Uncertain Seat	6	1	9	7	7	10	10	5	1	3	–	–	–	–	–	–
Tubercular Class	57	32	37	33	24	13	15	8	5	1	–	–	–	–	–	–
Brain, etc.	7	10	19	10	21	31	36	17	20	13	3	2	–	–	–	–
Heart, etc.	8	11	10	15	11	18	12	14	7	4	2	1	–	–	–	–
Respiratory Organs	26	29	25	21	25	32	30	26	11	11	3	4	–	–	–	–
Digestive Organs	14	13	16	13	17	8	10	5	6	–	–	–	–	–	–	–
Urinary Organs	3	3	2	3	2	2	4	4	2	4	1	–	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	2	4	1	1	1	3	–	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	3	1	2	5	7	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	1	19	37	35	37	21	–	–	–	–
Sudden Deaths	1	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–
Violent Deaths	22	12	20	18	7	7	8	5	3	3	1	–	–	–	–	1
Small Pox	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	2	2	3	4	4	4	9	8	9	4	4	1	–	–	–	–
Dysentery	1	2	1	2	3	2	2	2	1	1	–	–	–	–	–	–
Cholera	1	–	–	–	2	–	2	–	–	–	–	–	–	–	–	–
Influenza	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	11	10	15	15	7	6	2	3	3	1	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	1	2	2	–	1	–	2	1	2	–	–	–	–	–	–	–
Syphilis	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	1	2	1	2	1	–	1	–	–	–	–	–	–	–	–
Dropsy	2	–	2	4	1	4	5	4	1	3	–	–	–	–	–	–
Abscess	–	–	2	–	–	–	1	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	1	1	2	–	–	–	–	–	–	–	–	–	–
Cancer	3	–	3	1	3	2	4	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	4	1	1	–	1	1	–	1	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Phthisis	53	31	35	33	22	12	15	7	5	1	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1856.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	42	1	3	8	8	2	2	3	3	2	–	1	1
Apoplexy	83	1	–	2	1	–	1	1	2	5	–	3	3
Paralysis	82	–	–	–	–	1	–	1	1	–	1	–	1
Delirium Tremens	5	–	–	–	–	–	–	–	–	–	–	1	–
Chorea	1	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	9	–	–	–	1	–	–	1	1	1	–	–	1
Tetanus	9	1	–	–	1	–	–	–	–	1	–	2	–
Insanity	4	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	97	44	10	16	15	7	5	–	–	–	–	–	–
Brain Disease	63	1	–	6	2	5	1	2	10	5	2	3	3
V. Pericarditis	4	–	–	–	–	–	–	–	–	–	3	1	–
Aneurism	6	–	–	–	–	–	–	–	–	–	–	–	2
Heart Disease	136	2	–	–	–	1	1	–	2	2	5	7	7
VI. Laryngitis	14	1	–	2	1	3	3	1	1	–	–	–	–
Bronchitis	330	23	22	49	54	22	10	7	11	3	4	5	8
Pleurisy	19	–	–	1	–	–	–	1	2	–	1	1	2
Pneumonia	344	29	31	65	64	31	14	9	16	2	9	5	11
Asthma	51	–	–	–	–	–	–	–	–	–	–	2	2
Lung Disease	32	–	1	–	1	2	1	2	4	1	3	2	2
VII. Teething	157	–	6	69	76	4	1	–	1	–	–	–	–
Quinsey	5	–	–	1	1	1	–	–	–	–	–	–	–
Gastritis	11	–	1	2	1	–	–	–	–	–	–	1	1
Enteritis	96	31	15	14	12	4	–	1	3	1	4	–	1
Peritonitis	14	1	–	–	–	1	–	–	1	2	1	–	2
Ascites	6	–	–	–	1	–	–	–	–	–	–	–	1
Ulceration of Intestines	10	–	–	–	–	1	–	1	–	–	–	1	1
Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	19	5	1	1	1	–	–	–	1	–	–	2	2
Intussusception	3	–	1	–	–	–	–	–	–	1	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	32	6	2	2	4	1	2	–	–	–	–	–	2
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	10	2	–	–	–	–	–	–	1	–	–	–	–
Jaundice	9	4	–	–	–	1	–	–	–	–	–	–	–
Liver Disease	46	1	1	1	–	–	1	1	–	1	3	1	1
Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	2	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	8	–	–	–	–	–	–	–	1	2	1	–	–
Ischuria	2	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	2	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	3	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	21	–	1	–	–	–	–	–	–	–	2	1	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Uterine Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
X Arthritis	2	1	–	–	–	–	–	–	–	1	–	–	–
Rheumatism	9	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	11	–	–	–	–	–	–	–	2	4	1	1	–
XI. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	2	–	1	1	–	–	–	–	–	–	–	–	–
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	3	2	–	–	–	–	–	–	–	1	–	–	–
Other Malformations	3	3	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	9	–	–	–	–	–	–	–	–	–	–	1	–
Privation	1	–	–	–	–	1	–	–	–	–	–	–	–
Want of Breast Milk	5	5	–	–	–	–	–	–	–	–	–	–	–
Neglect	1	1	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	4	3	–	–	–	–	–	1	–	–	–	–	–
Burns and Scalds	25	–	–	1	5	2	2	3	5	1	–	1	–
Hanging, etc.	5	–	–	–	–	–	–	–	–	–	–	–	1
Suffocation	4	–	–	–	–	–	–	–	1	–	–	2	–
Drowning	57	1	–	–	–	1	–	–	4	6	3	8	7
Fracture and Contusion	92	–	–	–	1	1	–	3	3	3	9	6	8
Wounds	2	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	5	1	–	1	–	–	–	–	1	–	–	–	–
Not Specified	259	131	30	36	21	4	–	3	7	2	5	1	3

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1856.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	1	4	–	1	–	2	–	–	–	–	–	–	–	–	–
Apoplexy	4	4	6	3	5	10	14	7	8	1	1	1	–	–	–	–
Paralysis	1	1	3	5	8	12	14	9	10	11	2	1	–	–	–	–
Delirium Tremens	–	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–
Tetanus	–	1	–	–	1	1	–	–	1	–	–	–	–	–	–	–
Insanity	–	–	1	–	1	1	–	–	1	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	2	2	1	5	5	5	1	–	1	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	2	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Heart Disease	6	11	10	14	11	18	12	13	7	4	2	1	–	–	–	–
Laryngitis	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	7	9	12	12	12	18	13	12	5	5	3	4	–	–	–	–
Pleurisy	2	1	1	1	2	1	2	–	1	–	–	–	–	–	–	–
Pneumonia	11	10	8	7	3	6	4	7	1	1	–	–	–	–	–	–
Asthma	1	4	4	1	6	6	11	6	4	4	–	–	–	–	–	–
Lung Disease	4	4	–	–	2	1	–	1	–	1	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Gastritis	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	2	5	1	1	–	–	1	–	–	–	–	–	–	–	–
Peritonitis	1	1	–	2	–	–	2	–	–	–	–	–	–	–	–	–
Ascites	1	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	2	–	–	2	1	–	1	–	–	–	–	–	–	–	–	–
Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	1	–	2	–	2	–	–	1	–	–	–	–	–	–	–	–
Intussusception	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	1	–	2	3	–	2	2	2	1	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	2	1	–	1	–	1	–	1	–	–	–	–	–	–	–
Jaundice	1	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–
Liver Disease	1	6	3	4	9	4	4	1	3	–	–	–	–	–	–	–
Spleen Disease	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Nephria	1	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	1	1	1	2	1	3	4	1	2	1	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Uterine Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	3	1	–	1	3	–	–	–	–	–	–	–	–	–	–
Joint Disease	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	1	1	1	1	1	3	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	2	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	1	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–
Suffocation	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	6	3	5	4	1	–	3	1	2	1	–	–	–	–	–	1
Fracture and Contusion	12	6	12	10	5	3	2	4	1	2	1	–	–	–	–	–
Wounds	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	1	3	2	2	3	3	2	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life in 1856.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	5105	528	187	494	681	306	186	133	231	99	150	209	197
SPECIFIED CAUSES	4886	444	161	475	660	299	182	122	225	96	148	207	192
I. Zymotic Class	1388	54	55	203	322	162	104	67	113	27	31	32	31
II. Diseases of Uncertain Seat	182	4	1	2	6	4	–	1	6	2	4	3	12
III. Tubercular Class	915	7	21	55	104	54	26	24	51	36	73	91	79
IV. Brain and Nervous System	319	32	11	29	17	14	5	5	11	10	4	10	6
V. Organs of Circulation	144	2	1	–	–	–	–	–	3	7	5	8	6
VI. Respiratory Organs	689	35	40	98	94	41	34	17	24	9	10	20	19
VII. Organs of Digestion	428	38	21	79	96	16	7	4	6	2	8	13	12
VIII. Urinary Organs	19	–	–	–	1	–	–	1	–	–	3	4	1
IX. Organs of Generation	86	–	–	–	–	–	–	–	–	–	2	14	19
X. Organs of Locomotion	16	–	–	–	1	–	–	–	–	–	4	–	–
XI. Skin, etc.	2	1	–	–	–	–	–	–	–	1	–	–	–
XII. Malformation	6	6	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	275	262	11	2	–	–	–	–	–	–	–	–	–
XIV. Atrophy	49	–	–	5	12	4	2	1	2	–	–	3	–
XV. Age	273	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	7	–	–	–	–	1	–	–	–	–	–	1	1
XVII. Violent Deaths	88	3	–	2	7	3	4	2	9	2	4	8	6
I. Small Pox	51	1	2	16	11	7	3	1	3	1	–	4	–
Measles	71	3	–	12	35	10	4	–	7	–	–	–	–
Scarlatina	154	–	4	17	23	18	20	16	40	10	3	–	1
Hooping Cough	498	22	25	106	156	85	49	27	27	1	–	–	–
Croup	83	3	5	12	26	14	10	7	6	–	–	–	–
Thrush	4	1	2	1	–	–	–	–	–	–	–	–	–
Diarrhœa	159	15	12	25	43	6	1	2	3	1	–	3	4
Dysentery	50	–	–	4	6	2	2	–	1	–	3	1	2
Cholera	12	–	2	2	2	–	–	–	–	–	–	–	1
Influenza	9	–	–	–	–	2	2	–	1	–	–	–	–
Purpura	3	–	1	–	–	1	–	1	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	–	1	–	–	–	–	–	–	–
Infantile Fever	15	–	–	4	6	2	2	1	–	–	–	–	–
Typhus	217	–	–	–	13	12	9	11	25	14	23	19	15
Metria	23	–	–	–	–	–	–	–	–	–	2	4	3
Rheumatic Fever	5	–	–	–	–	–	1	–	–	–	–	–	2
Erysipelas	19	8	–	2	1	–	–	–	–	–	–	1	2
Syphilis	10	1	2	2	–	1	–	–	–	–	–	–	1
Noma	4	–	–	–	–	1	1	1	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	3	2	–	–	–	–	–	–	–	–	–	–	1
Dropsy	80	–	–	–	2	2	–	1	5	1	1	3	3
Abscess	12	–	–	2	2	1	–	–	–	1	–	–	3
Ulcer	3	–	–	–	1	–	–	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	10	1	1	–	1	1	–	–	1	–	1	–	–
Cancer	73	1	–	–	–	–	–	–	–	–	2	–	5
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	28	–	–	3	1	1	1	1	2	4	3	–	1
Tabes Mesenterica	39	–	3	5	15	8	2	–	5	1	–	–	–
Phthisis	677	–	2	13	32	25	11	12	31	29	70	91	78
Hydrocephalus	171	7	16	34	56	20	12	11	13	2	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1856.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	213	173	182	162	148	152	167	144	135	99	75	32	17	3	–	2
SPECIFIED CAUSES	209	169	181	159	138	149	164	144	135	99	75	32	17	3	–	1
Zymotic Class	32	24	25	19	15	23	17	16	7	5	4	–	–	–	–	–
Uncertain Seat	8	16	17	16	14	19	19	12	9	6	1	–	–	–	–	–
Tubercular Class	74	42	57	45	28	16	16	10	3	3	–	–	–	–	–	–
Brain, etc.	16	12	10	12	13	17	30	15	20	13	4	2	1	–	–	–
Heart, etc.	6	16	15	15	9	14	10	13	12	1	1	–	–	–	–	–
Respiratory Organs	26	19	28	27	27	36	35	25	10	12	3	–	–	–	–	–
Digestive Organs	15	13	17	11	15	14	17	11	6	5	2	–	–	–	–	–
Urinary Organs	–	5	–	2	–	–	–	2	–	–	–	–	–	–	–	–
Generative Organs	23	12	7	5	2	1	1	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	1	–	1	4	2	–	3	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	3	4	2	1	2	3	5	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	10	35	67	52	60	30	16	3	–	–
Sudden Deaths	1	–	–	2	–	–	–	1	–	–	–	–	–	–	–	–
Violent Deaths	5	5	3	3	9	4	4	1	1	2	–	–	–	–	–	1
Small Pox	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	8	6	4	2	6	5	5	6	2	–	–	–	–	–	–	–
Dysentery	2	1	1	1	–	6	4	6	4	2	2	–	–	–	–	–
Cholera	2	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	1	1	–	–	–	1	–	1	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	11	10	13	13	7	10	8	3	–	1	–	–	–	–	–	–
Metria	7	3	4	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	1	1	1	–	–	–	2	–	–	–	–	–	–
Syphilis	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	3	8	7	4	5	7	12	7	3	5	1	–	–	–	–	–
Abscess	–	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–
Cancer	4	6	9	9	9	12	5	4	6	1	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	3	1	1	–	2	1	1	1	–	1	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	71	41	56	45	26	15	15	9	3	2	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1856.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	29	–	3	6	5	4	1	1	5	3	–	–	–
Apoplexy	57	–	1	4	–	3	–	–	–	1	2	4	2
Paralysis	89	–	–	–	–	–	–	–	1	–	–	1	2
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	1	–	–	–	–	–	–	–	–	1	–	–	–
Epilepsy	16	–	–	–	–	–	–	–	1	3	1	2	–
Tetanus	2	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	4	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	74	32	5	17	9	3	4	2	2	–	–	–	–
Brain Disease	47	–	2	2	3	4	–	2	2	2	1	3	2
V. Pericarditis	3	–	–	–	–	–	–	–	–	–	–	2	–
Aneurism	1	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	140	2	1	–	–	–	–	–	3	7	5	6	6
VI. Laryngitis	14	–	–	–	3	–	4	1	2	–	–	–	–
Bronchitis	337	16	21	46	45	21	21	6	15	6	1	8	9
Pleurisy	13	1	2	3	–	–	–	–	1	–	1	–	3
Pneumonia	221	17	17	48	43	20	8	8	2	3	4	8	4
Asthma	65	–	–	–	–	–	–	–	–	–	–	2	2
Lung Disease	39	1	–	1	3	–	1	2	4	–	4	2	1
VII. Teething	158	–	8	64	77	9	–	–	–	–	–	–	–
Quinsey	2	–	–	–	1	1	–	–	–	–	–	–	–
Gastritis	12	1	–	–	1	–	–	–	–	–	2	2	1
Enteritis	104	25	9	11	13	5	6	2	4	2	2	3	2
Peritonitis	16	–	–	1	–	–	1	–	–	–	1	1	4
Ascites	6	–	–	–	–	–	–	1	–	–	–	–	1
Ulceration of Intestines	6	–	–	–	–	–	–	–	–	–	–	–	1
Hernia	5	1	–	–	–	–	–	–	–	–	–	1	–
Ileus	14	3	–	–	–	–	–	–	1	–	1	–	–
Intussusception	4	–	1	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	40	3	1	3	1	–	–	1	1	–	2	3	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	10	1	–	–	2	–	–	–	–	–	–	1	–
Jaundice	13	3	1	–	1	1	–	–	–	–	–	–	2
Liver Disease	37	1	1	–	–	–	–	–	–	–	–	2	1
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	6	–	–	–	–	–	–	1	–	–	1	1	1
Ischuria	2	–	–	–	–	–	–	–	–	–	1	–	–
Diabetes	5	–	–	–	1	–	–	–	–	–	–	2	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	6	–	–	–	–	–	–	–	–	–	1	1	–
IX. Paramenia	1	–	–	–	–	–	–	–	–	–	1	–	–
Ovarian Dropsy	3	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	69	–	–	–	–	–	–	–	–	–	1	14	19
Uterine Disease	13	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	3	–	–	–	–	–	–	–	–	–	2	–	–
Rheumatism	7	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	6	–	–	–	1	–	–	–	–	–	2	–	–
XI. Carbuncle	1	–	–	–	–	–	–	–	–	1	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	1	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	1	1	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	2	2	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	3	3	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	2	–	–	–	–	–	–	–	–	–	–	–	–
Privation	1	–	–	1	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	2	2	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	6	–	–	–	1	–	–	–	–	–	1	–	1
Burns and Scalds	33	–	–	1	5	1	4	2	8	–	1	2	–
Hanging, etc.	3	–	–	–	–	–	–	–	–	–	–	1	1
Suffocation	3	–	–	–	–	–	–	–	–	1	–	–	1
Drowning	15	–	–	–	–	–	–	–	–	–	1	2	3
Fracture and Contusion	19	–	–	–	1	1	–	–	1	1	1	2	–
Wounds	1	–	–	–	–	1	–	–	–	–	–	–	–
Other Violent Causes	3	1	–	–	–	–	–	–	–	–	–	1	–
Not Specified	219	84	26	19	21	7	4	11	6	3	2	2	5

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1856.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	6	–	4	2	6	4	5	5	5	1	–	1	1	–	–	–
Paralysis	4	3	3	7	3	10	20	9	12	10	3	1	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	6	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Insanity	–	–	–	–	1	2	1	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	5	3	3	2	1	1	3	1	2	2	1	–	–	–	–	–
Pericarditis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	6	16	14	15	8	14	10	13	12	1	1	–	–	–	–	–
Laryngitis	1	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Bronchitis	11	9	15	10	15	16	17	16	7	5	1	–	–	–	–	–
Pleurisy	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	7	5	4	2	8	5	3	3	1	1	–	–	–	–	–	–
Asthma	5	1	3	9	3	12	13	6	2	5	2	–	–	–	–	–
Lung Disease	2	3	4	5	1	3	1	–	–	1	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	1	1	–	–	1	–	–	–	2	–	–	–	–	–
Enteritis	4	5	2	–	1	3	1	2	1	1	–	–	–	–	–	–
Peritonitis	2	2	–	1	1	1	–	–	–	1	–	–	–	–	–	–
Ascites	1	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–
Ulceration of Intestines	1	1	1	–	1	–	–	–	1	–	–	–	–	–	–	–
Hernia	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–
Ileus	2	1	–	2	1	–	–	2	–	1	–	–	–	–	–	–
Intussusception	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	3	1	3	4	3	3	5	2	1	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	1	1	–	1	–	2	1	–	–	–	–	–	–	–	–
Jaundice	–	–	–	1	2	–	2	–	–	–	–	–	–	–	–	–
Liver Disease	2	2	6	–	4	7	4	3	2	2	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	2	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–
Childbirth	19	10	5	1	–	–	–	–	–	–	–	–	–	–	–	–
Uterine Disease	4	2	1	3	1	1	1	–	–	–	–	–	–	–	–	–
Arthritis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	3	1	–	3	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	–	1	1	2	–	2	1	1	–	–	–	–	–	–	–
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Drowning	1	1	1	–	3	2	1	–	–	–	–	–	–	–	–	–
Fracture and Contusion	1	1	1	2	1	2	1	–	–	2	–	–	–	–	–	1
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	4	4	1	3	10	3	3	–	–	–	–	–	–	–	–	1

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY, at different Periods of Life, in 1856.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
All Causes	642	66	23	59	65	33	21	12	26	19	23	32	21
Specified Causes	576	54	17	48	54	30	19	11	26	19	22	29	17
I. Zymotic Class	147	6	6	23	23	17	12	7	13	7	3	3	3
II. Diseases of Uncertain Seat	27	–	1	–	–	1	–	–	–	1	–	–	1
III. Tubercular Class	128	3	3	11	11	5	4	2	5	7	9	18	10
IV. Brain and Nervous System	44	–	–	–	1	–	–	–	4	1	3	4	–
V. Organs of Circulation	24	–	–	–	–	–	1	–	–	1	2	–	–
VI. Respiratory Organs	59	7	7	6	9	5	1	1	1	–	2	3	–
VII. Organs of Digestion	30	3	–	7	8	1	1	–	2	–	–	–	–
VIII. Urinary Organs	3	–	–	–	–	–	–	–	–	1	–	–	–
IX. Organs of Generation	2	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	1	–	–	–	–	–	–	–	–	–	–	–	–
XI. Skin, etc.	1	1	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	34	34	–	–	–	–	–	–	–	–	–	–	–
XIV. Atrophy	8	–	–	1	–	1	–	1	1	–	–	–	–
XV. Age	53	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	1	–	–	–	–	–	–	–	–	–	–	1	–
XVII. Violent Deaths	14	–	–	–	2	–	–	–	–	1	3	–	3
I. Small Pox	25	1	–	10	4	3	1	2	3	1	–	–	–
Measles	4	–	–	2	1	1	–	–	–	–	–	–	–
Scarlatina	24	–	–	1	4	5	4	3	4	2	–	–	–
Hooping Cough	27	1	2	9	8	3	1	1	2	–	–	–	–
Croup	8	–	–	–	2	1	3	1	1	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	17	2	3	–	2	2	–	–	–	–	–	1	–
Dysentery	7	–	–	1	1	1	–	–	–	–	–	–	–
Cholera	5	–	1	–	–	–	–	–	–	–	–	–	–
Influenza	2	1	–	–	–	–	–	–	–	–	–	–	–
Purpura	1	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	3	–	–	–	1	1	1	–	–	–	–	–	–
Typhus	21	–	–	–	–	–	2	–	3	4	3	1	3
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	1	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	2	–	–	–	–	–	–	–	–	–	–	1	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	–	1	–	–	–	–	–	–	–	–	–	–
Dropsy	13	–	–	–	–	–	–	–	–	1	–	–	1
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	3	–	–	–	–	1	–	–	–	–	–	–	–
Cancer	10	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	7	–	–	–	–	–	1	–	1	–	3	1	1
Tabes Mesenterica	10	1	1	1	3	2	–	2	–	–	–	–	–
Phthisis	98	–	2	4	6	2	2	–	3	7	6	17	9
Hydrocephalus	13	2	–	6	2	1	1	–	1	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY, at different Periods of Life, in 1856.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	28	20	19	19	25	20	28	23	23	23	5	6	2	–	1	–
Specified Causes	25	18	19	19	23	20	23	23	23	23	5	6	2	–	1	–
Zymotic Class	1	1	3	2	6	3	4	2	2	–	–	–	–	–	–	–
Uncertain Seat	–	–	1	3	3	4	3	2	2	2	1	1	1	–	–	–
Tubercular Class	10	7	6	8	5	3	–	1	–	–	–	–	–	–	–	–
Brain, etc.	4	3	3	2	2	3	5	5	4	–	–	–	–	–	–	–
Heart, etc.	4	1	1	1	4	4	4	–	1	–	–	–	–	–	–	–
Respiratory Organs	–	3	5	1	1	1	1	1	2	2	–	–	–	–	–	–
Digestive Organs	2	–	–	1	1	–	2	1	–	–	1	–	–	–	–	–
Urinary Organs	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Generative Organs	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	2	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	3	10	11	19	3	5	1	–	1	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	1	2	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	1	–	4	–	–	1	–	–	–	–	–	–	–	–
Dysentery	–	–	1	2	–	–	1	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	3	–	1	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	1	–	2	1	–	–	1	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	–	1	2	1	2	2	1	–	–	1	1	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Cancer	–	–	1	2	1	2	1	–	–	2	1	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	10	7	6	8	5	3	–	1	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY, at different Periods of Life, in 1856.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	1	–	–	–	–	–	–	–	–	–	1	–	–
Apoplexy	8	–	–	–	–	–	–	–	2	1	–	–	–
Paralysis	21	–	–	–	–	–	–	–	–	–	1	3	–
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	3	–	–	–	–	–	–	–	1	–	–	–	–
Tetanus	1	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	1	–	–	–	1	–	–	–	–	–	–	–	–
Brain Disease	7	–	–	–	–	–	–	–	1	–	1	1	–
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	2	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	22	–	–	–	–	–	1	–	–	1	2	–	–
VI. Laryngitis	1	–	–	–	–	–	–	–	–	–	1	–	–
Bronchitis	27	5	6	4	4	1	–	–	–	–	–	1	–
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	24	2	1	2	4	4	1	1	1	–	1	1	–
Asthma	4	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	3	–	–	–	1	–	–	–	–	–	–	1	–
VII. Teething	13	–	–	5	7	1	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	4	3	–	–	1	–	–	–	–	–	–	–	–
Peritonitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	4	–	–	2	–	–	–	–	1	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	2	–	–	–	–	–	–	–	1	–	–	–	–
Liver Disease	3	–	–	–	–	–	1	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	1	–	–	–
Stone	1	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	2	–	–	–	–	–	–	–	–	–	–	–	–
Uterine Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	1	1	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	1	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	2	–	–	–	2	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	5	–	–	–	–	–	–	–	–	1	2	–	1
Fracture and Contusion	6	–	–	–	–	–	–	–	–	–	1	–	2
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	66	12	6	11	11	3	2	1	–	–	1	3	4

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY, at different Periods of Life, in 1856.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	–	–	–	–	1	1	2	1	–	–	–	–	–	–	–
Paralysis	3	–	1	2	1	1	3	3	3	–	–	–	–	–	–	–
Delirium Tremens	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	2	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Heart Disease	3	1	1	1	4	4	4	–	–	–	–	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	1	1	–	–	1	1	–	1	1	–	–	–	–	–	–
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	–	2	1	–	–	–	–	1	1	1	–	–	–	–	–	–
Asthma	–	–	3	–	1	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Peritonitis	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Uterine Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	3	2	–	–	2	–	5	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY, at different Periods of Life, in 1856.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	331	37	16	32	27	17	13	7	15	12	13	12	9
SPECIFIED CAUSES	297	32	12	26	22	15	11	6	15	12	13	11	8
I. Zymotic Class	74	3	5	12	10	8	6	4	5	5	2	–	1
II. Diseases of Uncertain Seat	13	–	1	–	–	1	–	–	–	–	–	–	1
III. Tubercular Class	62	1	2	5	5	2	2	1	4	6	5	8	3
IV. Brain and Nervous System	27	–	–	–	1	–	–	–	4	–	1	1	–
V. Organs of Circulation	15	–	–	–	–	–	1	–	–	–	2	–	–
VI. Respiratory Organs	27	2	4	6	2	2	1	–	1	–	–	1	–
VII. Organs of Digestion	18	3	–	3	3	1	1	–	1	–	–	–	–
VIII. Urinary Organs	2	–	–	–	–	–	–	–	–	–	–	–	–
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	1	–	–	–	–	–	–	–	–	–	–	–	–
XI. Skin, etc.	1	1	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	22	22	–	–	–	–	–	–	–	–	–	–	–
XIV. Atrophy	2	–	–	–	–	1	–	1	–	–	–	–	–
XV. Age	20	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	1	–	–	–	–	–	–	–	–	–	–	1	–
XVII. Violent Deaths	12	–	–	–	1	–	–	–		1	3	–	3
I. Small Pox	12	–	–	5	1	2	1	1	1	1	–	–	–
Measles	3	–	–	2	–	1	–	–	–	–	–	–	–
Scarlatina	10	–	–	1	2	1	2	2	1	1	–	–	–
Hooping Cough	10	–	1	3	3	–	–	1	2	–	–	–	–
Croup	3	–	–	–	1	–	2	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	15	3	3	–	2	2	–	–	–	–	–	–	–
Dysentery	5	–	–	1	1	1	–	–	–	–	–	–	–
Cholera	3	–	1	–	–	–	–	–	–	–	–	–	–
Influenza	1	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	1	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	2	–	–	–	–	1	1	–	–	–	–	–	–
Typhus	8	–	–	–	–	–	–	–	1	3	2	–	1
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	1	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	–	1	–	–	–	–	–	–	–	–	–	–
Dropsy	7	–	–	–	–	–	–	–	–	–	–	–	1
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	–	–	–	–	1	–	–	–	–	–	–	–
Cancer	3	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	6	–	–	–	–	–	–	–	1	–	3	1	1
Tabes Mesenterica	5	–	1	–	2	1	–	1	–	–	–	–	–
Phthisis	46	–	1	2	3	1	2	–	2	6	2	7	2
Hydrocephalus	5	1	–	3	–	–	–	–	1	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY, at different Periods of Life, in 1856.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	10	12	8	9	16	10	15	18	11	8	1	2	1	–	–	–
SPECIFIED CAUSES	8	11	8	9	15	10	12	18	11	8	1	2	1	–	–	–
Zymotic Class	1	–	2	1	4	1	1	2	1	–	–	–	–	–	–	–
Uncertain Seat	–	–	–	1	1	1	2	2	1	1	–	1	–	–	–	–
Tubercular Class	4	5	1	3	2	3	–	–	–	–	–	–	–	–	–	–
Brain, etc.	1	2	2	2	2	2	2	5	2	–	–	–	–	–	–	–
Heart, etc.	1	1	1	–	3	3	3	–	–	–	–	–	–	–	–	–
Respiratory Organs	–	1	2	–	1	–	1	1	1	1	–	–	–	–	–	–
Digestive Organs	1	–	–	1	1	–	2	1	–	–	–	–	–	–	–	–
Urinary Organs	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	–	6	5	6	1	2	–	–	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	–	2	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	1	–	3	–	–	1	–	–	–	–	–	–	–	–
Dysentery	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	–	–	1	–	1	2	1	–	–	–	1	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Cancer	–	–	–	1	–	–	1	–	–	1	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	4	5	1	3	2	3	–	–	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY, at different Periods of Life, in 1856.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	7	–	–	–	–	–	–	–	2	–	–	–	–
Paralysis	11	–	–	–	–	–	–	–	–	–	–	1	–
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	–	–	–	–	–	–	1	–	–	–	–
Tetanus	1	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	1	–	–	–	1	–	–	–	–	–	–	–	–
Brain Disease	5	–	–	–	–	–	–	–	1	–	1	–	–
V. Pericarditis	–	–	–		–	–	–	–	–	–	–	–	–
Aneurism	1	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	14	–	–	–	–	–	1	–	–	–	2	–	–
VI. Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	10	–	3	4	–	1	–	–	–	–	–	–	–
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	13	2	1	2	1	1	1	–	1	–	–	–	–
Asthma	2	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	2	–	–	–	1	–	–	–	–	–	–	1	–
VII. Teething	6	–	–	2	3	1	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	–		–	–	–	–	–	–	–	–	–
Enteritis	3	3	–	–	–	–	–	–	–	–	–	–	–
Peritonitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	1	–	–	1	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	2	–	–	–	–	–	–	–	1	–	–	–	–
Liver Disease	3	–	–	–	–	–	1	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	1	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Uterine Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	1	1	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	1	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	–	–	–	1	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	5	–	–	–	–	–	–	–	–	1	2	–	1
Fracture and Contusion	5	–	–	–	–	–	–	–	–	–	1	–	2
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	34	5	4	6	5	2	2	1	–	–	–	1	1

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY, at different Periods of Life, in 1856.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	–	–	–	–	1	1	2	1	–	–	–	–	–	–	–
Paralysis	1	–	1	2	1	–	1	3	1	–	–	–	–	–	–	–
Delirium Tremens	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	–	1	1	–	3	3	3	–	–	–	–	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	–	1	–	–	–	–	–	1	1	1	–	–	–	–	–	–
Asthma	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Peritonitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Uterine Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	2	1	–	–	1	–	3	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY, at different Periods of Life, in 1856.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	311	29	7	27	38	16	8	5	11	7	10	20	12
SPECIFIED CAUSES	279	22	5	22	32	15	8	5	11	7	9	18	9
I. Zymotic Class	73	3	1	11	13	9	6	3	8	2	1	3	2
II. Diseases of Uncertain Seat	14	–	–	–	–	–	–	–	–	1	–	–	–
III. Tubercular Class	66	2	1	6	6	3	2	1	1	1	4	10	7
IV. Brain and Nervous System	17	–	–	–	–	–	–	–	–	1	2	3	–
V. Organs of Circulation	9	–	–	–	–	–	–	–	–	1	–	–	–
VI. Respiratory Organs	32	5	3	–	7	3	–	1	–	–	2	2	–
VII. Organs of Digestion	12	–	–	4	5	–	–	–	1	–	–	–	–
VIII. Urinary Organs	1	–	–	–	–	–	–	–	–	1	–	–	–
IX. Organs of Generation	2	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	–	–	–	–	–	–	–	–	–	–	–	–	–
XI. Skin, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	12	12	–	–	–	–	–	–	–	–	–	–	–
XIV. Atrophy	6	–	–	1	–	–	–	–	1	–	–	–	–
XV. Age	33	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	2	–	–	–	1	–	–	–	–	–	–	–	–
I. Small Pox	13	1	–	5	3	1	–	1	2	–	–	–	–
Measles	1	–	–	–	1	–	–	–	–	–	–	–	–
Scarlatina	14	–	–	–	2	4	2	1	3	1	–	–	–
Hooping Cough	17	1	1	6	5	3	1	–	–	–	–	–	–
Croup	5	–	–	–	1	1	1	1	1	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	2	–	–	–	–	–	–	–	–	–	–	1	–
Dysentery	2	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	2	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	1	1	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	1	–	–	–	1	–	–	–	–	–	–	–	–
Typhus	13	–	–	–	–	–	2	–	2	1	1	1	2
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	1	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	1	–	–	–	–	–	–	–	–	–	–	1	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	6	–	–	–	–	–	–	–	–	1	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	7	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	1	–	–	–	–	–	1	–	–	–	–	–	–
Tabes Mesenterica	5	1	–	1	1	1	–	1	–	–	–	–	–
Phthisis	52	–	1	2	3	1	–	–	1	1	4	10	7
Hydrocephalus	8	1	–	3	2	1	1	–	–	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY, at different Periods of Life, in 1856.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	18	8	11	10	9	10	13	5	12	15	4	4	1	–	1	–
SPECIFIED CAUSES	17	7	11	10	8	10	11	5	12	15	4	4	1	–	1	–
Zymotic Class	–	1	1	1	2	2	3	–	1	–	–	–	–	–	–	–
Uncertain Seat	–	–	1	2	2	3	1	–	1	1	1	1	–	–	–	–
Tubercular Class	6	2	5	5	3	–	–	1	–	–	–	–	–	–	–	–
Brain, etc.	3	1	1	–	–	1	3	–	2	–	–	–	–	–	–	–
Heart, etc.	3	–	–	1	1	1	1	–	1	–	–	–	–	–	–	–
Respiratory Organs	–	2	3	1	–	1	–	–	1	1	–	–	–	–	–	–
Digestive Organs	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Urinary Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Generative Organs	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	2	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	3	4	6	13	2	3	1	–	1	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Dysentery	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	1	–	1	1	–	–	1	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	–	1	1	1	1	–	–	–	–	1	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Cancer	–	–	1	1	1	2	–	–	–	1	1	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	6	2	5	5	3	–	–	1	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY, at different Periods of Life, in 1856.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	1	–	–	–	–	–	–	–	–	–	1	–	–
Apoplexy	1	–	–	–	–	–	–	–	–	1	–	–	–
Paralysis	10	–	–	–	–	–	–	–	–	–	1	2	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	2	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	2	–	–	–	–	–	–	–	–	–	–	1	–
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	8	–	–	–	–	–	–	–	–	1	–	–	–
VI. Laryngitis	1	–	–	–	–	–	–	–	–	–	1	–	–
Bronchitis	17	5	3	–	4	–	–	–	–	–	–	1	–
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	11	–	–	–	3	3	–	1	–	–	1	1	–
Asthma	2	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
VII. Teething	7	–	–	3	4	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	1	–	–	–	1	–	–	–	–	–	–	–	–
Peritonitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	3	–	–	1	–	–	–	–	1	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	1	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	2	–	–	–	–	–	–	–	–	–	–	–	–
Uterine Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	–	–	–	1	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	1	–	–	–	–	–	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	32	7	2	5	6	1	–	–	–	–	1	2	3

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY, at different Periods of Life, in 1856.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Paralysis	2	–	–	–	–	1	2	–	2	–	–	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Heart Disease	3	–	–	1	1	1	1	–	–	–	–	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	1	–	–	–	1	–	–	1	1	–	–	–	–	–	–
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Asthma	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Peritonitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Pancreas	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Uterine Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	1	1	–	–	1	–	2	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of GOVAN, at different Periods of Life, in 1856.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
All Causes	434	52	21	51	56	27	9	10	19	4	10	14	14
Specified Causes	412	44	19	48	54	26	9	9	19	2	8	14	14
I. Zymotic Class	107	6	4	18	21	14	4	6	14	–	1	2	3
II. Diseases of Uncertain Seat	15	–	–	–	1	–	1	1	–	–	–	–	–
III. Tubercular Class	62	–	5	9	13	2	1	–	1	–	2	6	7
IV. Brain and Nervous System	51	6	3	4	4	1	1	–	1	1	2	1	–
V. Organs of Circulation	16	1	–	–	–	–	–	1	–	–	–	–	–
VI. Respiratory Organs	77	5	4	15	10	7	1	1	2	–	2	1	2
VII. Organs of Digestion	25	7	1	1	4	1	1	–	–	–	–	–	–
VIII. Urinary Organs	3	–	–	–	–	–	–	–	–	–	–	–	2
IX. Organs of Generation	5	–	–	–	–	–	–	–	–	–	–	2	–
X. Organs of Locomotion	1	–	–	–	–	–	–	–	–	–	–	1	–
XI. Skin, etc.	2	–	1	–	–	1	–	–	–	–	–	–	–
XII. Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	19	19	–	–	–	–	–	–	–	–	–	–	–
XIV. Atrophy	2	–	–	–	1	–	–	–	1	–	–	–	–
XV. Age	12	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	3	–	–	1	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	12	–	1	–	–	–	–	–	–	1	1	1	–
I. Small Pox	6	–	–	1	1	1	–	1	1	–	–	1	–
Measles	2	–	–	2	–	–	–	–	–	–	–	–	–
Scarlatina	14	–	–	1	2	2	1	2	6	–	–	–	–
Hooping Cough	31	1	–	9	11	6	1	1	2	–	–	–	–
Croup	7	–	–	1	2	3	–	1	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	16	3	1	3	3	2	–	–	–	–	–	–	–
Dysentery	5	–	–	1	1	–	–	–	1	–	–	–	–
Cholera	2	1	–	–	–	–	–	–	–	–	–	–	–
Influenza	1	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	1	–	–	–	–	–	–	–	–
Infantile Fever	1	–	1	–	–	–	–	–	–	–	–	–	–
Typhus	16	–	–	–	–	–	2	1	4	–	1	1	2
Metria	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	2	–	1	–	–	–	–	–	–	–	–	–	1
Syphilis	2	1	1	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	–	–	–	–	–	–	1	–	–	–	–	–
Dropsy	3	–	–	–	1	–	–	–	–	–	–	–	–
Abscess	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	3	–	–	–	–	–	1	–	–	–	–	–	–
Cancer	7	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	6	–	1	–	4	–	1	–	–	–	–	–	–
Phthisis	38	–	1	2	2	1	–	–	1	–	2	6	7
Hydrocephalus	18	–	3	7	7	1	–	–	–	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of GOVAN, at different Periods of Life, in 1856.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	15	26	15	12	8	13	16	12	10	10	6	4	–	–	–	–
Specified Causes	15	26	15	11	8	13	16	12	10	10	6	4	–	–	–	–
Zymotic Class	2	2	1	–	2	1	2	1	1	–	1	1	–	–	–	–
Uncertain Seat	1	–	3	2	–	1	4	1	–	–	–	–	–	–	–	–
Tubercular Class	3	7	2	2	1	–	1	–	–	–	–	–	–	–	–	–
Brain, etc.	3	3	–	2	4	3	2	4	1	2	1	2	–	–	–	–
Heart, etc.	–	4	1	1	–	4	1	2	–	1	–	–	–	–	–	–
Respiratory Organs	2	3	4	1	1	3	5	2	2	3	1	–	–	–	–	–
Digestive Organs	–	3	–	2	–	1	–	–	3	1	–	–	–	–	–	–
Urinary Organs	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Generative Organs	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	–	2	3	3	3	1	–	–	–	–
Sudden Deaths	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	3	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	1	–	1	–	1	–	1	–	–	–	–	–	–	–
Dysentery	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Cholera	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	1	1	–	–	–	1	1	1	–	–	–	–	–	–	–	–
Metria	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	–	–	3	1	–	–	2	1	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	3	7	2	2	1	–	1	–	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of GOVAN, at different Periods of Life, in 1856.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	5	3	–	1	–	–	–	–	–	–	–	–	–
Apoplexy	7	–	–	–	–	–	–	–	–	1	–	–	–
Paralysis	8	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	11	2	3	2	4	–	–	–	–	–	–	–	–
Brain Disease	18	1	–	1	–	1	1	–	1	–	2	1	–
V. Pericarditis	1	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	14	1	–	–	–	–	–	1	–	–	–	–	–
VI. Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	48	4	2	13	8	4	1	–	1	–	1	–	–
Pleurisy	1	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	24	1	2	2	1	3	–	1	1	–	1	1	1
Asthma	1	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	3	–	–	–	1	–	–	–	–	–	–	–	1
VII. Teething	4	–	–	1	2	1	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	6	4	1	–	1	–	–	–	–	–	–	–	–
Peritonitis	4	1	–	–	–	–	1	–	–	–	–	–	–
Ascites	3	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	2	1	–	–	–	–	–	–	–	–	–	–	–
Intussusception	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	1	–	–	–	1	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	1	1	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	2	–	–	–	–	–	–	–	–	–	–	–	2
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	5	–	–	–	–	–	–	–	–	–	–	2	–
Uterine Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	1	–	–	–	–	–	–	–	–	–	–	1	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	2	–	1	–	–	1	–	–	–	–	–	–	–
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	1	–	1	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	1	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	5	–	–	–	–	–	–	–	–	–	–	1	–
Fracture and Contusion	3	–	–	–	–	–	–	–	–	1	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	22	8	2	3	2	1	–	1	–	2	2	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of GOVAN, at different Periods of Life, in 1856.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	1	–	1	–	1	–	–	–	1	1	1	–	–	–	–
Paralysis	1	1	–	–	1	2	–	1	1	1	–	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	1	–	1	3	–	1	2	–	–	–	1	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Heart Disease	–	4	1	1	–	4	–	2	–	–	–	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	2	1	1	1	–	–	3	–	2	3	1	–	–	–	–	–
Pleurisy	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Pneumonia	–	1	3	–	1	2	1	2	–	–	–	–	–	–	–	–
Asthma	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Lung Disease	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Peritonitis	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Ascites	–	1	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Uterine Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of GOVAN, at different Periods of Life, in 1856.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	216	32	10	26	31	13	4	7	7	2	3	7	6
SPECIFIED CAUSES	203	26	8	23	30	12	4	7	7	2	3	7	6
I. Zymotic Class	56	4	3	9	11	7	2	5	5	–	–	2	2
II. Diseases of Uncertain Seat	7	–	–	–	1	–	1	1	–	–	–	–	–
III. Tubercular Class	26	–	2	4	8	2	–	–	–	–	1	2	1
IV. Brain and Nervous System	28	4	1	1	2	–	–	–	1	1	2	1	–
V. Organs of Circulation	8	1	–	–	–	–	–	–	–	–	–	–	–
VI. Respiratory Organs	37	2	1	9	6	3	–	1	1	–	–	–	1
VII. Organs of Digestion	13	5	1	–	2	–	1	–	–	–	–	–	–
VIII. Urinary Organs	3	–	–	–	–	–	–	–	–	–	–	–	2
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	1	–	–	–	–	–	–	–	–	–	–	1	–
XI. Skin, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	10	10	–	–	–	–	–	–	–	–	–	–	–
XIV. Atrophy	–	–	–	–	–	–	–	–	–	–	–	–	–
XV. Age	5	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	9	–	–	–	–	–	–	–	–	1	–	1	–
I. Small Pox	5	–	–	1	1	–	–	1	1	–	–	1	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	4	–	–	1	–	1	–	1	1	–	–	–	–
Hooping Cough	16	1	–	5	5	3	–	1	1	–	–	–	–
Croup	5	–	–	–	2	2	–	1	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	10	3	1	1	1	1	–	–	–	–	–	–	–
Dysentery	3	–	–	1	1	–	–	–	1	–	–	–	–
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	1	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	8	–	–	–	–	–	2	1	1	–	–	1	1
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	2	–	1	–	–	–	–	–	–	–	–	–	1
Syphilis	1	–	1	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	–	–	–	–	–	–	1	–	–	–	–	–
Dropsy	2	–	–	–	1	–	–	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	–	–	–	–	–	1	–	–	–	–	–	–
Cancer	2	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	4	–	–	–	4	–	–	–	–	–	–	–	–
Phthisis	14	–	–	1	2	1	–	–	–	–	1	2	1
Hydrocephalus	8	–	2	3	2	1	–	–	–	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of GOVAN, at different Periods of Life, in 1856.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	5	13	5	7	3	9	6	7	3	5	4	1	–	–	–	–
SPECIFIED CAUSES	5	13	5	7	3	9	6	7	3	5	4	1	–	–	–	–
Zymotic Class	–	–	1	–	1	1	1	1	1	–	–	–	–	–	–	–
Uncertain Seat	–	–	1	1	–	1	–	1	–	–	–	–	–	–	–	–
Tubercular Class	2	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Brain, etc.	1	2	–	2	1	2	1	2	–	2	1	1	–	–	–	–
Heart, etc.	–	2	–	1	–	2	–	1	–	1	–	–	–	–	–	–
Respiratory Organs	–	2	1	–	1	3	3	2	–	1	–	–	–	–	–	–
Digestive Organs	–	1	–	2	–	–	–	–	1	–	–	–	–	–	–	–
Urinary Organs	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	–	–	1	1	3	–	–	–	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	2	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	1	–	–	–	1	–	1	–	–	–	–	–	–	–
Dysentery	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	2	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of GOVAN, at different Periods of Life, in 1856.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	2	2	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	6	–	–	–	–	–	–	–	–	1	–	–	–
Paralysis	6	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	4	1	1	–	2	–	–	–	–	–	–	–	–
Brain Disease	9	1	–	1	–	–	–	–	1	–	2	1	–
V. Pericarditis	1	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	7	1	–	–	–	–	–	–	–	–	–	–	–
VI. Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	20	2	–	8	5	1	–	–	1	–	–	–	–
Pleurisy	1	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	13	–	1	1	1	2	–	1	–	–	–	–	–
Asthma	1	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	2	–	–	–	–	–	–	–	–	–	–	–	1
VII. Teething	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	5	3	1	–	1	–	–	–	–	–	–	–	–
Peritonitis	2	1	–	–	–	–	1	–	–	–	–	–	–
Ascites	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	2	1	–	–	–	–	–	–	–	–	–	–	–
Intussusception	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	1	–	–	–	1	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	2	–	–	–	–	–	–	–	–	–	–	–	2
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Uterine Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	1	–	–	–	–	–	–	–	–	–	–	1	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	5	–	–	–	–	–	–	–	–	–	–	1	–
Fracture and Contusion	2	–	–	–	–	–	–	–	–	1	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	13	6	2	3	1	1	–	–	–	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of GOVAN, at different Periods of Life, in 1856.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	–	–	1	–	1	–	–	–	1	1	1	–	–	–	–
Paralysis	1	1	–	–	1	1	–	1	–	1	–	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	–	2	–	1	–	2	–	1	–	–	–	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	1	–	–	–	–	1	–	–	1	–	–	–	–	–	–
Pleurisy	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Pneumonia	–	–	1	–	1	2	1	2	–	–	–	–	–	–	–	–
Asthma	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Lung Disease	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Uterine Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of GOVAN, at different Periods of Life, in 1856.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	218	20	11	25	25	14	5	3	12	2	7	7	8
SPECIFIED CAUSES	209	18	11	25	24	14	5	2	12	–	5	7	8
I. Zymotic Class	51	2	1	9	10	7	2	1	9	–	1	–	1
II. Diseases of Uncertain Seat	8	–	–	–	–	–	–	–	–	–	–	–	–
III. Tubercular Class	36	–	3	5	5	–	1	–	1	–	1	4	6
IV. Brain and Nervous System	23	2	2	3	2	1	1	–	–	–	–	–	–
V. Organs of Circulation	8	–	–	–	–	–	–	1	–	–	–	–	–
VI. Respiratory Organs	40	3	3	6	4	4	1	–	1	–	2	1	1
VII. Organs of Digestion	12	2	–	1	2	1	–	–	–	–	–	–	–
VIII. Urinary Organs	–	–	–	–	–	–	–	–	–	–	–	–	–
IX. Organs of Generation	5	–	–	–	–	–	–	–	–	–	–	2	–
X. Organs of Locomotion	–	–	–	–	–	–	–	–	–	–	–	–	–
XI. Skin, etc.	2	–	1	–	–	1	–	–	–	–	–	–	–
XII. Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	9	9	–	–	–	–	–	–	–	–	–	–	–
XIV. Atrophy	2	–	–	–	1	–	–	–	1	–	–	–	–
XV. Age	7	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	3	–	–	1	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	3	–	1	–	–	–	–	–	–	–	1	–	–
I. Small Pox	1	–	–	–	–	1	–	–	–	–	–	–	–
Measles	2	–	–	2	–	–	–	–	–	–	–	–	–
Scarlatina	10	–	–	–	2	1	1	1	5	–	–	–	–
Hooping Cough	15	–	–	4	6	3	1	–	1	–	–	–	–
Croup	2	–	–	1	–	1	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	6	–	–	2	2	1	–	–	–	–	–	–	–
Dysentery	2	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	1	1	–	–	–	–	–	–	–	–	–	–	–
Influenza	1	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	1	–	1	–	–	–	–	–	–	–	–	–	–
Typhus	8	–	–	–	–	–	–	–	3	–	1	–	1
Metria	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	1	1	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	1	–	–	–	–	–	–	–	–	–	–	–	–
Abscess	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	5	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	2	–	1	–	–	–	1	–	–	–	–	–	–
Phthisis	24	–	1	1	–	–	–	–	1	–	1	4	6
Hydrocephalus	10	–	1	4	5	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of GOVAN, at different Periods of Life, in 1856.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	10	13	10	5	5	4	10	5	7	5	2	3	–	–	–	–
SPECIFIED CAUSES	10	13	10	4	5	4	10	5	7	5	2	3	–	–	–	–
Zymotic Class	2	2	–	–	1	–	1	–	–	–	1	1	–	–	–	–
Uncertain Seat	1	–	2	1	–	–	4	–	–	–	–	–	–	–	–	–
Tubercular Class	1	4	2	1	1	–	1	–	–	–	–	–	–	–	–	–
Brain, etc.	2	1	–	–	3	1	1	2	1	–	–	1	–	–	–	–
Heart, etc.	–	2	1	–	–	2	1	1	–	–	–	–	–	–	–	–
Respiratory Organs	2	1	3	1	–	–	2	–	2	2	1	–	–	–	–	–
Digestive Organs	–	2	–	–	–	1	–	–	2	1	–	–	–	–	–	–
Urinary Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Generative Organs	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	–	2	2	2	–	1	–	–	–	–
Sudden Deaths	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Dysentery	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Metria	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	–	–	2	1	–	–	2	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	1	4	2	1	1	–	1	–	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of GOVAN, at different Periods of Life, in 1856.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	3	1	–	1	–	–	–	–	–	–	–	–	–
Apoplexy	1	–	–	–	–	–	–	–	–	–	–	–	–
Paralysis	2	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	7	1	2	2	2	–	–	–	–	–	–	–	–
Brain Disease	9	–	–	–	–	1	1	–	–	–	–	–	–
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	7	–	–	–	–	–	–	1	–	–	–	–	–
VI. Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	28	2	2	5	3	3	1	–	–	–	1	–	–
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	11	1	1	1	–	1	–	–	1	–	1	1	1
Asthma	–	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	1	–	–	–	1	–	–	–	–	–	–	–	–
VII. Teething	4	–	–	1	2	1	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	1	1	–	–	–	–	–	–	–	–	–	–	–
Peritonitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	2	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	1	1	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	5	–	–	–	–	–	–	–	–	–	–	2	–
Uterine Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	2	–	1	–	–	1	–	–	–	–	–	–	–
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	1	–	1	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	1	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	1	–	–	–	–	–	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	9	2	–	–	1	–	–	1	–	2	2	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of GOVAN, at different Periods of Life, in 1856.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Paralysis	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	–	–	–	3	–	–	2	–	–	–	1	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Heart Disease	–	2	1	–	–	2	–	1	–	–	–	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	2	–	1	1	–	–	2	–	2	2	1	–	–	–	–	–
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Asthma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Peritonitis	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Ascites	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Uterine Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1856.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
All Causes	4143	362	137	288	382	274	175	108	209	78	122	139	147
Specified Causes	3992	319	114	276	367	268	175	106	203	77	120	132	143
I. Zymotic Class	1081	45	44	110	181	169	119	70	139	25	24	14	12
II. Diseases of Uncertain Seat	170	2	–	2	3	3	3	–	5	5	2	2	3
III. Tubercular Class	714	12	24	62	75	33	26	16	33	15	55	68	55
IV. Brain and Nervous System	355	31	4	9	19	9	6	5	5	6	13	5	16
V. Organs of Circulation	202	–	–	–	2	–	–	–	–	11	7	5	10
VI. Respiratory Organs	545	39	25	64	51	27	16	9	9	5	8	10	14
VII. Organs of Digestion	232	17	11	26	24	13	1	2	3	5	3	9	8
VIII. Urinary Organs	73	1	–	–	1	4	1	–	1	3	–	7	11
IX. Organs of Generation	33	–	–	–	–	–	–	–	–	–	2	3	7
X. Organs of Locomotion	13	–	–	–	–	–	–	–	1	1	–	2	1
XI. Skin, etc.	7	–	–	–	1	–	–	–	1	–	1	–	1
XII. Malformation	4	3	1	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	168	164	4	–	–	–	–	–	–	–	–	–	–
XIV. Atrophy	24	1	–	3	6	2	–	–	1	–	1	–	–
XV. Age	254	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	14	1	–	–	–	–	–	–	–	–	1	–	1
XVII. Violent Deaths	103	3	1	–	4	8	3	4	5	1	3	7	4
I. Small Pox	137	5	16	29	21	28	13	5	7	–	3	3	1
Measles	113	3	2	15	46	18	15	3	10	–	1	–	–
Scarlatina	445	2	12	34	67	87	70	52	90	16	8	2	2
Hooping Cough	60	3	3	10	19	14	7	–	4	–	–	–	–
Croup	64	4	2	12	14	8	8	6	8	2	–	–	–
Thrush	1	1	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	62	13	3	6	7	2	1	2	2	1	–	2	1
Dysentery	23	–	–	2	2	1	–	–	–	–	–	–	–
Cholera	2	–	1	–	–	–	–	–	–	–	–	–	–
Influenza	5	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	5	1	–	–	–	–	–	–	1	–	2	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	–	1	–	–	–	–	–	–	–
Infantile Fever	11	1	–	1	2	5	1	1	–	–	–	–	–
Typhus	106	–	–	–	2	5	4	1	15	5	8	5	5
Metria	6	–	–	–	–	–	–	–	–	–	1	1	–
Rheumatic Fever	2	–	–	–	–	–	–	–	–	1	–	–	–
Erysipelas	29	8	1	1	–	–	–	–	2	–	1	1	3
Syphilis	8	4	4	–	–	–	–	–	–	–	–	–	–
Noma	1	–	–	–	1	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	13	2	–	1	–	–	–	–	1	–	–	1	1
Dropsy	45	–	–	–	2	2	1	–	4	2	1	–	1
Abscess	7	–	–	1	–	–	–	–	–	2	–	–	–
Ulcer	1	–	–	–	1	–	–	–	–	–	–	–	–
Fistula	3	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	17	–	–	–	–	1	–	–	–	–	–	–	–
Cancer	83	–	–	–	–	–	2	–	–	1	1	1	1
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	30	–	–	3	5	3	2	–	–	–	4	4	2
Tabes Mesenterica	54	8	6	5	9	6	6	6	3	2	1	1	–
Phthisis	447	–	1	7	9	5	2	4	13	13	49	61	51
Hydrocephalus	183	4	17	47	52	19	16	6	17	–	1	2	2

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1856.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	150	176	158	117	143	160	173	161	154	157	95	54	17	4	2	1
Specified Causes	147	172	153	111	139	156	170	160	154	157	95	54	17	4	2	1
Zymotic Class	18	16	12	9	11	7	15	13	11	9	6	1	–	–	–	1
Uncertain Seat	9	17	11	12	15	19	16	12	9	14	4	2	–	–	–	–
Tubercular Class	59	57	41	24	21	17	11	9	1	–	–	–	–	–	–	–
Brain, etc.	11	12	17	16	16	21	32	40	28	20	10	3	1	–	–	–
Heart, etc.	11	20	17	13	19	22	18	19	15	10	3	–	–	–	–	–
Respiratory Organs	11	17	25	15	30	34	39	34	28	19	8	8	–	–	–	–
Digestive Organs	9	10	12	10	11	18	15	7	10	6	2	–	–	–	–	–
Urinary Organs	5	7	5	3	2	6	3	–	5	5	3	–	–	–	–	–
Generative Organs	6	7	5	1	1	–	1	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	1	–	–	3	1	1	1	1	–	–	–	–	–
Skin	–	–	–	–	–	1	1	–	–	–	–	1	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	1	–	–	–	5	3	1	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	7	18	44	69	56	38	16	4	2	–
Sudden Deaths	1	2	1	–	–	1	3	1	–	2	–	–	–	–	–	–
Violent Deaths	6	7	7	7	8	7	5	6	2	2	2	1	–	–	–	–
Small Pox	–	3	1	–	–	–	–	–	1	–	–	–	–	–	–	1
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	3	1	–	1	2	–	6	4	–	2	2	1	–	–	–	–
Dysentery	–	1	2	1	1	3	3	–	5	2	–	–	–	–	–	–
Cholera	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	1	–	–	1	–	3	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	11	8	6	6	5	3	4	6	3	2	2	–	–	–	–	–
Metria	1	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Erysipelas	1	–	–	1	3	–	1	–	2	2	2	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	2	1	1	2	–	–	–	–	–	1	–	–	–	–	–	–
Dropsy	3	–	3	1	3	8	3	2	4	4	1	–	–	–	–	–
Abscess	–	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	2	–	–	–	1	–	–	–	–	–	–	–
Mortification	2	1	1	–	–	3	2	1	–	5	1	–	–	–	–	–
Cancer	2	13	6	7	10	8	11	9	4	3	2	2	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Scrofula	2	2	–	–	1	–	1	1	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	57	54	41	24	20	17	10	8	1	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1856.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	21	–	1	2	2	3	1	2	1	–	1	–	2
Apoplexy	73	–	1	1	1	1	–	1	–	2	5	3	2
Paralysis	108	–	–	1	–	–	–	–	–	–	1	–	2
Delirium Tremens	11	–	–	–	–	–	–	–	–	–	–	–	4
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	20	–	–	–	–	–	–	–	1	–	5	1	3
Tetanus	5	2	–	–	–	–	–	–	–	–	–	–	1
Insanity	5	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	50	25	2	5	12	3	2	–	–	1	–	–	–
Brain Disease	62	4	–	–	4	2	3	2	3	3	1	1	2
V. Pericarditis	8	–	–	–	1	–	–	–	–	1	1	–	–
Aneurism	19	–	–	–	–	–	–	–	–	–	1	–	3
Heart Disease	175	–	–	–	1	–	–	–	–	10	5	5	7
VI. Laryngitis	12	1	–	–	–	–	3	–	2	–	1	–	1
Bronchitis	293	26	15	37	28	11	6	3	2	1	3	3	4
Pleurisy	28	–	1	1	–	2	–	1	2	–	1	2	3
Pneumonia	137	11	8	21	19	12	6	5	3	3	2	4	3
Asthma	29	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	46	1	1	5	4	2	1	–	–	1	1	1	3
VII. Teething	44	–	2	20	19	3	–	–	–	–	–	–	–
Quinsey	4	–	–	–	–	1	–	–	–	–	–	1	–
Gastritis	3	–	–	–	1	–	–	–	–	–	–	–	–
Enteritis	41	9	7	1	4	4	1	1	1	–	1	1	1
Peritonitis	13	1	1	1	–	–	–	–	–	1	1	3	1
Ascites	12	–	–	–	–	1	–	–	1	–	–	–	1
Ulceration of Intestines	19	–	–	–	–	2	–	–	–	–	1	3	3
Hernia	5	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	9	1	–	–	–	–	–	1	–	–	–	–	–
Intussusception	1	–	–	–	–	–	–	–	–	1	–	–	–
Stricture of Intestines	2	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	18	–	1	3	–	1	–	–	1	1	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	6	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	14	5	–	1	–	1	–	–	–	–	–	1	–
Liver Disease	39	1	–	–	–	–	–	–	–	1	–	–	2
Spleen Disease	2	–	–	–	–	–	–	–	–	1	–	–	–
VIII. Nephritis	5	–	–	–	–	2	–	–	–	–	–	–	1
Nephria	28	–	–	–	1	1	–	–	–	2	–	4	7
Ischuria	1	1	–	–	–	–	–	–	–	–	–	–	–
Diabetes	5	–	–	–	–	–	–	–	–	–	–	–	1
Stone	1	–	–	–	–	–	–	–	–	1	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	33	–	–	–	–	1	1	–	1	–	–	3	2
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	3	–	–	–	–	–	–	–	–	–	1	–	–
Childbirth	25	–	–	–	–	–	–	–	–	–	1	3	7
Uterine Disease	5	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	3	–	–	–	–	–	–	–	–	–	–	1	–
Joint and Bone Disease	10	–	–	–	–	–	–	–	1	1	–	1	1
XI. Carbuncle	4	–	–	–	–	–	–	–	–	–	1	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	3	–	–	–	1	–	–	–	1	–	–	–	1
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	1	–	1	–	–	–	–	–	–	–	–	–	–
Other Malformations	3	3	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	13	–	–	–	–	–	–	–	–	–	–	–	2
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	1	–	1	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	5	1	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	19	–	–	–	2	6	3	2	2	–	–	–	–
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	5	1	–	–	1	1	–	–	–	–	–	–	–
Drowning	8	1	–	–	–	–	–	–	1	1	–	1	1
Fracture and Contusion	40	–	–	–	1	–	–	2	2	–	2	5	1
Wounds	7	–	–	–	–	–	–	–	–	–	1	1	–
Other Violent Causes	4	–	–	–	–	1	–	–	–	–	–	–	–
Not Specified	151	43	23	12	15	6	–	2	6	1	2	7	4

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1856.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	1	1	1	1	–	–	–	2	–	–	–	–	–	–	–	–
Apoplexy	1	1	3	4	3	8	9	6	7	8	4	1	1	–	–	–
Paralysis	4	3	2	5	5	7	16	24	20	10	6	2	–	–	–	–
Delirium Tremens	–	4	2	–	1	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	1	3	–	1	1	–	2	–	1	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Insanity	1	–	–	–	–	2	1	1	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	3	2	6	6	6	3	6	5	–	–	–	–	–	–	–	–
Pericarditis	–	–	2	–	–	1	1	1	–	–	–	–	–	–	–	–
Aneurism	1	3	4	1	3	–	2	–	–	1	–	–	–	–	–	–
Heart Disease	10	17	11	12	16	21	15	18	15	9	3	–	–	–	–	–
Laryngitis	–	–	–	1	1	1	–	–	1	–	–	–	–	–	–	–
Bronchitis	1	10	14	4	16	14	26	18	22	16	7	6	–	–	–	–
Pleurisy	1	–	3	–	2	3	1	4	1	–	–	–	–	–	–	–
Pneumonia	6	5	7	4	3	4	3	2	2	1	1	2	–	–	–	–
Asthma	1	–	–	2	4	8	4	8	2	–	–	–	–	–	–	–
Lung Disease	2	2	1	4	4	4	5	2	–	2	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Gastritis	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	1	2	1	2	1	2	1	–	–	–	–	–	–	–	–	–
Peritonitis	–	1	1	1	–	–	–	1	–	–	–	–	–	–	–	–
Ascites	–	2	–	1	1	1	2	–	1	1	–	–	–	–	–	–
Ulceration of Intestines	1	3	–	1	1	1	2	–	1	–	–	–	–	–	–	–
Hernia	–	–	1	–	1	–	1	1	–	–	1	–	–	–	–	–
Ileus	1	–	1	–	1	1	1	1	1	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
Stomach Disease	–	1	2	1	1	1	–	1	2	1	1	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	1	–	1	3	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	1	–	1	2	1	1	–	–	–	–	–	–	–
Liver Disease	3	1	4	3	4	7	5	1	4	3	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Nephritis	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	3	3	1	2	–	1	2	–	1	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	4	1	2	5	1	–	4	5	3	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Childbirth	5	6	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Uterine Disease	1	1	2	–	–	–	1	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	1	–	–	2	–	1	1	1	–	–	–	–	–
Carbuncle	–	–	–	–	–	1	1	–	–	–	–	1	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	1	4	–	2	–	2	–	1	–	1	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	1	2	1	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Suffocation	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–
Fracture and Contusion	4	2	6	1	4	1	2	2	1	1	2	1	–	–	–	–
Wounds	–	1	1	–	2	–	1	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–
Not Specified	3	4	5	6	4	4	3	1	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1856.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	2065	176	86	158	201	149	104	52	112	37	55	79	68
SPECIFIED CAUSES	1975	156	71	151	190	144	104	50	109	37	53	73	65
I. Zymotic Class	560	21	27	57	96	85	70	31	78	11	11	8	3
II. Diseases of Uncertain Seat	69	–	–	1	2	3	2	–	3	3	1	1	1
III. Tubercular Class	367	9	16	33	34	18	15	8	15	6	24	40	25
IV. Brain and Nervous System	170	17	3	5	10	3	5	3	2	4	7	–	8
V. Organs of Circulation	105	–	–	–	1	–	–	–	–	5	1	2	6
VI. Respiratory Organs	270	17	13	40	29	17	10	7	4	1	3	6	7
VII. Organs of Digestion	115	9	9	13	13	10	–	–	2	3	2	4	3
VIII. Urinary Organs	53	–	–	–	–	3	1	–	–	3	–	6	6
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	7	–	–	–	–	–	–	–	–	–	–	1	1
XI. Skin, etc.	3	–	–	–	–	–	–	–	–	–	–	–	1
XII. Malformation	2	2	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	81	79	2	–	–	–	–	–	–	–	–	–	–
XIV. Atrophy	14	1	–	2	4	–	–	–	1	–	–	–	–
XV. Age	92	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	6	1	–	–	–	–	–	–	–	–	1	–	–
XVII. Violent Deaths	61	–	1	–	1	5	1	1	4	1	3	5	4
I. Small Pox	78	3	10	15	9	14	9	4	5	–	3	3	–
Measles	67	2	1	10	26	9	11	1	6	–	1	–	–
Scarlatina	233	1	8	16	41	45	38	22	51	6	3	1	–
Hooping Cough	26	2	1	6	8	4	4	–	1	–	–	–	–
Croup	31	1	1	6	6	5	5	2	3	2	–	–	–
Thrush	1	1	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	35	6	3	3	2	2	1	2	–	1	–	1	1
Dysentery	8	–	–	1	1	–	–	–	–	–	–	–	–
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	1	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	2	1	–	–	–	–	–	–	1	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	–	1	–	–	–	–	–	–	–
Infantile Fever	7	1	–	–	1	4	1	–	–	–	–	–	–
Typhus	52	–	–	–	1	1	1	–	9	1	3	3	1
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	–	–	–	–	–	–	–	1	–	–	–
Erysipelas	11	2	–	–	–	–	–	–	2	–	1	–	1
Syphilis	4	1	3	–	–	–	–	–	–	–	–	–	–
Noma	1	–	–	–	1	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	6	–	–	1	–	–	–	–	–	–	–	1	1
Dropsy	20	–	–	–	2	2	1	–	3	2	–	–	–
Abscess	4	–	–	–	–	–	–	–	–	1	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	3	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	8	–	–	–	–	1	–	–	–	–	–	–	–
Cancer	28	–	–	–	–	–	1	–	–	–	1	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	20	–	–	2	–	3	2	–	–	–	2	4	2
Tabes Mesenterica	27	5	4	2	6	4	2	1	1	–	1	1	–
Phthisis	219	–	1	4	4	2	–	4	3	6	21	33	22
Hydrocephalus	101	4	11	25	24	9	11	3	11	–	–	2	1

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1856.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	73	86	88	57	74	76	71	66	76	61	39	18	2	–	1	–
SPECIFIED CAUSES	73	84	84	54	72	73	70	65	76	61	39	18	2	–	1	–
Zymotic Class	8	6	7	3	8	4	8	7	5	3	3	–	–	–	–	–
Uncertain Seat	2	10	3	4	8	10	2	5	5	2	–	1	–	–	–	–
Tubercular Class	33	24	28	10	13	6	5	4	1	–	–	–	–	–	–	–
Brain, etc.	7	7	11	8	9	8	11	17	16	6	2	–	1	–	–	–
Heart, etc.	5	15	8	7	9	11	9	8	9	6	3	–	–	–	–	–
Respiratory Organs	5	7	14	10	10	14	16	10	15	10	3	2	–	–	–	–
Digestive Organs	4	3	5	5	4	9	5	5	3	3	1	–	–	–	–	–
Urinary Organs	4	5	4	3	2	4	2	–	3	5	2	–	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	1	–	–	3	–	1	–	–	–	–	–	–	–
Skin	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	–	4	1	1	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	3	6	17	26	24	14	1	–	1	–
Sudden Deaths	1	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Violent Deaths	4	6	4	3	5	4	4	3	1	–	1	–	–	–	–	–
Small Pox	–	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	2	–	–	1	2	–	4	3	–	–	1	–	–	–	–	–
Dysentery	–	1	1	–	–	2	–	–	1	1	–	–	–	–	–	–
Cholera	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	6	3	4	2	3	2	4	3	2	1	2	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	3	–	–	–	1	1	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	2	–	1	2	1	1	2	1	–	–	–	–	–	–
Abscess	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	2	–	–	–	1	–	–	–	–	–	–	–
Mortification	2	1	–	–	–	2	–	1	–	1	–	–	–	–	–	–
Cancer	–	6	1	1	5	6	1	3	2	–	–	1	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	1	2	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	32	22	28	10	12	6	5	3	1	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1856.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	11	–	–	2	1	3	1	1	1	–	–	–	1
Apoplexy	30	–	1	–	–	–	–	1	–	2	2	–	–
Paralysis	47	–	–	1	–	–	–	–	–	–	–	–	1
Delirium Tremens	9	–	–	–	–	–	–	–	–	–	–	–	3
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	13	–	–	–	–	–	–	–	1	–	4	–	2
Tetanus	2	1	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	28	15	2	2	6	–	2	–	–	1	–	–	–
Brain Disease	30	1	–	–	3	–	2	1	–	1	1	–	1
V. Pericarditis	2	–	–	–	–	–	–	–	–	1	–	–	–
Aneurism	15	–	–	–	–	–	–	–	–	–	–	–	2
Heart Disease	88	–	–	–	1	–	–	–	–	4	1	2	4
VI. Laryngitis	8	1	–	–	–	–	3	–	1	–	–	–	–
Bronchitis	138	12	8	23	14	7	4	2	2	–	1	1	–
Pleurisy	17	–	1	1	–	–	–	1	1	–	1	2	3
Pneumonia	75	4	4	14	12	9	3	4	–	1	1	2	2
Asthma	9	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	23	–	–	2	3	1	–	–	–	–	–	1	2
VII. Teething	25	–	2	10	10	3	–	–	–	–	–	–	–
Quinsey	2	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	–	–	1	–	–	–	–	–	–	–	–
Enteritis	24	4	6	–	2	2	–	–	1	–	1	1	–
Peritonitis	6	1	1	1	–	–	–	–	–	1	–	1	1
Ascites	2	–	–	–	–	1	–	–	–	–	–	–	–
Ulceration of Intestines	8	–	–	–	–	2	–	–	–	–	1	2	1
Hernia	3	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	5	1	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	11	–	–	2	–	1	–	–	1	1	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	7	3	–	–	–	1	–	–	–	–	–	–	–
Liver Disease	17	–	–	–	–	–	–	–	–	–	–	–	1
Spleen Disease	1	–	–	–	–	–	–	–	–	1	–	–	–
VIII. Nephritis	5	–	–	–	–	2	–	–	–	–	–	–	1
Nephria	17	–	–	–	–	–	–	–	–	2	–	3	4
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	4	–	–	–	–	–	–	–	–	–	–	–	1
Stone	1	–	–	–	–	–	–	–	–	1	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	26	–	–	–	–	1	1	–	–	–	–	3	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Uterine Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	6	–	–	–	–	–	–	–	–	–	–	1	1
XI. Carbuncle	2	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	–	–	–	–	–	–	–	–	–	–	1
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	2	2	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	7	–	–	–	–	–	–	–	–	–	–	–	2
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	1	–	1	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	2	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	7	–	–	–	1	3	1	–	1	–	–	–	–
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	2	–	–	–	–	1	–	–	–	–	–	–	–
Drowning	6	–	–	–	–	–	–	–	1	1	–	1	1
Fracture and Contusion	25	–	–	–	–	–	–	1	2	–	2	3	1
Wounds	7	–	–	–	–	–	–	–	–	–	1	1	–
Other Violent Causes	3	–	–	–	–	1	–	–	–	–	–	–	–
Not Specified	90	20	15	7	11	5	–	2	3	–	2	6	3

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1856.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	1	–	2	2	2	3	2	4	4	2	1	–	1	–	–	–
Paralysis	3	2	1	4	1	3	6	9	11	4	1	–	–	–	–	–
Delirium Tremens	–	4	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	2	–	–	1	–	2	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	2	1	4	2	5	1	3	2	–	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Aneurism	1	3	3	1	3	–	1	–	–	1	–	–	–	–	–	–
Heart Disease	4	12	5	6	6	10	8	8	9	5	3	–	–	–	–	–
Laryngitis	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–
Bronchitis	–	3	8	2	5	6	12	3	11	9	3	2	–	–	–	–
Pleurisy	–	–	2	–	–	2	1	2	–	–	–	–	–	–	–	–
Pneumonia	3	2	4	2	3	1	1	1	2	–	–	–	–	–	–	–
Asthma	1	–	–	1	1	2	1	2	1	–	–	–	–	–	–	–
Lung Disease	1	2	–	4	–	3	1	2	–	1	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	2	1	2	–	1	1	–	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	1	–	–	1	–	–	1	–	–	–	–	–
Ileus	–	–	1	–	–	–	1	1	1	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Stomach Disease	–	–	2	–	–	–	–	1	2	1	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–
Liver Disease	2	–	1	3	3	4	2	–	–	1	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	2	2	–	2	–	1	1	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	4	1	2	3	1	–	3	5	2	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Uterine Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	1	–	–	2	–	1	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	3	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Suffocation	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Fracture and Contusion	4	2	3	–	3	1	1	1	–	–	1	–	–	–	–	–
Wounds	–	1	1	–	2	–	1	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Not Specified	–	2	4	3	2	3	1	1	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1856.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	2078	186	51	130	181	125	71	56	97	41	67	60	79
SPECIFIED CAUSES	2017	163	43	125	177	124	71	56	94	40	67	59	78
I. Zymotic Class	521	24	17	53	85	84	49	39	61	14	13	6	9
II. Diseases of Uncertain Seat	101	2	–	1	1	–	1	–	2	2	1	1	2
III. Tubercular Class	347	3	8	29	41	15	11	8	18	9	31	28	30
IV. Brain and Nervous System	185	14	1	4	9	6	1	2	3	2	6	5	8
V. Organs of Circulation	97	–	–	–	1	–	–	–	–	6	6	3	4
VI. Respiratory Organs	275	22	12	24	22	10	6	2	5	4	5	4	7
VII. Organs of Digestion	117	8	2	13	11	3	1	2	1	2	1	5	5
VIII. Urinary Organs	20	1	–	–	1	1	–	–	1	–	–	1	5
IX. Organs of Generation	33	–	–	–	–	–	–	–	–	–	2	3	7
X. Organs of Locomotion	6	–	–	–	–	–	–	–	1	1	–	1	–
XI. Skin, etc.	4	–	–	–	1	–	–	–	1	–	1	–	–
XII. Malformation	2	1	1	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	87	85	2	–	–	–	–	–	–	–	–	–	–
XIV. Atrophy	10	–	–	1	2	2	–	–	–	–	1	–	–
XV. Age	162	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	8	–	–	–	–	–	–	–	–	–	–	–	1
XVII. Violent Deaths	42	3	–	–	3	3	2	3	1	–	–	2	–
I. Small Pox	59	2	6	14	12	14	4	1	2	–	–	–	1
Measles	46	1	1	5	20	9	4	2	4	–	–	–	–
Scarlatina	212	1	4	18	26	42	32	30	39	10	5	1	2
Hooping Cough	34	1	2	4	11	10	3	–	3	–	–	–	–
Croup	33	3	1	6	8	3	3	4	5	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	27	–	–	3	5	–	–	–	2	–	–	1	–
Dysentery	15	–	–	1	1	1	–	–	–	–	–	–	–
Cholera	1	–	1	–	–	–	–	–	–	–	–	–	–
Influenza	4	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	3	–	–	–	–	–	–	–	–	–	2	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	4	–	–	1	1	1	–	1	–	–	–	–	–
Typhus	54	–	–	–	1	4	3	1	6	4	5	2	4
Metria	6	–	–	–	–	–	–	–	–	–	1	1	–
Rheumatic Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	18	6	1	1	–	–	–	–	–	–	–	1	2
Syphilis	4	3	1	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	7	2	–	–	–	–	–	–	1	–	–	–	–
Dropsy	25	–	–	–	–	–	–	–	1	–	1	–	1
Abscess	3	–	–	1	–	–	–	–	–	1	–	–	–
Ulcer	1	–	–	–	1	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	9	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	55	–	–	–	–	–	1	–	–	1	–	1	1
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	10	–	–	1	5	–	–	–	–	–	2	–	–
Tabes Mesenterica	27	3	2	3	3	2	4	5	2	2	–	–	–
Phthisis	228	–	–	3	5	3	2	–	10	7	28	28	29
Hydrocephalus	82	–	6	22	28	10	5	3	6	–	1	–	1

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1856.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	77	90	70	60	69	84	102	95	78	96	56	36	15	4	1	1
SPECIFIED CAUSES	74	88	69	57	67	83	100	95	78	96	56	36	15	4	1	1
Zymotic Class	10	10	5	6	3	3	7	6	6	6	3	1	–	–	–	1
Uncertain Seat	7	7	8	8	7	9	14	7	4	12	4	1	–	–	–	–
Tubercular Class	26	33	13	14	8	11	6	5	–	–	–	–	–	–	–	–
Brain, etc.	4	5	6	8	7	13	21	23	12	14	8	3	–	–	–	–
Heart, etc.	6	5	9	6	10	11	9	11	6	4	–	–	–	–	–	–
Respiratory Organs	6	10	11	5	20	20	23	24	13	9	5	6	–	–	–	–
Digestive Organs	5	7	7	5	7	9	10	2	7	3	1	–	–	–	–	–
Urinary Organs	1	2	1	–	–	2	1	–	2	–	1	–	–	–	–	–
Generative Organs	6	7	5	1	1	–	1	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–
Skin	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	1	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	4	12	27	43	32	24	15	4	1	–
Sudden Deaths	–	1	1	–	–	–	2	1	–	2	–	–	–	–	–	–
Violent Deaths	2	1	3	4	3	3	1	3	1	2	1	1	–	–	–	–
Small Pox	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	1	–	–	–	–	2	1	–	2	1	1	–	–	–	–
Dysentery	–	–	1	1	1	1	3	–	4	1	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	1	–	–	1	–	2	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	5	5	2	4	2	1	–	3	1	1	–	–	–	–	–	–
Metria	1	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Erysipelas	1	–	–	1	–	–	1	–	1	1	2	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	2	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
Dropsy	3	–	1	1	2	6	2	1	2	3	1	–	–	–	–	–
Abscess	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	1	–	–	1	2	–	–	4	1	–	–	–	–	–
Cancer	2	7	5	6	5	2	10	6	2	3	2	1	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Scrofula	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	25	32	13	14	8	11	5	5	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1856.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	10	–	1	–	1	–	–	1	–	–	1	–	1
Apoplexy	43	–	–	1	1	1	–	–	–	–	3	3	2
Paralysis	61	–	–	–	–	–	–	–	–	–	1	–	1
Delirium Tremens	2	–	–	–	–	–	–	–	–	–	–	–	1
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	7	–	–	–	–	–	–	–	–	–	1	1	1
Tetanus	3	1	–	–	–	–	–	–	–	–	–	–	1
Insanity	5	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	22	10	–	3	6	3	–	–	–	–	–	–	–
Brain Disease	32	3	–	–	1	2	1	1	3	2	–	1	1
V. Pericarditis	6	–	–	–	1	–	–	–	–	–	1	–	–
Aneurism	4	–	–	–	–	–	–	–	–	–	1	–	1
Heart Disease	87	–	–	–	–	–	–	–	–	6	4	3	3
VI. Laryngitis	4	–	–	–	–	–	–	–	1	–	1	–	1
Bronchitis	155	14	7	14	14	4	2	1	–	1	2	2	4
Pleurisy	11	–	–	–	–	2	–	–	1	–	–	–	–
Pneumonia	62	7	4	7	7	3	3	1	3	2	1	2	1
Asthma	20	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	23	1	1	3	1	1	1	–	–	1	1	–	1
VII. Teething	19	–	–	10	9	–	–	–	–	–	–	–	–
Quinsey	2	–	–	–	–	1	–	–	–	–	–	1	–
Gastritis	2	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	17	5	1	1	2	2	1	1	–	–	–	–	1
Peritonitis	7	–	–	–	–	–	–	–	–	–	1	2	–
Ascites	10	–	–	–	–	–	–	–	1	–	–	–	1
Ulceration of Intestines	11	–	–	–	–	–	–	–	–	–	–	1	2
Hernia	2	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	4	–	–	–	–	–	–	1	–	–	–	–	–
Intussusception	1	–	–	–	–	–	–	–	–	1	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	7	–	1	1	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	4	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	7	2	–	1	–	–	–	–	–	–	–	1	–
Liver Disease	22	1	–	–	–	–	–	–	–	1	–	–	1
Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	11	–	–	–	1	1	–	–	–	–	–	1	3
Ischuria	1	1	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	7	–	–	–	–	–	–	–	1	–	–	–	2
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	3	–	–	–	–	–	–	–	–	–	1	–	–
Childbirth	25	–	–	–	–	–	–	–	–	–	1	3	7
Uterine Disease	5	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	2	–	–	–	–	–	–	–	–	–	–	1	–
Joint and Bone Disease	4	–	–	–	–	–	–	–	1	1	–	–	–
XI. Carbuncle	2	–	–	–	–	–	–	–	–	–	1	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	2	–	–	–	1	–	–	–	1	–	–	–	–
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	1	–	1	–	–	–	–	–	–	–	–	–	–
Other Malformations	1	1	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	6	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	3	1	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	12	–	–	–	1	3	2	2	1	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	3	1	–	–	1	–	–	–	–	–	–	–	–
Drowning	2	1	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	15	–	–	–	1	–	–	1	–	–	–	2	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	61	23	8	5	4	1	–	–	3	1	–	1	1

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1856.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	1	1	–	1	–	–	–	2	–	–	–	–	–	–	–	–
Apoplexy	–	1	1	2	1	5	7	2	3	6	3	1	–	–	–	–
Paralysis	1	1	1	1	4	4	10	15	9	6	5	2	–	–	–	–
Delirium Tremens	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	1	1	–	1	–	–	–	–	1	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Insanity	1	–	–	–	–	2	1	1	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	1	2	4	1	2	3	3	–	–	–	–	–	–	–	–
Pericarditis	–	–	2	–	–	–	1	1	–	–	–	–	–	–	–	–
Aneurism	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Heart Disease	6	5	6	6	10	11	7	10	6	4	–	–	–	–	–	–
Laryngitis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Bronchitis	1	7	6	2	11	8	14	15	11	7	4	4	–	–	–	–
Pleurisy	1	–	1	–	2	1	–	2	1	–	–	–	–	–	–	–
Pneumonia	3	3	3	2	–	3	2	1	–	1	1	2	–	–	–	–
Asthma	–	–	–	1	3	6	3	6	1	–	–	–	–	–	–	–
Lung Disease	1	–	1	–	4	1	4	–	–	1	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Peritonitis	–	1	1	1	–	–	–	1	–	–	–	–	–	–	–	–
Ascites	–	2	–	1	1	–	2	–	1	1	–	–	–	–	–	–
Ulceration of Intestines	–	2	–	1	1	1	2	–	1	–	–	–	–	–	–	–
Hernia	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Ileus	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	1	–	1	1	1	–	–	–	–	1	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	1	–	1	2	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–
Liver Disease	1	1	3	–	1	3	3	1	4	2	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	1	1	–	–	–	1	–	1	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	2	–	–	1	–	1	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Childbirth	5	6	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Uterine Disease	1	1	2	–	–	–	1	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	1	1	–	1	–	2	–	–	–	1	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Fracture and Contusion	–	–	3	1	1	–	1	1	1	1	1	1	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	3	2	1	3	2	1	2	–	–	–	–	–		–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1856.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
All Causes	2446	290	106	248	321	198	109	75	141	48	50	67	50
Specified Causes	2366	253	89	237	316	198	108	74	140	48	50	67	50
I. Zymotic Class	892	36	42	124	219	154	82	54	87	20	10	8	3
II. Diseases of Uncertain Seat	106	2	1	2	1	2	1	1	3	1	2	3	5
III. Tubercular Class	367	4	15	31	23	25	12	12	28	19	22	31	20
IV. Brain and Nervous System	156	25	9	13	11	2	2	–	6	2	2	6	3
V. Organs of Circulation	71	–	–	–	–	1	1	–	1	3	4	2	2
VI. Respiratory Organs	213	14	11	30	15	5	6	4	8	1	3	4	4
VII. Organs of Digestion	147	9	4	34	42	3	1	1	4	–	1	4	5
VIII. Urinary Organs	9	–	–	–	–	–	–	–	–	–	2	–	1
IX. Organs of Generation	16	–	–	–	–	–	–	–	–	–	–	4	4
X. Organs of Locomotion	6	–	–	–	1	–	1	–	1	1	1	–	–
XI. Skin, etc.	4	–	–	–	1	1	–	–	–	–	–	1	–
XII. Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	158	155	2	1	–	–	–	–	–	–	–	–	–
XIV. Atrophy	16	2	3	1	–	2	–	1	–	–	–	–	–
XV. Age	135	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	14	2	–	–	–	–	–	–	–	–	–	–	1
XVII. Violent Deaths	56	4	2	1	3	3	2	1	2	1	3	4	2
I. Small Pox	233	10	16	41	49	43	27	12	21	2	3	5	2
Measles	172	1	4	25	63	49	13	6	10	1	–	–	–
Scarlatina	149	4	2	11	34	25	22	13	30	6	1	–	–
Hooping Cough	135	4	15	26	46	19	6	10	6	3	–	–	–
Croup	66	7	2	10	16	11	8	7	5	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	23	1	–	6	5	4	1	–	–	1	1	–	–
Dysentery	8	1	1	–	2	–	–	–	1	–	–	1	–
Cholera	5	–	–	2	1	–	–	–	1	–	–	–	–
Influenza	10	–	–	–	–	–	1	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	1	–	–	–	–	–	–	–	–	–
Infantile Fever	3	1	–	–	1	–	1	–	–	–	–	–	–
Typhus	77	3	–	2	2	2	3	6	13	7	5	2	1
Metria	2	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	5	3	–	–	–	1	–	–	–	–	–	–	–
Syphilis	3	1	2	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	7	1	–	2	–	–	–	–	–	–	–	–	–
Dropsy	63	–	1	–	–	1	1	–	2	1	1	2	4
Abscess	1	–	–	–	1	–	–	–	–	–	–	–	–
Ulcer	2	–	–	–	–	–	–	–	–	–	1	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	8	1	–	–	–	1	–	1	–	–	–	–	1
Cancer	25	–	–	–	–	–	–	–	1	–	–	1	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	13	–	–	–	2	–	–	1	1	4	1	2	1
Tabes Mesenterica	7	–	–	–	3	–	–	1	1	–	1	–	–
Phthisis	260	1	3	7	8	15	5	5	13	12	20	29	19
Hydrocephalus	87	3	12	24	10	10	7	5	13	3	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1856.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	65	65	67	61	90	91	77	54	59	49	36	16	8	1	1	3
Specified Causes	65	64	67	60	88	89	77	54	59	49	36	16	8	1	1	2
Zymotic Class	8	6	4	9	7	8	2	3	3	1	2	–	–	–	–	–
Uncertain Seat	5	5	8	6	12	18	12	8	2	4	2	–	–	–	–	–
Tubercular Class	27	24	23	16	17	11	3	2	2	–	–	–	–	–	–	–
Brain, etc.	1	2	2	7	10	15	11	11	7	6	3	–	–	–	–	–
Heart, etc.	6	9	4	4	6	10	6	4	4	2	2	–	–	–	–	–
Respiratory Organs	6	9	9	8	19	17	19	7	5	5	1	3	–	–	–	–
Digestive Organs	1	4	6	5	5	5	6	5	1	1	–	–	–	–	–	–
Urinary Organs	–	–	–	–	2	1	1	–	1	1	–	–	–	–	–	–
Generative Organs	4	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	1	3	2	1	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	1	9	14	33	29	25	13	8	1	1	1
Sudden Deaths	2	2	1	1	1	1	3	–	–	–	–	–	–	–	–	–
Violent Deaths	5	1	9	2	6	–	2	–	1	–	1	–	–	–	–	1
Small Pox	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	1	1	1	–	–	1	–	–	–	–	–	–	–	–
Dysentery	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Cholera	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	2	–	1	1	3	–	–	1	–	1	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	6	3	2	5	5	4	1	1	2	1	1	–	–	–	–	–
Metria	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	2	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Dropsy	3	3	5	2	7	11	6	5	2	4	2	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	1	–	–	–	1	2	–	–	–	–	–	–	–	–	–
Cancer	–	1	2	4	4	5	4	3	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Phthisis	26	24	23	16	17	10	3	2	2	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1856.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	3	–	–	–	–	–	–	–	–	1	–	1	–
Apoplexy	20	1	–	2	–	–	–	–	1	–	–	1	1
Paralysis	49	–	–	–	–	–	–	–	–	–	–	2	–
Delirium Tremens	4	–	–	–	–	–	–	–	–	–	–	1	–
Chorea	2	–	–	–	–	–	–	–	–	–	1	–	–
Epilepsy	1	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	3	–	–	1	–	–	–	–	–	1	–	–	–
Insanity	2	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	61	24	9	10	10	2	1	–	3	–	1	–	–
Brain Disease	11	–	–	–	1	–	1	–	2	–	–	1	2
V. Pericarditis	2	–	–	–	–	–	–	–	1	–	–	1	–
Aneurism	1	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	68	–	–	–	–	1	1	–	–	3	4	1	2
VI. Laryngitis	2	–	–	–	1	–	1	–	–	–	–	–	–
Bronchitis	72	9	5	19	8	3	3	1	2	–	–	–	–
Pleurisy	5	–	–	–	–	–	–	–	–	–	1	1	–
Pneumonia	72	4	6	10	5	2	1	2	6	1	2	2	2
Asthma	52	–	–	1	–	–	1	–	–	–	–	–	2
Lung Disease	10	1	–	–	1	–	–	1	–	–	–	1	–
VII. Teething	68	1	4	26	36	1	–	–	–	–	–	–	–
Quinsey	1	–	–	–	–	1	–	–	–	–	–	–	–
Gastritis	7	3	–	1	1	1	–	–	–	–	–	1	–
Enteritis	17	1	–	4	1	–	–	–	2	–	1	2	–
Peritonitis	4	1	–	–	–	–	–	–	1	–	–	–	–
Ascites	2	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	3	–	–	–	–	–	–	1	–	–	–	–	1
Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	8	–	–	–	1	–	–	–	–	–	–	–	1
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	13	1	–	1	3	–	1	–	–	–	–	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	–	–	–	–	–	–	–	–	–	–	–	1
Jaundice	7	1	–	1	–	–	–	–	–	–	–	1	1
Liver Disease	13	1	–	1	–	–	–	–	1	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	2	–	–	–	–	–	–	–	–	–	2	–	–
Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	1	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	4	–	–	–	–	–	–	–	–	–	–	–	1
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	15	–	–	–	–	–	–	–	–	–	–	4	4
Uterine Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	1	–	–	–	–	–	–	–	–	–	1	–	–
Rheumatism	3	–	–	–	–	–	–	–	1	1	–	–	–
Joint and Bone Disease	2	–	–	–	1	–	1	–	–	–	–	–	–
XI. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	3	–	–	–	1	1	–	–	–	–	–	1	–
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	4	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	6	4	2	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	2	–	–	–	–	–	–	–	–	–	–	1	–
Burns and Scalds	6	–	–	–	2	1	2	–	1	–	–	–	–
Hanging, etc.	2	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	2	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	14	–	–	–	–	–	–	–	–	–	2	–	2
Fracture and Contusion	15	–	–	–	1	1	–	1	1	1	1	2	–
Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	4	–	–	1	–	1	–	–	–	–	–	1	–
Not Specified	80	37	17	11	5	–	1	1	1	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1856.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	1	–	1	2	3	2	5	–	–	–	–	–	–	–	–
Paralysis	–	1	–	4	8	9	7	5	6	4	3	–	–	–	–	–
Delirium Tremens	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Insanity	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
Convulsions	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	–	–	–	–	–	2	1	1	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	6	8	4	4	6	10	6	4	4	2	2	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	1	2	1	1	2	6	4	1	–	1	1	2	–	–	–	–
Pleurisy	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–
Pneumonia	3	3	3	2	4	3	4	1	4	1	–	1	–	–	–	–
Asthma	2	3	4	5	8	7	10	5	1	3	–	–	–	–	–	–
Lung Disease	–	1	1	–	3	1	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	1	2	–	–	1	1	1	–	–	–	–	–	–	–	–
Peritonitis	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Ascites	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	2	2	–	–	1	1	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	1	2	2	–	1	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Jaundice	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	1	3	1	1	1	3	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	4	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Uterine Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	1	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Drowning	2	–	5	1	1	–	–	–	–	–	–	–	–	–	–	1
Fracture and Contusion	2	–	–	–	1	–	2	–	1	–	1	–	–	–	–	–
Wounds	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	1	–	1	2	2	–	–	–	–	–	–	–	–	–	1

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1856.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	1201	168	57	121	179	95	57	43	64	28	20	30	20
SPECIFIED CAUSES	1160	151	47	114	176	95	56	43	64	28	20	30	20
I. Zymotic Class	461	22	23	64	120	77	42	31	42	10	5	5	1
II. Diseases of Uncertain Seat	44	2	1	1	1	–	1	1	1	–	–	3	2
III. Tubercular Class	163	3	7	15	14	8	6	8	11	13	6	13	8
IV. Brain and Nervous System	78	13	7	6	6	2	1	–	1	1	–	2	2
V. Organs of Circulation	36	–	–	–	–	1	1	–	–	2	2	1	1
VI. Respiratory Organs	98	7	5	13	6	1	3	1	5	1	3	–	1
VII. Organs of Digestion	70	6	1	14	24	2	–	1	1	–	1	2	2
VIII. Urinary Organs	6	–	–	–	–	–	–	–	–	–	–	–	1
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	4	–	–	–	1	–	1	–	1	–	1	–	–
XI. Skin, etc.	4	–	–	–	1	1	–	–	–	–	–	1	–
XII. Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	94	93	1	–	–	–	–	–	–	–	–	–	–
XIV. Atrophy	8	2	1	1	–	1	–	–	–	–	–	–	–
XV. Age	49	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	8	1	–	–	–	–	–	–	–	–	–	–	1
XVII. Violent Deaths	37	2	1	–	3	2	1	1	2	1	2	3	1
I. Small Pox	122	6	8	25	22	23	12	9	9	2	2	2	1
Measles	87	–	1	13	33	26	5	3	5	1	–	–	–
Scarlatina	81	3	2	7	19	13	12	6	16	2	–	–	–
Hooping Cough	67	4	9	10	27	8	3	5	1	–	–	–	–
Croup	41	4	1	6	11	4	6	5	4	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	12	–	–	2	4	2	1	–	–	1	–	–	–
Dysentery	7	1	1	–	2	–	–	–	1	–	–	1	–
Cholera	2	–	–	–	1	–	–	–	1	–	–	–	–
Influenza	2	–	–	–	–	–	1	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	1	–	–	–	–	–	–	–	–	–
Infantile Fever	1	–	–	–	–	–	1	–	–	–	–	–	–
Typhus	34	1	–	–	1	1	1	3	5	4	3	2	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	2	2	–	–	–	–	–	–	–	–	–	–	–
Syphilis	2	1	1	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	5	1	–	1	–	–	–	–	–	–	–	–	–
Dropsy	22	–	1	–	–	–	1	–	–	–	–	2	1
Abscess	1	–	–	–	1	–	–	–	–	–	–	–	–
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	6	1	–	–	–	–	–	1	–	–	–	–	1
Cancer	9	–	–	–	–	–	–	–	1	–	–	1	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	5	–	–	–	1	–	–	–	–	2	–	2	–
Tabes Mesenterica	4	–	–	–	3	–	–	1	–	–	–	–	–
Phthisis	112	1	1	4	4	6	4	4	4	8	6	11	8
Hydrocephalus	42	2	6	11	6	2	2	3	7	3	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1856.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	32	17	29	30	38	39	44	24	20	24	13	5	3	–	–	1
SPECIFIED CAUSES	32	16	29	30	38	38	44	24	20	24	13	5	3	–	–	–
Zymotic Class	3	–	–	5	5	3	–	2	–	–	1	–	–	–	–	–
Uncertain Seat	1	2	4	2	2	6	6	4	2	2	–	–	–	–	–	–
Tubercular Class	15	4	6	8	10	4	3	1	–	–	–	–	–	–	–	–
Brain, etc.	1	1	2	5	3	6	7	4	4	3	1	–	–	–	–	–
Heart, etc.	3	6	2	–	–	6	4	2	1	2	2	–	–	–	–	–
Respiratory Organs	4	1	4	5	8	7	13	4	3	2	–	1	–	–	–	–
Digestive Organs	–	–	3	3	4	2	2	–	1	1	–	–	–	–	–	–
Urinary Organs	–	–	–	–	2	1	1	–	–	1	–	–	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	1	4	7	9	13	8	4	3	–	–	–
Sudden Deaths	1	1	1	–	1	–	2	–	–	–	–	–	–	–	–	–
Violent Deaths	4	1	7	1	3	–	1	–	–	–	1	–	–	–	–	–
Small Pox	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Dysentery	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	3	–	–	2	4	2	–	1	–	–	1	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	1	3	1	–	2	3	3	2	2	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Cancer	–	–	–	1	1	2	2	1	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	15	4	6	8	10	4	3	1	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1856.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	8	1	–	–	–	–	–	–	–	–	–	–	–
Paralysis	22	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	4	–	–	–	–	–	–	–	–	–	–	1	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	1	–	–	–	–	–	–	–	–	1	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	34	12	7	6	5	2	1	–	1	–	–	–	–
Brain Disease	7	–	–	–	1	–	–	–	–	–	–	1	2
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	35	–	–	–	–	1	1	–	–	2	2	1	1
VI. Laryngitis	1	–	–	–	–	–	1	–	–	–	–	–	–
Bronchitis	36	5	2	10	5	1	1	–	1	–	–	–	–
Pleurisy	2	–	–	–	–	–	–	–	–	–	1	–	–
Pneumonia	31	1	3	3	1	–	1	–	4	1	2	–	–
Asthma	25	–	–	–	–	–	–	–	–	–	–	–	1
Lung Disease	3	1	–	–	–	–	–	1	–	–	–	–	–
VII. Teething	31	–	1	10	19	1	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	7	3	–	1	1	1	–	–	–	–	–	1	–
Enteritis	8	1	–	2	1	–	–	–	–	–	1	1	–
Peritonitis	2	1	–	–	–	–	–	–	1	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	–	–	–	–	–	–	1	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	5	–	–	–	–	–	–	–	–	–	–	–	1
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	7	–	–	–	3	–	–	–	–	–	–	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	1	1	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	7	–	–	1	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	4	–	–	–	–	–	–	–	–	–	–	–	1
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Uterine Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	1	–	–	–	–	–	–	–	–	–	1	–	–
Rheumatism	1	–	–	–	–	–	–	–	1	–	–	–	–
Joint and Bone Disease	2	–	–	–	1	–	1	–	–	–	–	–	–
XI. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	3	–	–	–	1	1	–	–	–	–	–	1	–
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	2	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	3	2	1	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	5	–	–	–	2	1	1	–	1	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	2	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	12	–	–	–	–	–	–	–	–	–	2	–	1
Fracture and Contusion	10	–	–	–	1	–	–	1	1	1	–	2	–
Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	2	–	–	–	–	1	–	–	–	–	–	1	–
Not Specified	41	17	10	7	3	–	1	–	–	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1856.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	–	–	1	–	2	1	3	–	–	–	–	–	–	–	–
Paralysis	–	1	–	3	3	3	4	–	4	3	1	–	–	–	–	–
Delirium Tremens	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	3	5	2	–	–	6	4	2	1	2	2	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	1	–	–	1	1	3	3	1	–	–	–	1	–	–	–	–
Pleurisy	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Pneumonia	2	–	2	2	2	2	2	–	2	1	–	–	–	–	–	–
Asthma	1	1	2	2	4	2	7	3	1	1	–	–	–	–	–	–
Lung Disease	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	2	1	–	–	–	1	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	–	2	1	1	–	2	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Uterine Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Drowning	2	–	5	1	1	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	2	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Wounds	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	1

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1856.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	1245	122	49	127	142	103	52	32	77	20	30	37	30
SPECIFIED CAUSES	1206	102	42	123	140	103	52	31	76	20	30	37	30
I. Zymotic Class	431	14	19	60	99	77	40	23	45	10	5	3	2
II. Diseases of Uncertain Seat	62	–	–	1	–	2	–	–	2	1	2	–	3
III. Tubercular Class	204	1	8	16	9	17	6	4	17	6	16	18	12
IV. Brain and Nervous System	78	12	2	7	5	–	1	–	5	1	2	4	1
V. Organs of Circulation	35	–	–	–	–	–	–	–	1	1	2	1	1
VI. Respiratory Organs	115	7	6	17	9	4	3	3	3	–	–	4	3
VII. Organs of Digestion	77	3	3	20	18	1	1	–	3	–	–	2	3
VIII. Urinary Organs	3	–	–	–	–	–	–	–	–	–	2	–	–
IX. Organs of Generation	16	–	–	–	–	–	–	–	–	–	–	4	4
X. Organs of Locomotion	2	–	–	–	–	–	–	–	–	1	–	–	–
XI. Skin, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	64	62	1	1	–	–	–	–	–	–	–	–	–
XIV. Atrophy	8	–	2	–	–	1	–	1	–	–	–	–	–
XV. Age	86	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	6	1	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	19	2	1	1	–	1	1	–	–	–	1	1	1
I. Small Pox	111	4	8	16	27	20	15	3	12	–	1	3	1
Measles	85	1	3	12	30	23	8	3	5	–	–	–	–
Scarlatina	68	1	–	4	15	12	10	7	14	4	1	–	–
Hooping Cough	68	–	6	16	19	11	3	5	5	3	–	–	–
Croup	25	3	1	4	5	7	2	2	1	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	11	1	–	4	1	2	–	–	–	–	1	–	–
Dysentery	1	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	3	–	–	2	–	–	–	–	–	–	–	–	–
Influenza	8	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	2	1	–	–	1	–	–	–	–	–	–	–	–
Typhus	43	2	–	2	1	1	2	3	8	3	2	–	1
Metria	2	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	3	1	–	–	–	1	–	–	–	–	–	–	–
Syphilis	1	–	1	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	2	–	–	1	–	–	–	–	–	–	–	–	–
Dropsy	41	–	–	–	–	1	–	–	2	1	1	–	3
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	1	–	–	–	–	–	–	–	–	–	1	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	–	–	–	–	1	–	–	–	–	–	–	–
Cancer	16	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	8	–	–	–	1	–	–	1	1	2	1	–	1
Tabes Mesenterica	3	–	–	–	–	–	–	–	1	–	1	–	–
Phthisis	148	–	2	3	4	9	1	1	9	4	14	18	11
Hydrocephalus	45	1	6	13	4	8	5	2	6	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1856.—Females.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	33	48	38	31	52	52	33	30	39	25	23	11	5	1	1	2
Specified Causes	33	48	38	30	50	51	33	30	39	25	23	11	5	1	1	2
Zymotic Class	5	6	4	4	2	5	2	1	3	1	1	–	–	–	–	–
Uncertain Seat	4	3	4	4	10	12	6	4	–	2	2	–	–	–	–	–
Tubercular Class	12	20	17	8	7	7	–	1	2	–	–	–	–	–	–	–
Brain, etc.	–	1	–	2	7	9	4	7	3	3	2	–	–	–	–	–
Heart, etc.	3	3	2	4	6	4	2	2	3	–	–	–	–	–	–	–
Respiratory Organs	2	8	5	3	11	10	6	3	2	3	1	2	–	–	–	–
Digestive Organs	1	4	3	2	1	3	4	5	–	–	–	–	–	–	–	–
Urinary Organs	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Generative Organs	4	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	–	3	–	1	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	5	7	24	16	17	9	5	1	1	1
Sudden Deaths	1	1	–	1	–	1	1	–	–	–	–	–	–	–	–	–
Violent Deaths	1	–	2	1	3	–	1	–	1	–	–	–	–	–	–	1
Small Pox	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Dysentery	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	2	–	–	1	3	–	–	1	–	1	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	3	3	2	3	1	2	1	–	2	1	–	–	–	–	–	–
Metria	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	3	2	2	1	7	9	3	2	–	2	2	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Cancer	–	1	2	3	3	3	2	2	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Phthisis	11	20	17	8	7	6	–	1	2	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1856.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	2	–	–	–	–	–	–	–	–	1	–	1	–
Apoplexy	12	–	–	2	–	–	–	–	1	–	–	1	1
Paralysis	27	–	–	–	–	–	–	–	–	–	–	2	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	2	–	–	–	–	–	–	–	–	–	1	–	–
Epilepsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	2	–	–	1	–	–	–	–	–	–	–	–	–
Insanity	2	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	27	12	2	4	5	–	–	–	2	–	1	–	–
Brain Disease	4	–	–	–	–	–	1	–	2	–	–	–	–
V. Pericarditis	2	–	–	–	–	–	–	–	1	–	–	1	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	33	–	–	–	–	–	–	–	–	1	2	–	1
VI. Laryngitis	1	–	–	–	1	–	–	–	–	–	–	–	–
Bronchitis	36	4	3	9	3	2	2	1	1	–	–	–	–
Pleurisy	3	–	–	–	–	–	–	–	–	–	–	1	–
Pneumonia	41	3	3	7	4	2	–	2	2	–	–	2	2
Asthma	27	–	–	1	–	–	1	–	–	–	–	–	1
Lung Disease	7	–	–	–	1	–	–	–	–	–	–	1	–
VII. Teething	37	1	3	16	17	–	–	–	–	–	–	–	–
Quinsey	1	–	–	–	–	1	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	9	–	–	2	–	–	–	–	2	–	–	1	–
Peritonitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	2	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	2	–	–	–	–	–	–	–	–	–	–	–	1
Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	3	–	–	–	1	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	6	1	–	1	–	–	1	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	–	–	–	–	–	–	–	1
Jaundice	6	–	–	1	–	–	–	–	–	–	–	1	1
Liver Disease	6	1	–	–	–	–	–	–	1	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	2	–	–	–	–	–	–	–	–	–	2	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	1	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	15	–	–	–	–	–	–	–	–	–	–	4	4
Uterine Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	2	–	–	–	–	–	–	–	–	1	–	–	–
Joint and Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	2	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	3	2	1	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	2	–	–	–	–	–	–	–	–	–	–	1	–
Burns and Scalds	1	–	–	–	–	–	1	–	–	–	–	–	–
Hanging, etc.	2	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	2	–	–	–	–	–	–	–	–	–	–	–	1
Fracture and Contusion	5	–	–	–	–	1	–	–	–	–	1	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	2	–	–	1	–	–	–	–	–	–	–	–	–
Not Specified	39	20	7	4	2	–	–	1	1	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1856.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	1	–	–	2	1	1	2	–	–	–	–	–	–	–	–
Paralysis	–	–	–	1	5	6	3	5	2	1	2	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Insanity	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
Convulsions	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	3	3	2	4	6	4	2	2	3	–	–	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	2	1	–	1	3	1	–	–	1	1	1	–	–	–	–
Pleurisy	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	1	3	1	–	2	1	2	1	2	–	–	1	–	–	–	–
Asthma	1	2	2	3	4	5	3	2	–	2	–	–	–	–	–	–
Lung Disease	–	1	1	–	2	1	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	1	1	–	–	–	1	1	–	–	–	–	–	–	–	–
Peritonitis	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Ascites	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	1	1	–	–	1	1	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	4	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Uterine Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Fracture and Contusion	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	–	1	2	1	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1856.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
All Causes	1656	149	56	99	131	63	49	41	101	44	57	59	60
Specified Causes	1625	142	55	98	128	63	47	39	99	43	57	59	60
I. Zymotic Class	378	21	14	35	58	32	27	20	41	11	10	10	8
II. Diseases of Uncertain Seat	103	3	2	–	–	–	1	1	1	5	1	5	3
III. Tubercular Class	323	2	11	24	34	18	9	11	35	12	27	23	28
IV. Brain and Nervous System	161	34	8	7	3	1	3	1	5	2	4	3	2
V. Organs of Circulation	58	–	–	–	–	–	–	–	1	3	4	1	1
VI. Respiratory Organs	187	15	10	13	18	6	4	5	7	1	2	4	2
VII. Organs of Digestion	118	4	6	16	14	3	–	–	2	4	5	4	5
VIII. Urinary Organs	32	–	–	–	–	–	–	–	–	1	1	5	3
IX. Organs of Generation	6	–	–	–	–	–	–	–	–	–	–	2	3
X. Organs of Locomotion	9	–	–	–	–	1	–	1	1	1	2	1	–
XI. Skin, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	1	1	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	61	61	–	–	–	–	–	–	–	–	–	–	–
XIV. Atrophy	9	–	2	3	–	1	–	–	1	–	–	–	–
XV. Age	138	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	1	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	39	1	2	–	1	1	3	–	5	3	1	1	5
I. Small Pox	67	6	6	5	7	5	8	3	9	2	5	2	2
Measles	2	–	–	–	2	–	–	–	–	–	–	–	–
Scarlatina	52	2	–	3	8	9	4	7	16	2	–	–	–
Hooping Cough	86	4	6	16	29	11	7	6	7	–	–	–	–
Croup	18	2	–	1	5	4	5	1	–	–	–	–	–
Thrush	3	2	–	–	1	–	–	–	–	–	–	–	–
Diarrhœa	27	1	–	8	3	–	–	–	–	–	–	–	–
Dysentery	10	–	–	1	1	1	–	–	–	–	1	1	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	9	–	–	–	–	1	1	–	–	–	2	–	–
Purpura	2	–	1	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	1	–	–	–	–	–	–	–	1	–	–	–	–
Typhus	81	–	–	–	2	1	2	3	8	6	2	6	5
Metria	2	–	–	–	–	–	–	–	–	–	–	–	1
Rheumatic Fever	1	–	–	–	–	–	–	–	–	1	–	–	–
Erysipelas	12	2	–	–	–	–	–	–	–	–	–	1	–
Syphilis	5	2	1	1	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	6	–	–	–	–	–	–	–	–	–	1	–	–
Dropsy	49	–	1	–	–	–	1	1	1	5	–	4	2
Abscess	9	1	–	–	–	–	–	–	–	–	–	–	–
Ulcer	3	1	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	3	–	1	–	–	–	–	–	–	–	–	–	–
Cancer	33	1	–	–	–	–	–	–	–	–	–	1	1
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	19	1	1	1	4	–	1	1	2	3	2	–	–
Tabes Mesenterica	12	1	–	–	4	1	–	1	3	1	–	–	–
Phthisis	192	–	2	3	5	4	3	2	7	7	23	23	28
Hydrocephalus	100	–	8	20	21	13	5	7	23	1	2	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1856.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	44	51	57	54	65	61	64	77	93	75	57	35	9	2	1	2
Specified Causes	43	50	56	52	65	59	60	77	93	75	57	35	9	2	1	1
Zymotic Class	6	13	9	10	13	9	7	8	9	2	3	2	–	–	–	–
Uncertain Seat	3	4	7	8	12	11	13	6	10	3	3	1	–	–	–	–
Tubercular Class	23	14	16	14	6	5	5	3	2	1	–	–	–	–	–	–
Brain, etc.	–	10	5	3	6	8	8	15	21	4	3	4	1	–	–	–
Heart, etc.	1	2	7	2	7	6	8	5	4	6	–	–	–	–	–	–
Respiratory Organs	2	–	5	10	7	12	6	11	18	18	9	2	–	–	–	–
Digestive Organs	5	4	4	4	7	4	9	10	3	1	4	–	–	–	–	–
Urinary Organs	1	1	2	1	–	3	2	7	1	1	2	1	–	–	–	–
Generative Organs	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	1	9	23	36	33	25	8	2	1	–
Sudden Deaths	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	2	1	–	–	5	1	1	2	–	3	–	–	–	–	–	1
Small Pox	2	2	–	1	1	–	1	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	1	–	1	1	3	3	4	1	1	–	–	–	–	–
Dysentery	–	2	–	1	–	1	–	–	–	–	–	1	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	1	–	1	–	1	2	–	–	–	–	–	–	–	–
Purpura	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	1	8	6	7	9	5	2	2	3	–	2	1	–	–	–	–
Metria	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	1	–	1	1	1	1	–	1	2	1	–	–	–	–	–	–
Syphilis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	–	1	–	2	1	–	–	–	–	–	–	–	–	–	–
Dropsy	1	2	4	2	2	4	7	3	8	–	1	–	–	–	–	–
Abscess	–	–	–	3	1	2	1	–	–	–	1	–	–	–	–	–
Ulcer	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Cancer	1	2	2	3	6	4	5	2	1	3	–	1	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Phthisis	23	13	15	14	5	5	4	3	2	1	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1856.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	9	–	1	1	–	–	–	–	2	–	1	1	–
Apoplexy	35	–	–	–	–	–	–	–	1	–	–	–	2
Paralysis	32	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	3	–	–	–	–	–	–	–	–	–	1	–	–
Tetanus	4	3	–	–	–	–	–	–	–	–	–	–	–
Insanity	2	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	55	31	7	6	3	1	1	1	1	1	–	–	–
Brain Disease	21	–	–	–	–	–	2	–	1	1	2	2	–
V. Pericarditis	2	–	–	–	–	–	–	–	1	1	–	–	–
Aneurism	2	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	54	–	–	–	–	–	–	–	–	2	4	1	1
VI. Laryngitis	2	–	–	–	–	–	–	–	–	–	1	–	–
Bronchitis	107	7	3	10	16	3	3	2	3	–	–	1	–
Pleurisy	13	1	1	–	–	–	–	1	2	1	–	–	–
Pneumonia	45	7	6	3	2	2	1	1	2	–	1	2	1
Asthma	14	–	–	–	–	–	–	–	–	–	–	–	1
Lung Disease	6	–	–	–	–	1	–	1	–	–	–	1	–
VII. Teething	33	–	3	14	14	2	–	–	–	–	–	–	–
Quinsey	2	–	1	–	–	–	–	–	–	–	–	–	–
Gastritis	4	–	1	–	–	–	–	–	1	–	1	–	–
Enteritis	11	1	–	–	–	–	–	–	–	–	–	1	1
Peritonitis	12	1	–	2	–	–	–	–	–	2	1	1	1
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	9	–	–	–	–	–	–	–	–	–	1	1	2
Hernia	3	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	20	2	–	–	–	–	–	–	–	2	1	–	–
Intussusception	1	–	1	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	7	–	–	–	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	3	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	10	–	–	–	–	1	–	–	1	–	–	1	1
Spleen Disease	1	–	–	–	–	–	–	–	–	–	1	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	4	–	–	–	–	–	–	–	–	–	–	1	–
Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	2	–	–	–	–	–	–	–	–	–	–	2	–
Stone	3	–	–	–	–	–	–	–	–	1	–	–	–
Cystitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	21	–	–	–	–	–	–	–	–	–	1	2	3
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	4	–	–	–	–	–	–	–	–	–	–	2	2
Uterine Disease	2	–	–	–	–	–	–	–	–	–	–	–	1
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	2	–	–	–	–	1	–	–	–	–	–	1	–
Joint and Bone Disease	7	–	–	–	–	–	–	1	1	1	2	–	–
XI. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	1	1	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	2	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	–	–	–	–	–	–	–	–	–	–	1
Burns and Scalds	7	–	–	–	–	1	3	–	2	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	7	1	2	–	1	–	–	–	–	–	–	–	–
Drowning	10	–	–	–	–	–	–	–	2	–	–	1	3
Fracture and Contusion	10	–	–	–	–	–	–	–	1	3	1	–	1
Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	31	7	1	1	3	–	2	2	2	1	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1856.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–
Apoplexy	–	5	2	2	1	2	3	5	9	1	1	1	–	–	–	–
Paralysis	–	2	–	–	4	1	5	4	9	2	1	3	1	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Insanity	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Convulsions	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	–	1	1	–	4	–	5	1	–	1	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	–	2	7	2	6	6	8	5	4	6	–	–	–	–	–	–
Laryngitis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	1	–	1	3	3	6	3	6	15	14	6	1	–	–	–	–
Pleurisy	–	–	–	1	–	3	1	1	–	–	1	–	–	–	–	–
Pneumonia	1	–	2	4	3	2	–	2	2	1	–	–	–	–	–	–
Asthma	–	–	1	1	1	1	–	2	1	3	2	1	–	–	–	–
Lung Disease	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Gastritis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	2	–	–	1	3	–	1	–	–	1	–	–	–	–	–	–
Peritonitis	1	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	1	1	–	–	–	1	1	–	–	–	–	–	–	–	–
Hernia	–	1	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Ileus	–	–	–	–	1	1	5	4	1	–	3	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	1	–	1	–	2	–	1	1	1	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Jaundice	–	–	–	1	–	–	–	1	–	–	1	–	–	–	–	–
Liver Disease	–	2	–	1	1	–	1	1	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	1	–	–	–	–	2	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	1	–	1	–	3	2	4	1	1	–	1	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Uterine Disease	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1
Drowning	–	–	–	–	2	1	–	1	–	–	–	–	–	–	–	–
Fracture and Contusion	1	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–
Wounds	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Not Specified	1	1	1	2	–	2	4	–	–	–	–	–	–	–	–	1

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1856.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	795	78	34	45	68	30	24	24	58	26	22	23	25
SPECIFIED CAUSES	779	77	34	44	65	30	24	22	57	25	22	23	25
I. Zymotic Class	192	15	7	12	30	15	13	14	19	7	4	5	3
II. Diseases of Uncertain Seat	35	–	1	–	–	–	1	1	–	4	–	3	1
III. Tubercular Class	168	2	9	13	19	8	5	5	25	5	10	7	12
IV. Brain and Nervous System	86	20	4	3	1	1	2	–	4	1	2	1	1
V. Organs of Circulation	25	–	–	–	–	–	–	–	1	1	2	1	–
VI. Respiratory Organs	94	7	8	7	10	2	2	2	2	–	1	2	–
VII. Organs of Digestion	46	1	5	7	4	2	–	–	2	3	1	2	1
VIII. Urinary Organs	21	–	–	–	–	–	–	–	–	1	–	1	2
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	3	–	–	–	–	1	–	–	–	–	1	–	–
XI. Skin, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	31	31	–	–	–	–	–	–	–	–	–	–	–
XIV. Atrophy	5	–	–	2	–	1	–	–	1	–	–	–	–
XV. Age	45	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	1	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	26	1	–	–	1	–	1	–	3	3	1	1	5
I. Small Pox	34	5	1	1	3	2	3	3	6	2	2	1	–
Measles	1	–	–	–	1	–	–	–	–	–	–	–	–
Scarlatina	24	1	–	1	3	5	2	5	5	2	–	–	–
Hooping Cough	46	4	5	4	16	5	3	4	5	–	–	–	–
Croup	9	2	–	–	2	1	3	1	–	–	–	–	–
Thrush	1	1	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	13	–	–	5	2	–	–	–	–	–	–	–	–
Dysentery	6	–	–	–	1	1	–	–	–	–	1	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	4	–	–	–	–	1	1	–	–	–	–	–	–
Purpura	2	–	1	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	1	–	–	–	–	–	–	–	1	–	–	–	–
Typhus	43	–	–	–	2	–	1	1	2	3	1	4	3
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	5	1	–	–	–	–	–	–	–	–	–	–	–
Syphilis	3	1	–	1	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	2	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	17	–	–	–	–	–	1	1	–	4	–	3	–
Abscess	5	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	–	1	–	–	–	–	–	–	–	–	–	–
Cancer	8	–	–	–	–	–	–	–	–	–	–	–	1
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	14	1	1	1	2	–	–	–	2	3	2	–	–
Tabes Mesenterica	7	1	–	–	2	–	–	1	2	–	–	–	–
Phthisis	93	–	1	3	3	2	3	1	6	2	8	7	12
Hydrocephalus	54	–	7	9	12	6	2	3	15	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1856.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	20	29	26	25	34	29	30	33	28	39	25	18	1	–	–	1
SPECIFIED CAUSES	19	29	25	23	34	29	27	33	28	39	25	18	1	–	–	1
Zymotic Class	4	9	3	7	9	3	2	3	3	1	2	2	–	–	–	–
Uncertain Seat	1	1	–	1	4	4	8	2	2	–	1	–	–	–	–	–
Tubercular Class	10	9	8	5	4	3	4	2	2	1	–	–	–	–	–	–
Brain, etc.	–	3	1	2	4	6	3	8	11	2	3	2	1	–	–	–
Heart, etc.	–	2	3	1	4	3	1	2	2	2	–	–	–	–	–	–
Respiratory Organs	1	–	4	6	4	5	4	6	2	14	4	1	–	–	–	–
Digestive Organs	2	2	3	1	3	1	3	1	1	1	–	–	–	–	–	–
Urinary Organs	–	1	2	–	–	3	2	5	–	1	2	1	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	–	2	3	15	13	12	–	–	–	–
Sudden Deaths	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	1	1	–	–	2	1	–	2	–	2	–	–	–	–	–	1
Small Pox	1	2	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	1	–	1	1	–	2	1	–	–	–	–	–	–	–
Dysentery	–	1	–	1	–	–	–	–	–	–	–	1	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Purpura	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	1	6	1	5	6	1	1	–	2	–	2	1	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	1	–	1	1	–	–	–	1	–	–	–	–	–	–
Syphilis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	–	–	2	1	4	–	1	–	–	–	–	–	–	–
Abscess	–	–	–	1	–	2	1	–	–	–	1	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Cancer	1	1	–	–	–	1	3	1	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Phthisis	10	8	8	5	3	3	3	2	2	1	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1856.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	5	–	1	–	–	–	–	–	1	–	1	–	–
Apoplexy	15	–	–	–	–	–	–	–	1	–	–	–	1
Paralysis	19	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	4	3	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	27	17	3	3	1	1	1	–	1	–	–	–	–
Brain Disease	15	–	–	–	–	–	1	–	1	1	1	1	–
V. Pericarditis	2	–	–	–	–	–	–	–	1	1	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	23	–	–	–	–	–	–	–	–	–	2	1	–
VI. Laryngitis	1	–	–	–	–	–	–	–	–	–	1	–	–
Bronchitis	52	6	3	5	8	1	2	1	1	–	–	–	–
Pleurisy	7	–	1	–	–	–	–	–	–	–	–	–	–
Pneumonia	25	1	4	2	2	1	–	1	1	–	–	1	–
Asthma	6	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	3	–	–	–	–	–	–	–	–	–	–	1	–
VII. Teething	12	–	2	5	4	1	–	–	–	–	–	–	–
Quinsey	1	–	1	–	–	–	–	–	–	–	–	–	–
Gastritis	3	–	1	–	–	–	–	–	1	–	–	–	–
Enteritis	2	–	–	–	–	–	–	–	–	–	–	–	–
Peritonitis	6	–	–	2	–	–	–	–	–	2	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	4	–	–	–	–	–	–	–	–	–	–	1	1
Hernia	2	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	5	1	–	–	–	–	–	–	–	1	1	–	–
Intussusception	1	–	1	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	4	–	–	–	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	1	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	4	–	–	–	–	1	–	–	1	–	–	1	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	3	–	–	–	–	–	–	–	–	1	–	–	–
Cystitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	15	–	–	–	–	–	–	–	–	–	–	1	2
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Uterine Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	–	–	–	1	–	–	–	–	–	–	–
Joint and Bone Disease	2	–	–	–	–	–	–	–	–	–	1	–	–
XI. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	–	–	–	–	–	–	–	–	–	–	1
Burns and Scalds	1	–	–	–	–	–	1	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	4	1	–	–	1	–	–	–	–	–	–	–	–
Drowning	9	–	–	–	–	–	–	–	2	–	–	1	3
Fracture and Contusion	9	–	–	–	–	–	–	–	1	3	1	–	1
Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	16	1	–	1	3	–	–	2	1	1	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1856.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
Apoplexy	–	3	–	1	1	1	2	1	3	–	1	–	–	–	–	–
Paralysis	–	–	–	–	3	1	1	3	5	2	1	2	1	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	–	1	1	–	3	–	3	1	–	1	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	–	2	3	1	4	3	1	2	2	2	–	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	–	1	1	2	1	1	3	2	10	4	–	–	–	–	–
Pleurisy	–	–	–	1	–	3	1	1	–	–	–	–	–	–	–	–
Pneumonia	1	–	2	3	2	1	–	2	–	1	–	–	–	–	–	–
Asthma	–	–	1	1	–	–	–	–	–	3	–	1	–	–	–	–
Lung Disease	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Peritonitis	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	1	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Jaundice	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	1	–	–	–	3	2	4	–	1	–	1	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Uterine Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1
Drowning	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–
Fracture and Contusion	1	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Wounds	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Not Specified	1	–	1	2	–	–	3	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1856.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	861	71	22	54	63	33	25	17	43	18	35	36	35
SPECIFIED CAUSES	846	65	21	54	63	33	23	17	42	18	35	36	35
I. Zymotic Class	186	6	7	23	28	17	14	6	22	4	6	5	5
II. Diseases of Uncertain Seat	68	3	1	–	–	–	–	–	1	1	1	2	2
III. Tubercular Class	155	–	2	11	15	10	4	6	10	7	17	16	16
IV. Brain and Nervous System	75	14	4	4	2	–	1	1	1	1	2	2	1
V. Organs of Circulation	33	–	–	–	–	–	–	–	–	2	2	–	1
VI. Respiratory Organs	93	8	2	6	8	4	2	3	5	1	1	2	2
VII. Organs of Digestion	72	3	1	9	10	1	–	–	–	1	4	2	4
VIII. Urinary Organs	11	–	–	–	–	–	–	–	–	–	1	4	1
IX. Organs of Generation	6	–	–	–	–	–	–	–	–	–	–	2	3
X. Organs of Locomotion	6	–	–	–	–	–	–	1	1	1	1	1	–
XI. Skin, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	1	1	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	30	30	–	–	–	–	–	–	–	–	–	–	–
XIV. Atrophy	4	–	2	1	–	–	–	–	–	–	–	–	–
XV. Age	93	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	13	–	2	–	–	1	2	–	2	–	–	–	–
I. Small Pox	33	1	5	4	4	3	5	–	3	–	3	1	2
Measles	1	–	–	–	1	–	–	–	–	–	–	–	–
Scarlatina	28	1	–	2	5	4	2	2	11	–	–	–	–
Hooping Cough	40	–	1	12	13	6	4	2	2	–	–	–	–
Croup	9	–	–	1	3	3	2	–	–	–	–	–	–
Thrush	2	1	–	–	1	–	–	–	–	–	–	–	–
Diarrhœa	14	1	–	3	1	–	–	–	–	–	–	–	–
Dysentery	4	–	–	1	–	–	–	–	–	–	–	1	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	5	–	–	–	–	–	–	–	–	–	2	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	38	–	–	–	–	1	1	2	6	3	1	2	2
Metria	2	–	–	–	–	–	–	–	–	–	–	–	1
Rheumatic Fever	1	–	–	–	–	–	–	–	–	1	–	–	–
Erysipelas	7	1	–	–	–	–	–	–	–	–	–	1	–
Syphilis	2	1	1	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	4	–	–	–	–	–	–	–	–	–	1	–	–
Dropsy	32	–	1	–	–	–	–	–	1	1	–	1	2
Abscess	4	1	–	–	–	–	–	–	–	–	–	–	–
Ulcer	2	1	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	25	1	–	–	–	–	–	–	–	–	–	1	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	5	–	–	–	2	–	1	1	–	–	–	–	–
Tabes Mesenterica	5	–	–	–	2	1	–	–	1	1	–	–	–
Phthisis	99	–	1	–	2	2	–	1	1	5	15	16	16
Hydrocephalus	46	–	1	11	9	7	3	4	8	1	2	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1856.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	24	22	31	29	31	32	34	44	65	36	32	17	8	2	1	1
SPECIFIED CAUSES	24	21	31	29	31	30	33	44	65	36	32	17	8	2	1	–
Zymotic Class	2	4	6	3	4	6	5	5	6	1	1	–	–	–	–	–
Uncertain Seat	2	3	7	7	8	7	5	4	8	3	2	1	–	–	–	–
Tubercular Class	13	5	8	9	2	2	1	1	–	–	–	–	–	–	–	–
Brain, etc.	–	7	4	1	2	2	5	7	10	2	–	2	–	–	–	–
Heart, etc.	1	–	4	1	3	3	7	3	2	4	–	–	–	–	–	–
Respiratory Organs	1	–	1	4	3	7	2	5	16	4	5	1	–	–	–	–
Digestive Organs	3	2	1	3	4	3	6	9	2	–	4	–	–	–	–	–
Urinary Organs	1	–	–	1	–	–	–	2	1	–	–	–	–	–	–	–
Generative Organs	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	1	7	20	21	20	13	8	2	1	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	1	–	–	–	3	–	1	–	–	1	–	–	–	–	–	–
Small Pox	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	–	–	–	3	1	3	1	1	–	–	–	–	–
Dysentery	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	2	5	2	3	4	1	2	1	–	–	–	–	–	–	–
Metria	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	1	–	–	1	–	–	–	1	2	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Dropsy	1	2	4	2	–	3	3	3	7	–	1	–	–	–	–	–
Abscess	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Cancer	–	1	2	3	6	3	2	1	1	3	–	1	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	13	5	7	9	2	2	1	1	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1856.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	4	–	–	1	–	–	–	–	1	–	–	1	–
Apoplexy	20	–	–	–	–	–	–	–	–	–	–	–	1
Paralysis	13	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	3	–	–	–	–	–	–	–	–	–	1	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	28	14	4	3	2	–	–	1	–	1	–	–	–
Brain Disease	6	–	–	–	–	–	1	–	–	–	1	1	–
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	2	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	31	–	–	–	–	–	–	–	–	2	2	–	1
VI. Laryngitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	55	1	–	5	8	2	1	1	2	–	–	1	–
Pleurisy	6	1	–	–	–	–	–	1	2	1	–	–	–
Pneumonia	20	6	2	1	–	1	1	–	1	–	1	1	1
Asthma	8	–	–	–	–	–	–	–	–	–	–	–	1
Lung Disease	3	–	–	–	–	1	–	1	–	–	–	–	–
VII. Teething	21	–	1	9	10	1	–	–	–	–	–	–	–
Quinsey	1	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	–	–	–	–	–	–	–	–	1	–	–
Enteritis	9	1	–	–	–	–	–	–	–	–	–	1	1
Peritonitis	6	1	–	–	–	–	–	–	–	–	1	1	1
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	5	–	–	–	–	–	–	–	–	–	1	–	1
Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	15	1	–	–	–	–	–	–	–	1	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	3	–	–	–	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	2	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	6	–	–	–	–	–	–	–	–	–	–	–	1
Spleen Disease	1	–	–	–	–	–	–	–	–	–	1	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	3	–	–	–	–	–	–	–	–	–	–	1	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	2	–	–	–	–	–	–	–	–	–	–	2	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	6	–	–	–	–	–	–	–	–	–	1	1	1
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	4	–	–	–	–	–	–	–	–	–	–	2	2
Uterine Disease	2	–	–	–	–	–	–	–	–	–	–	–	1
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	–	–	–	–	–	–	–	–	–	1	–
Joint and Bone Disease	5	–	–	–	–	–	–	1	1	1	1	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	1	1	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	2	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	6	–	–	–	–	1	2	–	2	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	3	–	2	–	–	–	–	–	–	–	–	–	–
Drowning	1	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	1	–	–	–	–	–	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	15	6	1	–	–	–	2	–	1	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1856.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	2	2	1	–	1	1	4	6	1	–	1	–	–	–	–
Paralysis	–	2	–	–	1	–	4	1	4	–	–	1	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	–	–	4	1	2	3	7	3	2	4	–	–	–	–	–	–
Laryngitis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	1	–	–	2	1	5	2	3	13	4	2	1	–	–	–	–
Pleurisy	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Pneumonia	–	–	–	1	1	1	–	–	2	–	–	–	–	–	–	–
Asthma	–	–	–	–	1	1	–	2	1	–	2	–	–	–	–	–
Lung Disease	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	2	–	–	1	2	–	1	–	–	–	–	–	–	–	–	–
Peritonitis	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	1	1	3	4	1	–	3	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
Liver Disease	–	2	–	1	–	–	1	1	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Uterine Disease	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	1	–	–	–	2	1	–	–	–	–	–	–	–	–	1

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1856.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
All Causes	1099	125	28	92	116	69	43	43	65	27	33	24	36
Specified Causes	1035	81	25	85	113	69	42	43	65	26	32	24	35
I. Zymotic Class	296	9	9	48	55	46	28	30	26	5	4	6	5
II. Diseases of Uncertain Seat	45	–	–	–	1	2	–	–	2	1	–	2	4
III. Tubercular Class	159	–	3	9	16	7	7	3	13	13	18	11	15
IV. Brain and Nervous System	96	2	1	2	2	2	2	4	4	3	4	2	2
V. Organs of Circulation	25	–	–	–	–	–	–	1	2	–	1	1	2
VI. Respiratory Organs	111	4	5	8	7	4	3	2	11	1	–	–	2
VII. Organs of Digestion	94	17	6	16	24	4	–	–	1	–	–	1	1
VIII. Urinary Organs	5	–	–	–	–	–	–	–	–	–	–	–	–
IX. Organs of Generation	7	–	–	–	–	–	–	–	–	–	–	–	1
X. Organs of Locomotion	7	–	–	–	–	–	–	–	–	–	2	–	–
XI. Skin, etc.	1	–	–	–	–	–	–	–	–	–	–	1	–
XII. Malformation	5	4	–	–	1	–	–	–	–	–	–	–	–
XIII. Premature Debility	46	45	1	–	–	–	–	–	–	–	–	–	–
XIV. Atrophy	23	–	–	2	5	3	–	2	–	1	–	–	–
XV. Age	78	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	2	–	–	–	–	–	–	–	–	1	–	–	1
XVII. Violent Deaths	35	–	–	–	2	1	2	1	6	1	3	–	2
I. Small Pox	49	3	4	14	8	6	5	3	2	–	–	1	2
Measles	41	–	1	8	13	10	2	5	2	–	–	–	–
Scarlatina	88	–	–	5	17	18	13	17	12	3	1	–	1
Hooping Cough	31	2	1	15	4	4	3	1	1	–	–	–	–
Croup	19	2	1	1	6	6	2	1	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	18	–	2	4	2	1	1	–	–	1	–	–	–
Dysentery	9	–	–	–	1	–	–	–	2	–	–	–	–
Cholera	1	–	–	–	–	–	–	–	–	–	–	1	–
Influenza	1	1	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	4	–	–	–	1	1	2	–	–	–	–	–	–
Infantile Fever	4	–	–	–	3	–	–	1	–	–	–	–	–
Typhus	23	–	–	–	–	–	–	2	7	1	3	2	1
Metria	3	–	–	–	–	–	–	–	–	–	–	1	1
Rheumatic Fever	1	–	–	–	–	–	–	–	–	–	–	1	–
Erysipelas	3	1	–	–	–	–	–	–	–	–	–	–	–
Syphilis	1	–	–	1	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	3	–	–	–	–	1	–	–	1	–	–	–	–
Dropsy	26	–	–	–	1	1	–	–	1	1	–	2	2
Abscess	3	–	–	–	–	–	–	–	–	–	–	–	1
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	11	–	–	–	–	–	–	–	–	–	–	–	1
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	10	–	–	–	–	–	–	–	1	–	2	1	–
Tabes Mesenterica	4	–	–	–	2	–	1	–	1	–	–	–	–
Phthisis	106	–	–	1	4	1	1	1	6	13	16	10	15
Hydrocephalus	39	–	3	8	10	6	5	2	5	–	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1856.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	20	31	31	42	29	32	43	39	47	45	21	8	7	2	–	1
Specified Causes	20	30	31	40	29	32	43	39	47	45	21	8	7	2	–	1
Zymotic Class	–	3	4	3	2	6	2	3	2	–	–	–	–	–	–	–
Uncertain Seat	–	2	2	5	4	2	6	4	5	2	1	–	–	–	–	–
Tubercular Class	8	6	9	11	1	3	4	1	1	–	–	–	–	–	–	–
Brain, etc.	2	4	3	3	7	6	10	9	10	7	3	1	1	–	–	–
Heart, etc.	2	2	2	2	2	2	–	3	–	2	1	–	–	–	–	–
Respiratory Organs	3	2	5	7	12	8	9	10	6	1	1	–	–	–	–	–
Digestive Organs	3	1	4	2	–	3	5	3	2	1	–	–	–	–	–	–
Urinary Organs	–	–	–	1	–	–	–	1	1	2	–	–	–	–	–	–
Generative Organs	1	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	1	1	–	–	–	1	1	–	–	–	–	–	1	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	3	–	1	6	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	–	2	19	29	14	7	6	1	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	1	5	–	3	1	1	–	2	1	1	1	–	–	–	–	1
Small Pox	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	–	–	3	–	3	1	–	–	–	–	–	–	–
Dysentery	–	1	1	1	–	2	1	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	1	2	1	2	–	1	–	–	–	–	–	–	–	–	–
Metria	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	1	2	3	3	–	4	1	3	1	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	–	–	–	2	–	2	1	2	1	1	1	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	1	–	–	–	3	1	1	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	8	6	8	11	1	3	1	–	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1856.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	7	–	–	1	–	1	1	1	2	–	1	–	–
Apoplexy	15	–	–	–	–	–	–	1	–	–	–	–	1
Paralysis	43	–	–	–	–	–	–	–	–	–	–	1	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	–	–	–	–	–	–	–	–	1	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	6	2	1	–	1	–	1	1	–	–	–	–	–
Brain Disease	24	–	–	1	1	1	–	1	2	3	2	1	1
V. Pericarditis	1	–	–	–	–	–	–	–	–	–	–	–	1
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	24	–	–	–	–	–	–	1	2	–	1	1	1
VI. Laryngitis	1	–	–	–	1	–	–	–	–	–	–	–	–
Bronchitis	52	4	3	4	4	2	1	1	2	–	–	–	2
Pleurisy	3	–	–	–	–	–	–	–	1	–	–	–	–
Pneumonia	28	–	2	4	2	1	2	1	8	1	–	–	–
Asthma	22	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	5	–	–	–	–	1	–	–	–	–	–	–	–
VII. Teething	37	–	1	16	20	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	2	–	–	–	1	–	–	–	–	–	–	–	–
Enteritis	30	16	4	–	3	2	–	–	1	–	–	–	–
Peritonitis	2	1	–	–	–	–	–	–	–	–	–	–	–
Ascites	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	2	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	2	–	–	–	–	1	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	4	–	1	–	–	–	–	–	–	–	–	–	–
Jaundice	1	–	–	–	–	1	–	–	–	–	–	–	–
Liver Disease	13	–	–	–	–	–	–	–	–	–	–	1	1
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	1	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	6	–	–	–	–	–	–	–	–	–	–	–	1
Uterine Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	6	–	–	–	–	–	–	–	–	–	1	–	–
Joint and Bone Disease	1	–	–	–	–	–	–	–	–	–	1	–	–
XI. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	1	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	4	3	–	–	1	–	–	–	–	–	–	–	–
Other Malformations	1	1	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	7	–	–	–	1	1	–	–	2	–	1	–	–
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	3	–	–	–	–	–	–	–	1	–	–	–	1
Drowning	13	–	–	–	1	–	–	1	2	1	2	–	1
Fracture and Contusion	10	–	–	–	–	–	2	–	1	–	–	–	–
Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	64	44	3	7	3	–	1	–	–	1	1	–	1

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1856.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	–	1	3	1	–	4	1	1	1	1	–	–	–	–	–
Paralysis	1	2	1	–	5	3	4	8	8	6	2	1	1	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	2	1	–	1	3	2	–	1	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	2	2	2	2	2	2	–	3	–	2	1	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	3	–	2	3	8	3	5	3	1	–	1	–	–	–	–	–
Pleurisy	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	–	–	–	2	2	2	–	1	–	–	–	–	–	–	–	–
Asthma	–	2	1	1	1	2	4	6	4	1	–	–	–	–	–	–
Lung Disease	–	–	1	–	1	1	–	–	1	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Enteritis	1	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–
Peritonitis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	2	1	2	2	–	2	2	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	1	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Uterine Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	1	1	–	–	–	1	1	–	–	–	–	–	1	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
Hanging, etc.	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	1	1	–	2	–	1	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	3	–	–	1	–	–	1	–	1	–	–	–	–	–	1
Wounds	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1856.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	571	71	12	49	56	36	27	24	37	17	19	15	20
SPECIFIED CAUSES	537	46	10	47	54	36	27	24	37	16	18	15	20
I. Zymotic Class	155	5	2	25	27	23	17	18	16	3	3	3	1
II. Diseases of Uncertain Seat	21	–	–	–	1	1	–	–	–	1	–	1	1
III. Tubercular Class	85	–	1	5	7	5	4	2	8	7	9	6	9
IV. Brain and Nervous System	54	1	–	2	1	1	2	2	2	3	2	2	2
V. Organs of Circulation	11	–	–	–	–	–	–	–	–	–	–	1	2
VI. Respiratory Organs	59	2	3	4	3	2	2	1	6	–	–	–	1
VII. Organs of Digestion	52	13	3	9	10	1	–	–	1	–	–	1	1
VIII. Urinary Organs	5	–	–	–	–	–	–	–	–	–	–	–	–
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	1	–	–	–	–	–	–	–	–	–	1	–	–
XI. Skin, etc.	1	–	–	–	–	–	–	–	–	–	–	1	–
XII. Malformation	4	3	–	–	1	–	–	–	–	–	–	–	–
XIII. Premature Debility	23	22	1	–	–	–	–	–	–	–	–	–	–
XIV. Atrophy	13	–	–	2	3	2	–	–	–	–	–	–	–
XV. Age	21	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	2	–	–	–	–	–	–	–	–	1	–	–	1
XVII. Violent Deaths	30	–	–	–	1	1	2	1	4	1	3	–	2
I. Small Pox	25	1	1	9	5	2	2	1	1	–	–	1	1
Measles	17	–	–	6	4	4	–	2	1	–	–	–	–
Scarlatina	57	–	–	2	10	11	10	11	9	2	1	–	–
Hooping Cough	13	2	–	5	1	2	2	1	–	–	–	–	–
Croup	13	1	–	1	5	3	2	1	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	7	–	1	1	–	1	1	–	–	–	–	–	–
Dysentery	4	–	–	–	1	–	–	–	1	–	–	–	–
Cholera	1	–	–	–	–	–	–	–	–	–	–	1	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	2	–	–	–	1	–	–	1	–	–	–	–	–
Typhus	12	–	–	–	–	–	–	1	4	1	2	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	–	–	–	–	–	–	–	–	–	1	–
Erysipelas	2	1	–	–	–	–	–	–	–	–	–	–	–
Syphilis	1	–	–	1	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	14	–	–	–	1	1	–	–	–	1	–	1	1
Abscess	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	3	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	5	–	–	–	–	–	–	–	–	–	2	–	–
Tabes Mesenterica	1	–	–	–	–	–	–	–	1	–	–	–	–
Phthisis	56	–	–	–	1	1	1	1	4	7	7	6	9
Hydrocephalus	23	–	1	5	6	4	3	1	3	–	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1856.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	9	16	14	24	13	19	23	22	24	18	3	1	1	–	–	1
SPECIFIED CAUSES	9	16	14	23	13	19	23	22	24	18	3	1	1	–	–	1
Zymotic Class	–	1	2	3	2	2	–	1	1	–	–	–	–	–	–	–
Uncertain Seat	–	1	2	1	3	1	3	3	1	1	–	–	–	–	–	–
Tubercular Class	2	3	5	6	–	2	2	1	1	–	–	–	–	–	–	–
Brain, etc.	2	1	3	–	3	4	5	7	6	2	–	1	–	–	–	–
Heart, etc.	–	2	–	1	1	2	–	1	–	1	–	–	–	–	–	–
Respiratory Organs	3	2	2	6	3	4	5	4	5	1	–	–	–	–	–	–
Digestive Organs	1	1	–	1	–	3	4	2	–	1	–	–	–	–	–	–
Urinary Organs	–	–	–	1	–	–	–	1	1	2	–	–	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	1	–	1	4	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	–	–	8	9	3	–	1	–	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	1	5	–	3	1	–	–	2	1	1	–	–	–	–	–	1
Small Pox	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–
Dysentery	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	1	1	2	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	2	1	2	–	2	1	1	–	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	2	3	5	6	–	2	1	–	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1856.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	3	–	–	1	–	–	1	–	1	–	–	–	–
Apoplexy	7	–	–	–	–	–	–	1	–	–	–	–	1
Paralysis	23	–	–	–	–	–	–	–	–	–	–	1	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	–	–	–	–	–	–	–	–	1	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	2	1	–	–	–	–	1	–	–	–	–	–	–
Brain Disease	18	–	–	1	1	1	–	1	1	3	1	1	1
V. Pericarditis	1	–	–	–	–	–	–	–	–	–	–	–	1
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	10	–	–	–	–	–	–	–	–	–	–	1	1
VI. Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	29	2	2	2	2	–	1	1	1	–	–	–	1
Pleurisy	3	–	–	–	–	–	–	–	1	–	–	–	–
Pneumonia	12	–	1	2	1	1	1	–	4	–	–	–	–
Asthma	13	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	2	–	–	–	–	1	–	–	–	–	–	–	–
VII. Teething	17	–	–	9	8	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	20	12	2	–	2	1	–	–	1	–	–	–	–
Peritonitis	1	1	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	2	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	–	1	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	8	–	–	–	–	–	–	–	–	–	–	1	1
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	1	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Uterine Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	1	–	–	–	–	–	–	–	–	–	1	–	–
XI. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	1	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	3	2	–	–	1	–	–	–	–	–	–	–	–
Other Malformations	1	1	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	4	–	–	–	–	1	–	–	1	–	1	–	–
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	3	–	–	–	–	–	–	–	1	–	–	–	1
Drowning	11	–	–	–	1	–	–	1	1	1	2	–	1
Fracture and Contusion	10	–	–	–	–	–	2	–	1	–	–	–	–
Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	34	25	2	2	2	–	–	–	–	1	1	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1856.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	–	1	–	–	–	1	1	1	1	–	–	–	–	–	–
Paralysis	1	–	1	–	2	3	3	6	4	1	–	1	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	1	1	–	1	1	1	–	1	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	–	2	–	1	1	2	–	1	–	1	–	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	3	–	1	3	3	1	3	2	1	–	–	–	–	–	–	–
Pleurisy	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Asthma	–	2	–	1	–	2	2	2	3	1	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Enteritis	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	1	–	1	–	2	2	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Uterine Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	1	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	3	–	–	1	–	–	1	–	1	–	–	–	–	–	1
Wounds	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1856.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	528	54	16	43	60	33	16	19	28	10	14	9	16
SPECIFIED CAUSES	498	35	15	38	59	33	15	19	28	10	14	9	15
I. Zymotic Class	141	4	7	23	28	23	11	12	10	2	1	3	4
II. Diseases of Uncertain Seat	24	–	–	–	–	1	–	–	2	–	–	1	3
III. Tubercular Class	74	–	2	4	9	2	3	1	5	6	9	5	6
IV. Brain and Nervous System	42	1	1	–	1	1	–	2	2	–	2	–	–
V. Organs of Circulation	14	–	–	–	–	–	–	1	2	–	1	–	–
VI. Respiratory Organs	52	2	2	4	4	2	1	1	5	1	–	–	1
VII. Organs of Digestion	42	4	3	7	14	3	–	–	–	–	–	–	–
VIII. Urinary Organs	–	–	–	–	–	–	–	–	–	–	–	–	–
IX. Organs of Generation	7	–	–	–	–	–	–	–	–	–	–	–	1
X. Organs of Locomotion	6	–	–	–	–	–	–	–	–	–	1	–	–
XI. Skin, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	1	1	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	23	23	–	–	–	–	–	–	–	–	–	–	–
XIV. Atrophy	10	–	–	–	2	1	–	2	–	1	–	–	–
XV. Age	57	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	5	–	–	–	1	–	–	–	2	–	–	–	–
I. Small Pox	24	2	3	5	3	4	3	2	1	–	–	–	1
Measles	24	–	1	2	9	6	2	3	1	–	–	–	–
Scarlatina	31	–	–	3	7	7	3	6	3	1	–	–	1
Hooping Cough	18	–	1	10	3	2	1	–	1	–	–	–	–
Croup	6	1	1	–	1	3	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	11	–	1	3	2	–	–	–	–	1	–	–	–
Dysentery	5	–	–	–	–	–	–	–	1	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	1	1	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	4	–	–	–	1	1	2	–	–	–	–	–	–
Infantile Fever	2	–	–	–	2	–	–	–	–	–	–	–	–
Typhus	11	–	–	–	–	–	–	1	3	–	1	2	1
Metria	3	–	–	–	–	–	–	–	–	–	–	1	1
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	1	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II Hæmorrhage	2	–	–	–	–	1	–	–	1	–	–	–	–
Dropsy	12	–	–	–	–	–	–	–	1	–	–	1	1
Abscess	2	–	–	–	–	–	–	–	–	–	–	–	1
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	8	–	–	–	–	–	–	–	–	–	–	–	1
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	5	–	–	–	–	–	–	–	1	–	–	1	–
Tabes Mesenterica	3	–	–	–	2	–	1	–	–	–	–	–	–
Phthisis	50	–	–	1	3	–	–	–	2	6	9	4	6
Hydrocephalus	16	–	2	3	4	2	2	1	2	–	–	–	–

CAUSES OF DEATH in PAISLEY, at different Periods of Life, in 1856.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	11	15	17	18	16	13	20	17	23	27	18	7	6	2	–	–
SPECIFIED CAUSES	11	14	17	17	16	13	20	17	23	27	18	7	6	2	–	–
Zymotic Class	–	2	2	–	–	4	2	2	1	–	–	–	–	–	–	–
Uncertain Seat	–	1	–	4	1	1	3	1	4	1	1	–	–	–	–	–
Tubercular Class	6	3	4	5	1	1	2	–	–	–	–	–	–	–	–	–
Brain, etc.	–	3	–	3	4	2	5	2	4	5	3	–	1	–	–	–
Heart, etc.	2	–	2	1	1	–	–	2	–	1	1	–	–	–	–	–
Respiratory Organs	–	–	3	1	9	4	4	6	1	–	1	–	–	–	–	–
Digestive Organs	2	–	4	1	–	–	1	1	2	–	–	–	–	–	–	–
Urinary Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Generative Organs	1	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	1	1	–	–	–	1	1	–	–	–	–	–	1	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	2	–	–	2	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	–	2	11	20	11	7	5	1	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	–	–	2	–	2	–	–	–	–	–	–	–	–
Dysentery	–	1	–	–	–	2	1	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Metria	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	1	–	2	1	–	2	–	2	1	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	–	–	–	2	–	1	1	1	1	–	1	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	6	3	3	5	1	1	–	–	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1856.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	4	–	–	–	–	1	–	1	1	–	1	–	–
Apoplexy	8	–	–	–	–	–	–	–	–	–	–	–	–
Paralysis	20	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	4	1	1	–	1	–	–	1	–	–	–	–	–
Brain Disease	6	–	–	–	–	–	–	–	1	–	1	–	–
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	14	–	–	–	–	–	–	1	2	–	1	–	–
VI. Laryngitis	1	–	–	–	1	–	–	–	–	–	–	–	–
Bronchitis	23	2	1	2	2	2	–	–	1	–	–	–	1
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	16	–	1	2	1	–	1	1	4	1	–	–	–
Asthma	9	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	3	–	–	–	–	–	–	–	–	–	–	–	–
VII. Teething	20	–	1	7	12	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	–	–	1	–	–	–	–	–	–	–	–
Enteritis	10	4	2	–	1	1	–	–	–	–	–	–	–
Peritonitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	1	–	–	–	–	1	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	1	–	–	–	–	1	–	–	–	–	–	–	–
Liver Disease	5	–	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	6	–	–	–	–	–	–	–	–	–	–	–	1
Uterine Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	6	–	–	–	–	–	–	–	–	–	1	–	–
Joint and Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	1	1	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	3	–	–	–	1	–	–	–	1	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	2	–	–	–	–	–	–	–	1	–	–	–	–
Fracture and Contusion	–	–	–	–	–	–	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	30	19	1	5	1	–	1	–	–	–	–	–	1

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1856.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	–	–	3	1	–	3	–	–	–	1	–	–	–	–	–
Paralysis	–	2	–	–	3	–	1	2	4	5	2	–	1	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	1	–	–	–	2	1	–	–	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	2	–	2	1	1	–	–	2	–	1	1	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	–	1	–	5	2	2	1	–	–	1	–	–	–	–	–
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	–	–	–	1	2	1	–	1	–	–	–	–	–	–	–	–
Asthma	–	–	1	–	1	–	2	4	1	–	–	–	–	–	–	–
Lung Disease	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Peritonitis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	2	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	1	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Uterine Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	1	1	–	–	–	1	1	–	–	–	–	–	1	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1856.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
All Causes	1236	143	50	110	124	65	44	37	81	22	39	43	40
Specified Causes	1155	96	41	102	118	63	43	36	79	22	39	42	40
I. Zymotic Class	366	15	16	34	58	26	30	19	43	7	6	19	10
II. Diseases of Uncertain Seat	33	1	2	1	2	–	–	–	1	–	1	1	1
III. Tubercular Class	201	1	4	16	14	17	5	9	20	8	21	12	17
IV. Brain and Nervous System	74	–	4	3	4	–	1	–	3	3	4	1	2
V. Organs of Circulation	28	–	–	1	–	–	–	–	2	–	–	–	3
VI. Respiratory Organs	129	9	7	20	13	11	5	4	7	1	2	2	1
VII. Organs of Digestion	106	3	6	25	23	8	–	1	2	2	1	3	1
VIII. Urinary Organs	12	–	–	–	–	–	1	–	1	–	–	–	–
IX. Organs of Generation	6	–	–	–	–	–	–	–	–	–	1	2	2
X. Organs of Locomotion	8	–	–	–	–	–	–	–	–	–	1	1	1
XI. Skin, etc.	3	1	–	1	–	–	–	–	–	–	–	–	–
XII. Malformation	3	2	–	–	1	–	–	–	–	–	–	–	–
XIII. Premature Debility	62	61	1	–	–	–	–	–	–	–	–	–	–
XIV. Atrophy	17	–	1	–	3	1	–	2	–	–	–	–	–
XV. Age	62	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	5	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	40	3	–	1	–	–	1	1	–	1	2	1	2
I. Small Pox	7	1	1	2	2	–	1	–	–	–	–	–	–
Measles	11	–	–	1	2	2	3	2	1	–	–	–	–
Scarlatina	69	–	1	7	14	9	11	6	19	1	–	1	–
Hooping Cough	73	7	3	15	22	9	8	6	3	–	–	–	–
Croup	17	–	–	–	8	3	4	2	–	–	–	–	–
Thrush	1	–	–	–	1	–	–	–	–	–	–	–	–
Diarrhœa	27	2	3	5	7	–	–	–	2	–	–	1	–
Dysentery	6	1	–	–	–	–	–	–	2	–	–	–	–
Cholera	5	–	–	1	2	–	–	–	1	–	–	–	–
Influenza	2	–	–	–	–	–	–	–	–	–	–	1	–
Purpura	1	–	–	–	–	–	–	–	–	1	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	2	–	–	–	–	1	1	–	–	–	–	–	–
Infantile Fever	7	–	3	2	–	–	2	–	–	–	–	–	–
Typhus	122	–	1	–	–	1	–	3	14	5	6	16	10
Metria	2	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	6	–	–	1	–	1	–	–	1	–	–	–	–
Syphilis	8	4	4	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	10	–	1	–	–	–	–	–	1	–	1	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	2	–	–	–	1	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	5	1	–	1	1	–	–	–	–	–	–	–	–
Cancer	16	–	1	–	–	–	–	–	–	–	–	1	1
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	9	–	–	–	–	–	2	–	1	–	1	2	–
Tabes Mesenterica	8	1	–	1	2	3	–	1	–	–	–	–	–
Phthisis	143	–	–	7	–	7	1	5	14	8	20	10	17
Hydrocephalus	41	–	4	8	12	7	2	3	5	–	–	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1856.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	45	40	53	42	38	41	51	28	32	23	20	9	6	1	2	7
Specified Causes	44	40	53	42	38	41	50	28	32	23	20	9	6	1	2	5
Zymotic Class	6	14	17	12	8	10	5	4	2	2	–	1	–	–	–	2
Uncertain Seat	1	–	6	2	3	2	4	2	1	1	1	–	–	–	–	–
Tubercular Class	15	11	9	5	5	6	5	–	1	–	–	–	–	–	–	–
Brain, etc.	4	5	7	5	1	5	5	7	8	–	2	–	–	–	–	–
Heart, etc.	1	1	1	4	1	4	5	3	1	–	1	–	–	–	–	–
Respiratory Organs	4	1	3	5	10	5	6	4	2	4	–	2	1	–	–	–
Digestive Organs	6	2	2	4	5	3	4	–	3	–	1	–	–	–	–	1
Urinary Organs	2	2	1	–	–	1	2	1	–	1	–	–	–	–	–	–
Generative Organs	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	1	–	–	–	2	1	1	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	1	2	2	3	2	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	2	4	13	14	15	6	5	1	2	–
Sudden Deaths	–	1	1	1	–	–	–	2	–	–	–	–	–	–	–	–
Violent Deaths	5	1	5	2	3	–	8	–	1	1	–	–	–	–	–	2
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	2	2	–	1	–	–	–	–	1	–	1	–	–	–	–
Dysentery	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	5	9	14	12	5	8	4	4	2	1	–	–	–	–	–	2
Metria	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	1	–	–	–	2	1	1	–	1	–	1	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
Cancer	–	–	6	2	1	1	3	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	15	10	8	5	4	6	5	–	1	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1856.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	5	–	1	1	1	–	1	–	1	–	–	–	–
Apoplexy	24	–	–	–	–	–	–	–	2	1	–	–	–
Paralysis	16	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	6	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	2	–	–	–	–	–	–	–	–	–	2	–	–
Epilepsy	1	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	1
Convulsions	10	–	3	1	3	–	–	–	–	2	–	–	1
Brain Disease	9	–	–	1	–	–	–	–	–	–	2	1	–
V. Pericarditis	2	–	–	–	–	–	–	–	1	–	–	–	–
Aneurism	3	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	23	–	–	1	–	–	–	–	1	–	–	–	3
VI. Laryngitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	60	3	4	14	6	4	4	1	2	1	–	1	–
Pleurisy	8	–	–	–	1	–	–	1	1	–	–	–	1
Pneumonia	41	6	3	5	6	6	–	1	3	–	1	1	–
Asthma	12	–	–	1	–	–	–	–	–	–	1	–	–
Lung Disease	6	–	–	–	–	1	1	1	1	–	–	–	–
VII. Teething	50	–	4	20	21	5	–	–	–	–	–	–	–
Quinsey	1	–	–	–	–	1	–	–	–	–	–	–	–
Gastritis	1	–	–	–	–	–	–	–	1	–	–	–	–
Enteritis	14	–	1	3	1	1	–	1	1	–	–	–	–
Peritonitis	3	–	–	–	–	–	–	–	–	–	–	1	–
Ascites	2	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	2	–	–	–	–	–	–	–	–	–	–	1	–
Hernia	4	–	1	–	–	–	–	–	–	–	–	1	–
Ileus	1	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	11	2	–	2	1	1	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	4	–	–	–	–	–	–	–	–	1	–	–	–
Jaundice	2	1	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	11	–	–	–	–	–	–	–	–	1	1	–	1
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	2	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	3	–	–	–	–	–	–	–	–	–	–	–	–
Stone	1	–	–	–	–	–	–	–	1	–	–	–	–
Cystitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	5	–	–	–	–	–	1	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	6	–	–	–	–	–	–	–	–	–	1	2	2
Uterine Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	2	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	6	–	–	–	–	–	–	–	–	–	1	1	1
XI. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	1	–	–	1	–	–	–	–	–	–	–	–	–
Skin Disease	1	1	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	1	1	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	2	1	–	–	1	–	–	–	–	–	–	–	–
XVII. Intemperance	2	–	–	–	–	–	–	–	–	–	–	–	–
Privation	1	1	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	1	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	4	–	–	1	–	–	1	1	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	12	–	–	–	–	–	–	–	–	–	–	1	–
Fracture and Contusion	16	–	–	–	–	–	–	–	–	1	2	–	2
Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	2	1	–	–	–	–	–	–	–	–	–	–	–
Not Specified	81	47	9	8	6	2	1	1	2	–	–	1	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1856.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	1	3	1	2	1	3	4	2	3	–	1	–	–	–	–	–
Paralysis	1	1	2	–	–	1	1	5	4	–	1	–	–	–	–	–
Delirium Tremens	1	–	3	2	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	1	–	1	–	1	–	–	1	–	–	–	–	–	–	–
Pericarditis	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–
Heart Disease	1	1	1	3	1	3	3	3	1	–	1	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Bronchitis	3	–	2	3	3	3	–	2	1	2	–	–	1	–	–	–
Pleurisy	1	–	1	–	–	–	1	–	–	1	–	–	–	–	–	–
Pneumonia	–	1	–	1	3	2	1	1	–	–	–	–	–	–	–	–
Asthma	–	–	–	1	3	–	4	–	–	1	–	1	–	–	–	–
Lung Disease	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	2	–	–	–	1	1	2	–	–	–	–	–	–	–	–	–
Peritonitis	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Hernia	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	2	–	–	1	2	–	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	2	–	–	–	–	–	1	–	–	–	–	–
Jaundice	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	1	–	–	2	–	–	1	–	3	–	–	–	–	–	–	1
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	–	1	–	–	–	–	1	–	1	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Uterine Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Joint Disease	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	4	–	2	–	1	–	2	–	–	1	–	–	–	–	–	1
Fracture and Contusion	1	1	2	2	1	–	3	–	1	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Not Specified	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	2

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1856.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	632	81	29	53	62	29	24	15	45	9	14	26	20
SPECIFIED CAUSES	596	58	25	48	61	29	24	14	45	9	14	26	20
I. Zymotic Class	179	11	7	16	26	13	13	6	24	2	3	12	4
II. Diseases of Uncertain Seat	13	1	1	1	1	–	–	–	1	–	1	1	–
III. Tubercular Class	99	1	3	7	9	6	4	4	11	4	5	7	9
IV. Brain and Nervous System	46	–	3	3	3	–	1	–	2	1	1	–	1
V. Organs of Circulation	11	–	–	–	–	–	–	–	1	–	–	–	2
VI. Respiratory Organs	79	8	6	13	7	5	4	2	4	–	–	2	1
VII. Organs of Digestion	46	2	3	7	11	4	–	1	2	1	1	2	–
VIII. Urinary Organs	9	–	–	–	–	–	1	–	–	–	–	–	–
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	6	–	–	–	–	–	–	–	–	–	1	1	1
XI. Skin, etc.	3	1	–	1	–	–	–	–	–	–	–	–	–
XII. Malformation	2	1	–	–	1	–	–	–	–	–	–	–	–
XIII. Premature Debility	34	33	1	–	–	–	–	–	–	–	–	–	–
XIV. Atrophy	9	–	1	–	3	1	–	–	–	–	–	–	–
XV. Age	26	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	5	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	29	–	–	–	–	–	1	1	–	1	2	1	2
I. Small Pox	2	1	–	1	–	–	–	–	–	–	–	–	–
Measles	4	–	–	1	–	1	1	–	1	–	–	–	–
Scarlatina	33	–	–	4	7	5	5	1	10	–	–	1	–
Hooping Cough	34	4	1	6	12	3	4	2	2	–	–	–	–
Croup	8	–	–	–	4	2	1	1	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	12	2	–	3	2	–	–	–	1	–	–	1	–
Dysentery	4	–	–	–	–	–	–	–	2	–	–	–	–
Cholera	3	–	–	1	1	–	–	–	1	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	2	–	–	–	–	1	1	–	–	–	–	–	–
Infantile Fever	3	–	2	–	–	–	1	–	–	–	–	–	–
Typhus	65	–	1	–	–	1	–	2	6	2	3	10	4
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	2	–	–	–	–	–	–	–	1	–	–	–	–
Syphilis	7	4	3	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	7	–	1	–	–	–	–	–	1	–	1	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	1	–	–	–	1	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	1	–	1	–	–	–	–	–	–	–	–	–
Cancer	3	–	–	–	–	–	–	–	–	–	–	1	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	4	–	–	–	–	–	2	–	–	–	–	1	–
Tabes Mesenterica	3	1	–	1	–	1	–	–	–	–	–	–	–
Phthisis	68	–	–	3	–	2	–	3	8	4	5	6	9
Hydrocephalus	24	–	3	3	9	3	2	1	3	–	–	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1856.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	26	18	33	23	17	23	30	11	17	8	10	4	–	–	1	4
SPECIFIED CAUSES	26	18	33	23	17	23	29	11	17	8	10	4	–	–	1	3
Zymotic Class	4	6	9	7	4	4	3	2	–	1	–	1	–	–	–	1
Uncertain Seat	1	–	–	1	–	1	2	–	–	–	1	–	–	–	–	–
Tubercular Class	8	2	8	1	2	5	3	–	–	–	–	–	–	–	–	–
Brain, etc.	4	2	6	4	1	4	4	2	4	–	–	–	–	–	–	–
Heart, etc.	–	1	1	1	–	2	1	1	–	–	1	–	–	–	–	–
Respiratory Organs	2	1	2	5	6	3	4	1	1	1	–	1	–	–	–	–
Digestive Organs	2	1	–	2	2	2	–	–	2	–	1	–	–	–	–	–
Urinary Organs	1	2	1	–	–	1	1	1	–	1	–	–	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	1	–	–	1	2	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	2	1	9	4	7	2	–	–	1	–
Sudden Deaths	–	1	1	1	–	–	–	2	–	–	–	–	–	–	–	–
Violent Deaths	4	1	4	1	2	–	5	–	1	1	–	–	–	–	–	2
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	1	–	–	–	–	–	–	–	1	–	1	–	–	–	–
Dysentery	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	4	5	9	7	3	3	2	2	–	–	–	–	–	–	–	1
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	1	–	–	–	–	1	1	–	–	–	1	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	8	2	7	1	2	5	3	–	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1856.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	3	–	1	1	–	–	1	–	–	–	–	–	–
Apoplexy	18	–	–	–	–	–	–	–	2	1	–	–	–
Paralysis	5	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	6	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	1	–	–	–	–	–	–	–	–	–	1	–	–
Epilepsy	1	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	7	–	2	1	3	–	–	–	–	–	–	–	1
Brain Disease	5	–	–	1	–	–	–	–	–	–	–	–	–
V. Pericarditis	1	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	9	–	–	–	–	–	–	–	1	–	–	–	2
VI. Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	39	3	3	8	5	2	4	1	1	–	–	1	–
Pleurisy	7	–	–	–	–	–	–	1	1	–	–	–	1
Pneumonia	25	5	3	4	2	2	–	–	1	–	–	1	–
Asthma	5	–	–	1	–	–	–	–	–	–	–	–	–
Lung Disease	3	–	–	–	–	1	–	–	1	–	–	–	–
VII. Teething	17	–	1	4	10	2	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	–	–	–	–	–	–	1	–	–	–	–
Enteritis	8	–	1	2	–	1	–	1	1	–	–	–	–
Peritonitis	1	–	–	–	–	–	–	–	–	–	–	1	–
Ascites	2	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	2	–	1	–	–	–	–	–	–	–	–	1	–
Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	7	1	–	1	1	1	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	–	–	–	–	–	–	–	–	1	–	–	–
Jaundice	1	1	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	5	–	–	–	–	–	–	–	–	–	1	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	2	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	5	–	–	–	–	–	1	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Uterine Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	2	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	4	–	–	–	–	–	–	–	–	–	1	1	1
XI. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	1	–	–	1	–	–	–	–	–	–	–	–	–
Skin Disease	1	1	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	2	1	–	–	1	–	–	–	–	–	–	–	–
XVII. Intemperance	2	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	2	–	–	–	–	–	1	1	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	11	–	–	–	–	–	–	–	–	–	–	1	–
Fracture and Contusion	12	–	–	–	–	–	–	–	–	1	2	–	2
Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	36	23	4	5	1	–	–	1	–	–	–	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1856.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	1	1	1	1	1	3	4	1	2	–	–	–	–	–	–	–
Paralysis	1	–	1	–	–	–	–	1	2	–	–	–	–	–	–	–
Delirium Tremens	1	–	3	2	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Pericarditis	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Heart Disease	–	1	1	–	–	2	–	1	–	–	1	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	1	–	1	3	2	2	–	1	1	–	–	–	–	–	–	–
Pleurisy	1	–	1	–	–	–	1	–	–	1	–	–	–	–	–	–
Pneumonia	–	1	–	1	3	1	1	–	–	–	–	–	–	–	–	–
Asthma	–	–	–	1	–	–	2	–	–	–	–	1	–	–	–	–
Lung Disease	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	1	–	–	1	–	–	–	–	2	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	–	1	–	–	–	–	1	–	1	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Uterine Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Joint Disease	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	3	–	2	–	1	–	2	–	–	1	–	–	–	–	–	1
Fracture and Contusion	1	1	2	1	–	–	1	–	1	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Not Specified	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1856.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	604	62	21	57	62	36	20	22	36	13	25	17	20
SPECIFIED CAUSES	559	38	16	54	57	34	19	22	34	13	25	16	20
I. Zymotic Class	187	4	9	18	32	13	17	13	19	5	3	7	6
II. Diseases of Uncertain Seat	20	–	1	–	1	–	–	–	–	–	–	–	1
III. Tubercular Class	102	–	1	9	5	11	1	5	9	4	16	5	8
IV. Brain and Nervous System	28	–	1	–	1	–	–	–	1	2	3	1	1
V. Organs of Circulation	17	–	–	1	–	–	–	–	1	–	–	–	1
VI. Respiratory Organs	50	1	1	7	6	6	1	2	3	1	2	–	–
VII. Organs of Digestion	60	1	3	18	12	4	–	–	–	1	–	1	1
VIII. Urinary Organs	3	–	–	–	–	–	–	–	1	–	–	–	–
IX. Organs of Generation	6	–	–	–	–	–	–	–	–	–	1	2	2
X. Organs of Locomotion	2	–	–	–	–	–	–	–	–	–	–	–	–
XI. Skin, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	1	1	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	28	28	–	–	–	–	–	–	–	–	–	–	–
XIV. Atrophy	8	–	–	–	–	–	–	2	–	–	–	–	–
XV. Age	36	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	11	3	–	1	–	–	–	–	–	–	–	–	–
I. Small Pox	5	–	1	1	2	–	1	–	–	–	–	–	–
Measles	7	–	–	–	2	1	2	2	–	–	–	–	–
Scarlatina	36	–	1	3	7	4	6	5	9	1	–	–	–
Hooping Cough	39	3	2	9	10	6	4	4	1	–	–	–	–
Croup	9	–	–	–	4	1	3	1	–	–	–	–	–
Thrush	1	–	–	–	1	–	–	–	–	–	–	–	–
Diarrhœa	15	–	3	2	5	–	–	–	1	–	–	–	–
Dysentery	2	1	–	–	–	–	–	–	–	–	–	–	–
Cholera	2	–	–	–	1	–	–	–	–	–	–	–	–
Influenza	2	–	–	–	–	–	–	–	–	–	–	1	–
Purpura	1	–	–	–	–	–	–	–	–	1	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	4	–	1	2	–	–	1	–	–	–	–	–	–
Typhus	57	–	–	–	–	–	–	1	8	3	3	6	6
Metria	2	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	4	–	–	1	–	1	–	–	–	–	–	–	–
Syphilis	1	–	1	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	3	–	–	–	–	–	–	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	3	–	–	–	1	–	–	–	–	–	–	–	–
Cancer	13	–	1	–	–	–	–	–	–	–	–	–	1
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	5	–	–	–	–	–	–	–	1	–	1	1	–
Tabes Mesenterica	5	–	–	–	2	2	–	1	–	–	–	–	–
Phthisis	75	–	–	4	–	5	1	2	6	4	15	4	8
Hydrocephalus	17	–	1	5	3	4	–	2	2	–	–	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1856.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	19	22	20	19	21	18	21	17	15	15	10	5	6	1	1	3
SPECIFIED CAUSES	18	22	20	19	21	18	21	17	15	15	10	5	6	1	1	2
Zymotic Class	2	8	8	5	4	6	2	2	2	1	–	–	–	–	–	1
Uncertain Seat	–	–	6	1	3	1	2	2	1	1	–	–	–	–	–	–
Tubercular Class	7	9	1	4	3	1	2	–	1	–	–	–	–	–	–	–
Brain, etc.	–	3	1	1	–	1	1	5	4	–	2	–	–	–	–	–
Heart, etc.	1	–	–	3	1	2	4	2	1	–	–	–	–	–	–	–
Respiratory Organs	2	–	1	–	4	2	2	3	1	3	–	1	1	–	–	–
Digestive Organs	4	1	2	2	3	1	4	–	1	–	–	–	–	–	–	1
Urinary Organs	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Generative Organs	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	2	2	2	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	–	3	4	10	8	4	5	1	1	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	1	–	1	1	1	–	3	–	–	–	–	–	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	1	2	–	1	–	–	–	–	–	–	–	–	–	–	–
Dysentery	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	1	4	5	5	2	5	2	2	2	1	–	–	–	–	–	1
Metria	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	–	–	2	–	–	–	1	–	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
Cancer	–	–	6	1	1	1	2	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	7	8	1	4	2	1	2	–	1	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1856.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	2	–	–	–	1	–	–	–	1	–	–	–	–
Apoplexy	6	–	–	–	–	–	–	–	–	–	–	–	–
Paralysis	11	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	1	–	–	–	–	–	–	–	–	–	1	–	–
Epilepsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	1
Convulsions	3	–	1	–	–	–	–	–	–	2	–	–	–
Brain Disease	4	–	–	–	–	–	–	–	–	–	2	1	–
V. Pericarditis	1	–	–	–	–	–	–	–	1	–	–	–	–
Aneurism	2	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	14	–	–	1	–	–	–	–	–	–	–	–	1
VI. Laryngitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	21	–	1	6	1	2	–	–	1	1	–	–	–
Pleurisy	1	–	–	–	1	–	–	–	–	–	–	–	–
Pneumonia	16	1	–	1	4	4	–	1	2	–	1	–	–
Asthma	7	–	–	–	–	–	–	–	–	–	1	–	–
Lung Disease	3	–	–	–	–	–	1	1	–	–	–	–	–
VII. Teething	33	–	3	16	11	3	–	–	–	–	–	–	–
Quinsey	1	–	–	–	–	1	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	6	–	–	1	1	–	–	–	–	–	–	–	–
Peritonitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	2	–	–	–	–	–	–	–	–	–	–	1	–
Hernia	2	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	1	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	4	1	–	1	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	1	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	6	–	–	–	–	–	–	–	–	1	–	–	1
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–
Stone	1	–	–	–	–	–	–	–	1	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	6	–	–	–	–	–	–	–	–	–	1	2	2
Uterine Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	1	1	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	1	1	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	1	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	2	–	–	1	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	1	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	4	–	–	–	–	–	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	1	–	–	–	–	–	–	–	–	–	–	–
Not Specified	45	24	5	3	5	2	1	–	2	–	–	1	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1856.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	2	–	1	–	–	–	1	1	–	1	–	–	–	–	–
Paralysis	–	1	1	–	–	1	1	4	2	–	1	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Heart Disease	1	–	–	3	1	1	3	2	1	–	–	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Bronchitis	2	–	1	–	1	1	–	1	–	2	–	–	1	–	–	–
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Asthma	–	–	–	–	3	–	2	–	–	1	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	1	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–
Peritonitis	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Hernia	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–	1
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Uterine Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	–	–	1	1	–	2	–	–	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1

CAUSES of DEATH in LEITH, at different Periods of Life, in 1856.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
All Causes	827	69	29	75	84	63	40	30	71	25	17	24	33
Specified Causes	744	50	23	65	74	59	37	28	69	23	16	21	31
I. Zymotic Class	273	8	4	31	52	46	29	18	54	8	7	6	2
II. Diseases of Uncertain Seat	22	–	–	–	–	–	–	–	1	1	–	–	2
III. Tubercular Class	115	–	10	15	7	8	3	6	3	5	5	6	14
IV. Brain and Nervous System	59	3	2	1	1	2	2	2	1	2	–	1	2
V. Organs of Circulation	33	–	–	–	–	–	–	1	1	2	2	2	2
VI. Respiratory Organs	76	7	4	8	10	2	2	1	2	–	–	–	–
VII. Organs of Digestion	38	3	1	3	2	1	–	–	1	3	–	2	2
VIII. Urinary Organs	11	–	–	–	–	–	–	–	1	–	–	–	3
IX. Organs of Generation	4	–	–	–	–	–	–	–	–	–	–	1	1
X. Organs of Locomotion	5	–	–	–	–	–	–	–	2	–	–	1	–
XI. Skin, etc.	1	–	–	1	–	–	–	–	–	–	–	–	–
XII. Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	31	27	2	2	–	–	–	–	–	–	–	–	–
XIV. Atrophy	4	–	–	3	–	–	–	–	–	–	–	–	–
XV. Age	37	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	2	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	33	2	–	1	2	–	1	–	3	2	2	2	3
I. Small Pox	24	1	1	1	9	–	4	1	1	–	2	2	1
Measles	14	–	–	3	7	3	–	1	–	–	–	–	–
Scarlatina	172	–	–	16	27	38	21	15	47	5	2	–	–
Hooping Cough	22	2	2	8	4	3	2	–	1	–	–	–	–
Croup	6	–	–	–	1	2	1	1	1	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	7	2	–	2	1	–	–	–	–	–	–	–	–
Dysentery	2	–	–	–	1	–	–	–	–	–	–	–	–
Cholera	2	–	–	–	1	–	–	–	–	–	–	1	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	2	–	–	1	1	–	–	–	–	–	–	–	–
Typhus	15	–	–	–	–	–	1	–	4	3	3	2	–
Metria	2	–	–	–	–	–	–	–	–	–	–	1	1
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	2	1	–	–	–	–	–	–	–	–	–	–	–
Syphilis	3	2	1	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	1
Dropsy	5	–	–	–	–	–	–	–	1	1	–	–	–
Abscess	4	–	–	–	–	–	–	–	–	–	–	–	1
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	11	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	2	–	–	1	–	–	–	–	–	–	–	–	1
Tabes Mesenterica	5	–	1	1	–	1	–	1	–	1	–	–	–
Phthisis	71	–	2	1	–	3	1	3	–	4	5	6	13
Hydrocephalus	37	–	7	12	7	4	2	2	3	–	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1856.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	22	21	28	22	22	31	25	26	21	23	13	8	4	–	–	1
Specified Causes	20	21	24	17	19	27	24	26	21	23	13	8	4	–	–	1
Zymotic Class	–	2	2	–	2	–	1	1	–	–	–	–	–	–	–	–
Uncertain Seat	2	–	4	1	1	3	2	1	1	2	–	1	–	–	–	–
Tubercular Class	4	7	6	8	3	3	2	–	–	–	–	–	–	–	–	–
Brain, etc.	5	4	2	2	4	4	3	5	5	3	1	1	1	–	–	–
Heart, etc.	2	–	2	1	2	7	4	2	2	1	–	–	–	–	–	–
Respiratory Organs	2	1	4	2	4	5	4	6	4	6	2	–	–	–	–	–
Digestive Organs	2	–	2	1	1	3	3	2	3	1	2	–	–	–	–	–
Urinary Organs	–	1	–	1	–	–	2	1	2	–	–	–	–	–	–	–
Generative Organs	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	2	5	3	10	8	6	3	–	–	–
Sudden Deaths	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	2	5	1	1	1	1	1	1	1	–	–	–	–	–	–	1
Small Pox	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Dysentery	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–
Abscess	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Cancer	–	–	3	1	1	2	1	–	1	1	–	1	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	4	7	6	8	3	3	2	–	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1856.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	7	1	1	–	–	2	–	1	1	–	–	–	1
Apoplexy	12	–	–	–	–	–	–	–	–	–	–	–	1
Paralysis	24	–	–	1	–	–	1	–	–	–	–	1	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	1	1	–	–	–	–	–	–	–	–	–	–	–
Insanity	2	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	1	–	–	–	1	–	–	–	–	–	–	–	–
Brain Disease	12	1	1	–	–	–	1	1	–	2	–	–	–
V. Pericarditis	3	–	–	–	–	–	–	–	–	–	1	–	1
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	30	–	–	–	–	–	–	1	1	2	1	2	1
VI. Laryngitis	2	–	–	–	–	1	–	–	1	–	–	–	–
Bronchitis	33	5	1	3	2	–	–	–	–	–	–	–	–
Pleurisy	2	–	–	–	–	–	–	–	1	–	–	–	–
Pneumonia	35	2	3	4	8	1	2	1	–	–	–	–	–
Asthma	3	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	1	–	–	1	–	–	–	–	–	–	–	–	–
VII. Teething	4	–	–	3	1	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	3	–	–	–	–	–	–	–	1	–	–	1	–
Enteritis	6	1	1	–	–	–	–	–	–	–	–	–	1
Peritonitis	7	1	–	–	–	–	–	–	–	1	–	1	1
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	2	–	–	–	1	–	–	–	–	–	–	–	–
Hernia	2	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	1	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	1	1	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	9	–	–	–	–	1	–	–	–	2	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	2	–	–	–	–	–	–	–	1	–	–	–	–
Nephria	3	–	–	–	–	–	–	–	–	–	–	–	1
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	1
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	5	–	–	–	–	–	–	–	–	–	–	–	1
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	4	–	–	–	–	–	–	–	–	–	–	1	1
Uterine Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	2	–	–	–	–	–	–	–	1	–	–	–	–
Joint and Bone Disease	3	–	–	–	–	–	–	–	1	–	–	1	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	–	1	–	–	–	–	–	–	–	–	–
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	1	1	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	5	–	–	1	–	–	1	–	3	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	1	–	–	–	–	–	–	–	–	–	–	–
Drowning	13	–	–	–	1	–	–	–	–	2	1	2	2
Fracture and Contusion	8	–	–	–	1	–	–	–	–	–	–	–	1
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	3	–	–	–	–	–	–	–	–	–	1	–	–
Not Specified	83	19	6	10	10	4	3	2	2	2	1	3	2

CAUSES of DEATH in LEITH, at different Periods of Life, in 1856.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	2	3	–	–	1	2	–	–	–	1	–	1	1	–	–	–
Paralysis	1	1	–	2	2	1	3	4	4	2	1	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	2	–	2	–	1	–	–	1	–	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	2	–	2	1	2	7	4	2	2	–	–	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	1	–	1	–	1	1	3	5	3	5	2	–	–	–	–	–
Pleurisy	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	–	1	2	–	3	4	1	1	1	1	–	–	–	–	–	–
Asthma	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Enteritis	1	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Peritonitis	–	–	1	1	–	–	–	–	–	–	1	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	1	–	–	–	–	2	2	–	1	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Nephria	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	1	–	–	–	1	2	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Uterine Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	2	–	–	1	–	–	–	1	–	–	–	–	–	–	1
Fracture and Contusion	1	1	–	1	–	1	1	1	–	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	2	–	4	5	3	4	1	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1856.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	423	28	19	40	42	25	20	21	34	16	11	13	24
SPECIFIED CAUSES	383	20	16	37	36	22	19	19	32	14	10	11	23
I. Zymotic Class	141	3	3	19	29	20	16	10	23	5	6	3	–
II. Diseases of Uncertain Seat	5	–	–	–	–	–	–	–	–	1	–	–	1
III. Tubercular Class	68	–	7	9	3	–	2	6	2	3	2	4	12
IV. Brain and Nervous System	32	2	2	–	1	1	–	2	1	1	–	1	1
V. Organs of Circulation	19	–	–	–	–	–	–	–	1	1	–	1	2
VI. Respiratory Organs	39	4	2	5	1	1	1	1	1	–	–	–	–
VII. Organs of Digestion	18	2	1	1	2	–	–	–	–	1	–	1	1
VIII. Urinary Organs	9	–	–	–	–	–	–	–	1	–	–	–	3
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	2	–	–	–	–	–	–	–	2	–	–	–	–
XI. Skin, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	10	9	1	–	–	–	–	–	–	–	–	–	–
XIV. Atrophy	3	–	–	2	–	–	–	–	–	–	–	–	–
XV. Age	14	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	1	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	22	–	–	1	–	–	–	–	1	2	2	1	3
I. Small Pox	19	1	1	1	7	–	3	1	1	–	1	2	–
Measles	6	–	–	1	2	2	–	1	–	–	–	–	–
Scarlatina	87	–	–	11	14	16	12	8	20	4	2	–	–
Hooping Cough	8	–	1	4	3	–	–	–	–	–	–	–	–
Croup	4	–	–	–	1	2	1	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	2	1	–	1	–	–	–	–	–	–	–	–	–
Dysentery	2	–	–	–	1	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	2	–	–	1	1	–	–	–	–	–	–	–	–
Typhus	9	–	–	–	–	–	–	–	2	1	3	1	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	1	1	–	–	–	–	–	–	–	–	–	–	–
Syphilis	1	–	1	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	1
Dropsy	1	–	–	–	–	–	–	–	–	1	–	–	–
Abscess	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	1	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	1	–	–	–	–	–	–	–	–	–	–	–	1
Tabes Mesenterica	3	–	–	1	–	–	–	1	–	1	–	–	–
Phthisis	44	–	2	1	–	–	1	3	–	2	2	4	11
Hydrocephalus	20	–	5	7	3	–	1	2	2	–	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1856.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	16	12	18	13	8	14	4	10	11	11	7	5	–	–	–	1
SPECIFIED CAUSES	15	12	14	12	8	14	4	10	11	11	7	5	–	–	–	1
Zymotic Class	–	1	2	–	1	–	–	–	–	–	–	–	–	–	–	–
Uncertain Seat	–	–	1	–	–	–	–	–	–	2	–	–	–	–	–	–
Tubercular Class	3	3	2	5	2	2	1	–	–	–	–	–	–	–	–	–
Brain, etc.	4	2	2	2	–	2	–	1	4	2	1	–	–	–	–	–
Heart, etc.	2	–	2	1	1	4	1	2	–	1	–	–	–	–	–	–
Respiratory Organs	2	1	3	2	4	3	–	2	1	3	2	–	–	–	–	–
Digestive Organs	1	–	1	1	–	1	1	1	2	–	1	–	–	–	–	–
Urinary Organs	–	1	–	–	–	–	1	1	2	–	–	–	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	–	2	1	3	3	5	–	–	–	–
Sudden Deaths	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	2	4	1	1	–	1	–	1	1	–	–	–	–	–	–	1
Small Pox	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dysentery	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Abscess	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Cancer	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	3	3	2	5	2	2	1	–	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1856.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	5	1	1	–	–	1	–	1	1	–	–	–	–
Apoplexy	6	–	–	–	–	–	–	–	–	–	–	–	1
Paralysis	11	–	–	–	–	–	–	–	–	–	–	1	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	1	1	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	1	–	–	–	1	–	–	–	–	–	–	–	–
Brain Disease	8	–	1	–	–	–	–	1	–	1	–	–	–
V. Pericarditis	2	–	–	–	–	–	–	–	–	–	–	–	1
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	17	–	–	–	–	–	–	–	1	1	–	1	1
VI. Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	13	4	–	1	–	–	–	–	–	–	–	–	–
Pleurisy	2	–	–	–	–	–	–	–	1	–	–	–	–
Pneumonia	20	–	2	3	1	1	1	1	–	–	–	–	–
Asthma	3	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	1	–	–	1	–	–	–	–	–	–	–	–	–
VII. Teething	2	–	–	1	1	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	3	1	1	–	–	–	–	–	–	–	–	–	1
Peritonitis	5	1	–	–	–	–	–	–	–	1	–	1	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	–	–	–	1	–	–	–	–	–	–	–	–
Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	3	–	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	1	–	–	–	–	–	–	–	1	–	–	–	–
Nephria	3	–	–	–	–	–	–	–	–	–	–	–	1
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	1
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	4	–	–	–	–	–	–	–	–	–	–	–	1
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Uterine Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	–	–	–	–	–	–	1	–	–	–	–
Joint and Bone Disease	1	–	–	–	–	–	–	–	1	–	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	2	–	–	1	–	–	–	–	1	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	10	–	–	–	–	–	–	–	–	2	1	1	2
Fracture and Contusion	6	–	–	–	–	–	–	–	–	–	–	–	1
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	2	–	–	–	–	–	–	–	–	–	1	–	–
Not Specified	40	8	3	3	6	3	1	2	2	2	1	2	1

CAUSES of DEATH in LEITH, at different Periods of Life, in 1856.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	1	2	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Paralysis	1	–	–	2	–	–	–	–	4	2	1	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	2	–	2	–	–	–	–	1	–	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	2	–	2	1	1	4	1	2	–	–	–	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	1	–	–	–	1	–	–	1	–	3	2	–	–	–	–	–
Pleurisy	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	–	1	2	–	3	3	–	1	1	–	–	–	–	–	–	–
Asthma	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	1	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Uterine Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	2	–	–	–	–	–	–	1	–	–	–	–	–	–	1
Fracture and Contusion	1	1	–	1	–	1	–	1	–	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	1	–	4	1	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1856.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	404	41	10	35	42	38	20	9	37	9	6	11	9
SPECIFIED CAUSES	361	30	7	28	38	37	18	9	37	9	6	10	8
I. Zymotic Class	132	5	1	12	23	26	13	8	31	3	1	3	2
II. Diseases of Uncertain Seat	17	–	–	–	–	–	–	–	1	–	–	–	1
III. Tubercular Class	47	–	3	6	4	8	1	–	1	2	3	2	2
IV. Brain and Nervous System	27	1	–	1	–	1	2	–	–	1	–	–	1
V. Organs of Circulation	14	–	–	–	–	–	–	1	–	1	2	1	–
VI. Respiratory Organs	37	3	2	3	9	1	1	–	1	–	–	–	–
VII. Organs of Digestion	20	1	–	2	–	1	–	–	1	2	–	1	1
VIII. Urinary Organs	2	–	–	–	–	–	–	–	–	–	–	–	–
IX. Organs of Generation	4	–	–	–	–	–	–	–	–	–	–	1	1
X. Organs of Locomotion	3	–	–	–	–	–	–	–	–	–	–	1	–
XI. Skin, etc.	1	–	–	1	–	–	–	–	–	–	–	–	–
XII. Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	21	18	1	2	–	–	–	–	–	–	–	–	–
XIV. Atrophy	1	–	–	1	–	–	–	–	–	–	–	–	–
XV. Age	23	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	1	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	11	2	–	–	2	–	1	–	2	–	–	1	–
I. Small Pox	5	–	–	–	2	–	1	–	–	–	1	–	1
Measles	8	–	–	2	5	1	–	–	–	–	–	–	–
Scarlatina	85	–	–	5	13	22	9	7	27	1	–	–	–
Hooping Cough	14	2	1	4	1	3	2	–	1	–	–	–	–
Croup	2	–	–	–	–	–	–	1	1	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	5	1	–	1	1	–	–	–	–	–	–	–	–
Dysentery	–	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	2	–	–	–	1	–	–	–	–	–	–	1	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	6	–	–	–	–	–	1	–	2	2	–	1	–
Metria	2	–	–	–	–	–	–	–	–	–	–	1	1
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	1	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	2	2	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	4	–	–	–	–	–	–	–	1	–	–	–	–
Abscess	3	–	–	–	–	–	–	–	–	–	–	–	1
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	10	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	1	–	–	1	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	2	–	1	–	–	1	–	–	–	–	–	–	–
Phthisis	27	–	–	–	–	3	–	–	–	2	3	2	2
Hydrocephalus	17	–	2	5	4	4	1	–	1	–	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1856.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	6	9	10	9	14	17	21	16	10	12	6	3	4	–	–	–
SPECIFIED CAUSES	5	9	10	5	11	13	20	16	10	12	6	3	4	–	–	–
Zymotic Class	–	1	–	–	1	–	1	1	–	–	–	–	–	–	–	–
Uncertain Seat	2	–	3	1	1	3	2	1	1	–	–	1	–	–	–	–
Tubercular Class	1	4	4	3	1	1	1	–	–	–	–	–	–	–	–	–
Brain, etc.	1	2	–	–	4	2	3	4	1	1	–	1	1	–	–	–
Heart, etc.	–	–	–	–	1	3	3	–	2	–	–	–	–	–	–	–
Respiratory Organs	–	–	1	–	–	2	4	4	3	3	–	–	–	–	–	–
Digestive Organs	1	–	1	–	1	2	2	1	1	1	1	–	–	–	–	–
Urinary Organs	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Generative Organs	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	2	3	2	7	5	1	3	–	–	–
Sudden Deaths	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Dysentery	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–
Abscess	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	–	–	3	1	1	2	1	–	1	–	–	1	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	1	4	4	3	1	1	1	–	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1856.—Females. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	2	–	–	–	–	1	–	–	–	–	–	–	1
Apoplexy	6	–	–	–	–	–	–	–	–	–	–	–	–
Paralysis	13	–	–	1	–	–	1	–	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	2	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	4	1	–	–	–	–	1	–	–	1	–	–	–
V. Pericarditis	1	–	–	–	–	–	–	–	–	–	1	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	13	–	–	–	–	–	–	1	–	1	1	1	–
VI. Laryngitis	2	–	–	–	–	1	–	–	1	–	–	–	–
Bronchitis	20	1	1	2	2	–	–	–	–	–	–	–	–
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	15	2	1	1	7	–	1	–	–	–	–	–	–
Asthma	–	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VII. Teething	2	–	–	2	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	3	–	–	–	–	–	–	–	1	–	–	1	–
Enteritis	3	–	–	–	–	–	–	–	–	–	–	–	–
Peritonitis	2	–	–	–	–	–	–	–	–	–	–	–	1
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	1	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	1	1	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	6	–	–	–	–	1	–	–	–	2	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	4	–	–	–	–	–	–	–	–	–	–	1	1
Uterine Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	2	–	–	–	–	–	–	–	–	–	–	1	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	–	1	–	–	–	–	–	–	–	–	–
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	1	1	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	3	–	–	–	–	–	1	–	2	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	1	–	–	–	–	–	–	–	–	–	–	–
Drowning	3	–	–	–	1	–	–	–	–	–	–	1	–
Fracture and Contusion	2	–	–	–	1	–	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	43	11	3	7	4	1	2	–	–	–	–	1	1

CAUSES of DEATH in LEITH, at different Periods of Life, in 1856.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	1	1	–	–	1	–	–	–	–	1	–	1	1	–	–	–
Paralysis	–	1	–	–	2	1	3	4	–	–	–	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	–	–	–	–	1	3	3	–	2	–	–	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	–	1	–	–	1	3	4	3	2	–	–	–	–	–	–
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–
Asthma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Enteritis	1	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Peritonitis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Uterine Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	1	–	–	4	3	4	1	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1856.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
All Causes	539	50	16	21	35	21	14	15	20	10	20	19	20
Specified Causes	520	43	13	21	34	19	13	15	19	10	20	19	19
I. Zymotic Class	104	3	3	8	21	11	9	10	9	2	3	2	4
II. Diseases of Uncertain Seat	33	1	1	-	–	1	–	–	–	1	–	1	2
III. Tubercular Class	81	1	3	4	3	2	2	2	7	4		9	6
IV. Brain and Nervous System	55	2	1	1	2	2	1	–	–	1	–	–	3
V. Organs of Circulation	42	–	–	–	–	–	–	1	–	1	3	1	1
VI. Respiratory Organs	52	5	3	3	3	1	1	1	3	–	1	3	1
VII. Organs of Digestion	26	1	1	3	5	2	–	–	–	1	–	1	–
VIII. Urinary Organs	9	–	–	1	–	–	–	–	–	–	–	–	–
IX. Organs of Generation	3	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	7	–	–	–	–	–	–	1	–	–	2	–	–
XI. Skin, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	1	1	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	28	28	–	–	–	–	–	–	–	–	–	–	–
XIV. Atrophy	7	–	1	1	–	–	–	–	–	–	–	–	1
XV. Age	50	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	5	–	–	–	–	–	–	–	–	–	1	–	–
XVII. Violent Deaths	16	1	–	–	–	–	–	–	–	–	3	2	1
I. Small Pox	4	–	–	–	–	–	–	2	–	–	–	–	2
Measles	2	–	–	–	2	–	–	–	–	–	–	–	–
Scarlatina	13	–	1	1	1	2	1	3	2	–	1	–	1
Hooping Cough	23	2	1	3	10	1	4	–	2	–	–	–	–
Croup	26	–	–	4	5	6	4	3	3	1	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	10	–	–	–	2	1	–	1	–	–	–	–	–
Dysentery	8	–	–	–	–	–	–	1	1	–	–	–	1
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	1	–	–	–	1	–	–	–	–	–	–	–	–
Typhus	12	–	–	–	–	1	–	–	1	1	2	1	–
Metria	3	–	–	–	–	–	–	–	–	–	–	1	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	1	1	–	–	–	–	–	–	–	–	–	–	–
Syphilis	1	–	1	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	1	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	3	1	–	–	–	–	–	–	–	–	–	–	–
Dropsy	7	–	1	–	–	–	–	–	–	1	–	1	–
Abscess	2	–	–	–	–	1	–	–	–	–	–	–	–
Ulcer	2	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	1
Mortification	3	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	15	–	–	–	–	–	–	–	–	–	–	–	1
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	3	–	1	–	–	–	–	–	–	–	1	–	1
Tabes Mesenterica	5	–	–	–	2	–	–	1	–	–	1	–	–
Phthisis	57	–	–	2	–	1	–	–	2	4	5	9	5
Hydrocephalus	16	1	2	2	1	1	2	1	5	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1856.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	15	19	23	26	26	21	23	29	36	32	23	3	2	–	–	–
Specified Causes	14	18	23	25	26	21	23	29	36	32	23	3	2	–	–	–
Zymotic Class	2	1	–	3	3	2	1	4	2	–	1	–	–	–	–	–
Uncertain Seat	1	1	–	2	3	3	4	2	4	4	2	–	–	–	–	–
Tubercular Class	5	7	4	5	6	2	2	–	–	–	–	–	–	–	–	–
Brain, etc.	1	1	3	4	1	3	3	6	9	9	2	–	–	–	–	–
Heart, etc.	1	3	3	3	2	6	1	6	4	4	2	–	–	–	–	–
Respiratory Organs	2	1	4	4	1	2	4	3	5	1	–	–	–	–	–	–
Digestive Organs	1	1	3	–	3	2	–	1	1	–	–	–	–	–	–	–
Urinary Organs	–	–	1	–	3	–	–	1	1	–	2	–	–	–	–	–
Generative Organs	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	1	2	–	1	–	–	–	–	–	–	–	–	–	–
Skin	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	1	1	2	–	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	6	4	8	14	14	2	2	–	–	–
Sudden Deaths	–	–	–	–	1	–	1	1	1	–	–	–	–	–	–	–
Violent Deaths	1	1	1	1	1	–	1	1	1	–	–	1	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	–	1	2	–	1	2	–	–	–	–	–	–	–
Dysentery	–	–	–	2	–	–	1	2	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	1	1	–	–	2	–	–	1	–	–	1	–	–	–	–	–
Metria	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Dropsy	–	–	–	–	1	1	–	–	1	–	1	–	–	–	–	–
Abscess	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–
Cancer	1	–	–	1	–	2	3	2	2	2	1	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Phthisis	5	7	3	5	5	2	2	–	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1856.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	1	–	–	–	–	–	1	–	–	–	–	–	–
Apoplexy	19	–	–	–	–	–	–	–	–	–	–	–	1
Paralysis	18	–	–	–	–	–	–	–	–	–	–	–	1
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	3	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	2	–	–	–	1	–	–	–	–	1	–	–	–
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	5	2	1	1	1	–	–	–	–	–	–	–	–
Brain Disease	6	–	–	–	–	2	–	–	–	–	–	–	1
V. Pericarditis	2	–	–	–	–	–	–	–	–	1	–	–	1
Aneurism	2	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	38	–	–	–	–	–	–	1	–	–	3	1	–
VI. Laryngitis	3	–	–	–	–	–	–	1	–	–	–	1	1
Bronchitis	24	5	2	3	–	–	1	–	–	–	–	1	–
Pleurisy	9	–	–	–	–	–	–	–	2	–	1	1	–
Pneumonia	12	–	1	–	3	1	–	–	1	–	–	–	–
Asthma	2	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
VII. Teething	10	–	1	3	4	2	–	–	–	–	–	–	–
Quinsey	3	–	–	–	1	–	–	–	–	1	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Peritonitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	1	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	1	1	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	5	–	–	–	–	–	–	–	–	–	–	1	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	2	–	–	1	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	1	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	4	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	2	–	–	–	–	–	–	–	–	–	–	–	–
Uterine Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	6	–	–	–	–	–	–	1	–	–	2	–	–
XI. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	1	1	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	2	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	1	–	–
Suffocation	2	1	–	–	–	–	–	–	–	–	–	–	–
Drowning	3	–	–	–	–	–	–	–	–	–	1	1	–
Fracture and Contusion	6	–	–	–	–	–	–	–	–	–	1	1	1
Wounds	2	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	19	7	3	–	1	2	1	–	1	–	–	–	1

CAUSES of DEATH in PERTH, at different Periods of Life, in 1856.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	–	2	2	–	1	–	3	4	5	1	–	–	–	–	–
Paralysis	–	–	1	1	1	–	1	3	5	4	1	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Heart Disease	1	2	3	3	2	5	1	6	4	4	2	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	1	–	1	–	–	2	3	4	1	–	–	–	–	–	–
Pleurisy	2	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–
Pneumonia	–	–	3	1	–	–	2	–	–	–	–	–	–	–	–	–
Asthma	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Lung Disease	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Peritonitis	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	–	1	–	–	2	–	1	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Cystitis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	2	–	–	1	1	–	–	–	–	–	–	–
Paramenia	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Uterine Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Fracture and Contusion	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Wounds	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1856.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER 1											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	270	26	8	10	16	9	11	7	7	2	13	10	11
SPECIFIED CAUSES	258	23	6	10	15	8	10	7	6	2	13	10	11
I. Zymotic Class	55	3	1	5	8	6	7	5	2	–	3	1	4
II. Diseases of Uncertain Seat	14	1	–	–	–	–	–	–	–	1	–	1	2
III. Tubercular Class	35	1	2	1	1	1	2	1	2	1	3	4	2
IV. Brain and Nervous System	25	–	–	1	1	–	–	–	–	–	–	–	–
V. Organs of Circulation	22	–	–	–	–	–	–	–	–	–	2	–	1
VI. Respiratory Organs	30	1	2	2	1	–	1	1	2	–	–	2	–
VII. Organs of Digestion	16	1	–	1	4	1	–	–	–	–	–	1	–
VIII. Urinary Organs	4	–	–	–	–	–	–	–	–	–	–	–	–
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	5	–	–	–	–	–	–	–	–	–	2	–	–
XI. Skin, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	16	16	–	–	–	–	–	–	–	–	–	–	–
XIV. Atrophy	2	–	1	–	–	–	–	–	–	–	–	–	1
XV. Age	21	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	1	–	–	–	–	–	–	–	–	–	1	–	–
XVII. Violent Deaths	11	–	–	–	–	–	–	–	–	–	2	1	1
I. Small Pox	3	–	–	–	–	–	–	1	–	–	–	–	2
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	9	–	1	1	1	2	1	1	–	–	1	–	1
Hooping Cough	11	2	–	1	4	–	4	–	–	–	–	–	–
Croup	15	–	–	3	2	4	2	3	1	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	5	–	–	–	–	–	–	–	–	–	–	–	–
Dysentery	4	–	–	–	–	–	–	–	1	–	–	–	1
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	1	–	–	–	1	–	–	–	–	–	–	–	–
Typhus	6	–	–	–	–	–	–	–	–	–	2	1	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	1	1	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	2	1	–	–	–	–	–	–	–	–	–	–	–
Dropsy	5	–	–	–	–	–	–	–	–	1	–	1	–
Abscess	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	1
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	4	–	–	–	–	–	–	–	–	–	–	–	1
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	2	–	1	–	–	–	–	–	–	–	1	–	–
Tabes Mesenterica	1	–	–	–	1	–	–	–	–	–	–	–	–
Phthisis	23	–	4	–	–	1	–	–	–	1	2	4	2
Hydrocephalus	9	1	1	1	–	–	2	1	2	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1856.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	6	12	12	15	8	16	14	12	17	15	11	1	1	–	–	–
SPECIFIED CAUSES	5	11	12	14	8	16	14	12	17	15	11	1	1	–	–	–
Zymotic Class	–	1	–	1	1	2	1	2	1	–	1	–	–	–	–	–
Uncertain Seat	–	–	–	1	–	1	3	–	1	2	1	–	–	–	–	–
Tubercular Class	3	5	2	2	–	1	1	–	–	–	–	–	–	–	–	–
Brain, etc.	–	1	2	3	1	3	1	2	3	6	1	–	–	–	–	–
Heart, etc.	–	2	1	1	1	5	1	2	2	3	1	–	–	–	–	–
Respiratory Organs	1	–	4	4	–	1	3	1	4	–	–	–	–	–	–	–
Digestive Organs	–	–	2	–	3	2	–	1	–	–	–	–	–	–	–	–
Urinary Organs	–	–	–	–	1	–	–	1	–	–	2	–	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–
Skin	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	3	2	5	4	5	1	1	–	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	1	1	–	1	1	–	1	1	1	–	–	–	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	–	1	2	–	1	1	–	–	–	–	–	–	–
Dysentery	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	1	–	–	–	–	–	1	–	–	1	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Dropsy	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–
Abscess	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	3	5	1	2	–	1	1	–	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1856.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	12	–	–	–	–	–	–	–	–	–	–	–	–
Paralysis	6	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	1	–	–	–	1	–	–	–	–	–	–	–	–
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	1	–	–	1	–	–	–	–	–	–	–	–	–
Brain Disease	3	–	–	–	–	–	–	–	–	–	–	–	–
V. Pericarditis	1	–	–	–	–	–	–	–	–	–	–	–	1
Aneurism	2	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	19	–	–	–	–	–	–	–	–	–	2	–	–
VI. Laryngitis	2	–	–	–	–	–	–	1	–	–	–	1	–
Bronchitis	13	1	1	2	–	–	1	–	–	–	–	1	–
Pleurisy	5	–	–	–	–	–	–	–	2	–	–	–	–
Pneumonia	7	–	1	–	1	–	–	–	–	–	–	–	–
Asthma	1	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
VII. Teething	5	–	–	1	3	1	–	–	–	–	–	–	–
Quinsey	1	–	–	–	1	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	1	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	1	1	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	5	–	–	–	–	–	–	–	–	–	–	1	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	1	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Uterine Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	5	–	–	–	–	–	–	–	–	–	2	–	–
XI. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	1	–	–
Suffocation	1	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	1	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	5	–	–	–	–	–	–	–	–	–	1	1	1
Wounds	2	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	12	3	2	–	1	1	1	–	1	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1856.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	–	1	2	–	1	–	2	2	4	–	–	–	–	–	–
Paralysis	–	–	1	–	1	–	–	–	1	2	1	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Heart Disease	–	1	1	1	1	4	1	2	2	3	1	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	–	–	1	–	–	2	1	3	–	–	–	–	–	–	–
Pleurisy	1	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
Pneumonia	–	–	3	1	–	–	1	–	–	–	–	–	–	–	–	–
Asthma	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	–	1	–	–	2	–	1	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Uterine Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Fracture and Contusion	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Wounds	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1856.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	269	24	8	11	19	12	3	8	13	8	7	9	9
SPECIFIED CAUSES	262	20	7	11	19	11	3	8	13	8	7	9	8
I. Zymotic Class	49	–	2	3	13	5	2	5	7	2	–	1	–
II. Diseases of Uncertain Seat	19	–	1	–	–	1	–	–	–	–	–	–	–
III. Tubercular Class	46	–	1	3	2	1	–	1	5	3	4	5	4
IV. Brain and Nervous System	30	2	1	–	1	2	1	–	–	1	–	–	3
V. Organs of Circulation	20	–	–	–	–	–	–	1	–	1	1	1	–
VI. Respiratory Organs	22	4	1	1	2	1	–	–	1	–	1	1	1
VII. Organs of Digestion	10	–	1	2	1	1	–	–	–	1	–	–	–
VIII. Urinary Organs	5	–	–	1	–	–	–	–	–	–	–	–	–
IX. Organs of Generation	3	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	2	–	–	–	–	–	–	1	–	–	–	–	–
XI. Skin, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	1	1	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	12	12	–	–	–	–	–	–	–	–	–	–	–
XIV. Atrophy	5	–	–	1	–	–	–	–	–	–	–	–	–
XV. Age	29	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	4	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	5	1	–	–	–	–	–	–	–	–	1	1	–
I. Small Pox	1	–	–	–	–	–	–	1	–	–	–	–	–
Measles	2	–	–	–	2	–	–	–	–	–	–	–	–
Scarlatina	4	–	–	–	–	–	–	2	2	–	–	–	–
Hooping Cough	12	–	1	2	6	1	–	–	2	–	–	–	–
Croup	11	–	–	1	3	2	2	–	2	1	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	5	–	–	–	2	1	–	1	–	–	–	–	–
Dysentery	4	–	–	–	–	–	–	1	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	6	–	–	–	–	1	–	–	1	1	–	–	–
Metria	3	–	–	–	–	–	–	–	–	–	–	1	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	1	–	1	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	2	–	1	–	–	–	–	–	–	–	–	–	–
Abscess	1	–	–	–	–	1	–	–	–	–	–	–	–
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	3	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	11	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	1	–	–	–	–	–	–	–	–	–	–	–	1
Tabes Mesenterica	4	–	–	–	1	–	–	1	–	–	1	–	–
Phthisis	34	–	–	2	–	–	–	–	2	3	3	5	3
Hydrocephalus	7	–	1	1	1	1	–	–	3	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1856.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	9	7	11	11	18	5	9	17	19	17	12	2	1	–	–	–
SPECIFIED CAUSES	9	7	11	11	18	5	9	17	19	17	12	2	1	–	–	–
Zymotic Class	2	–	–	2	2	–	–	2	1	–	–	–	–	–	–	–
Uncertain Seat	1	1	–	1	3	2	1	2	3	2	1	–	–	–	–	–
Tubercular Class	2	2	2	3	6	1	1	–	–	–	–	–	–	–	–	–
Brain, etc.	1	–	1	1	–	–	2	4	6	3	1	–	–	–	–	–
Heart, etc.	1	1	2	2	1	1	–	4	2	1	1	–	–	–	–	–
Respiratory Organs	1	1	–	–	1	1	1	2	1	1	–	–	–	–	–	–
Digestive Organs	1	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Urinary Organs	–	–	1	–	2	–	–	–	1	–	–	–	–	–	–	–
Generative Organs	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	1	1	2	–	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	3	2	3	10	9	1	1	–	–	–
Sudden Deaths	–	–	–	–	1	–	1	1	1	–	–	–	–	–	–	–
Violent Deaths	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Dysentery	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Metria	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–
Cancer	1	–	–	1	–	2	1	2	2	1	1	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Phthisis	2	2	2	3	5	1	1	–	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1856.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	1	–	–	–	–	–	1	–	–	–	–	–	–
Apoplexy	7	–	–	–	–	–	–	–	–	–	–	–	1
Paralysis	12	–	–	–	–	–	–	–	–	–	–	–	1
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	2	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	1	–	–	–	–	–	–	–	–	1	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	4	2	1	–	1	–	–	–	–	–	–	–	–
Brain Disease	3	–	–	–	–	2	–	–	–	–	–	–	1
V. Pericarditis	1	–	–	–	–	–	–	–	–	1	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	19	–	–	–	–	–	–	1	–	–	1	1	–
VI. Laryngitis	1	–	–	–	–	–	–	–	–	–	–	–	1
Bronchitis	11	4	1	1	–	–	–	–	–	–	–	–	–
Pleurisy	4	–	–	–	–	–	–	–	–	–	1	1	–
Pneumonia	5	–	–	–	2	1	–	–	1	–	–	–	–
Asthma	1	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VII. Teething	5	–	1	2	1	1	–	–	–	–	–	–	–
Quinsey	2	–	–	–	–	–	–	–	–	1	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Peritonitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	1	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	2	–	–	–	–	–	–	–	–	–	–	–	–
Uterine Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	1	–	–	–	–	–	–	1	–	–	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	1	1	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	1	–	–	–	–	–	–	–	–	–	–	–
Drowning	2	–	–	–	–	–	–	–	–	–	1	1	–
Fracture and Contusion	1	–	–	–	–	–	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	7	4	1	–	–	1	–	–	–	–	–	–	1

CAUSES of DEATH in PERTH, at different Periods of Life, in 1856.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	–	1	–	–	–	–	1	2	1	1	–	–	–	–	–
Paralysis	–	–	–	1	–	–	1	3	4	2	–	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	1	1	2	2	1	1	–	4	2	1	1	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	1	–	–	–	–	–	2	1	1	–	–	–	–	–	–
Pleurisy	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Asthma	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Peritonitis	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Paramenia	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Uterine Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

TABLE showing the Distribution of DEATHS according to MONTHS, or the Influence of SEASON on the MORTALITY.

			DEATHS in 1856.												
			Jan	Feb	Mar	Apr	May	Jun	July	Aug	Sep	Oct	Nov	Dec	YEAR.
	MEAN TEMPERATURE in 1856		34°·3	39°·6	39°·4	44°·3	46°·7	53°·3	56°·4	57°·1	50°·9	48°·8	39°·7	37°·9	45°·7
		Population 1856.													
	SCOTLAND	2,975,035	5474	5189	5355	5200	5006	4478	4419	4203	4239	4338	4591	6037	58,529
	INSULAR DISTRICTS	163,533	186	192	239	200	171	162	171	159	139	164	155	228	2,166
	MAINLAND DISTRICTS	1,739,195	2687	2617	2741	2604	2534	2244	2201	2013	2043	2081	2146	2914	28,825
	TOWN DISTRICTS	1,072,307	2601	2380	2375	2396	2301	2072	2047	2031	2057	2093	2290	2895	27,538
	DIVISIONS.														
1	Northern	128,776	156	132	142	140	144	114	125	109	124	120	125	182	1,613
2	North-Western	171,458	212	229	261	222	194	201	157	141	158	176	162	221	2,334
3	North-Eastern	357,486	543	533	555	524	526	482	493	434	378	382	436	528	5,814
4	East-Midland	519.163	962	876	866	856	867	727	714	683	667	697	739	1008	9,662
5	West-Midland	242,462	362	379	417	336	356	302	305	295	263	304	325	447	4,091
6	South-Western	944,586	2150	1990	2029	2067	1881	1653	1637	1712	1720	1704	1911	2472	22.926
7	South-Eastern	396,120	723	716	737	716	687	664	700	592	665	667	648	866	8,381
8	Southern	214,984	366	334	348	339	351	335	288	237	264	288	245	313	3,708
	COUNTIES.														
	I. NORTHERN.														
1	Shetland	31,378	28	36	32	32	21	26	39	31	34	28	35	59	401
2	Orkney	31,935	34	29	40	37	41	24	29	25	23	23	22	34	361
3	Caithness	41,043	65	47	44	47	57	40	37	39	45	49	43	61	574
4	Sutherland	24,420	29	20	26	24	25	24	20	14	22	20	25	28	277
	II. NORTH-WESTERN.														
5	Ross and Cromarty	83,041	113	121	118	108	94	100	79	70	92	84	79	114	1,172
6	Inverness	88,417	99	108	143	114	100	101	78	71	66	92	83	107	1,162
	III. NORTH-EASTERN.														
7	Nairn	8,212	7	7	14	14	6	11	5	9	3	11	8	9	104
8	Elgin (or Moray)	42,538	49	49	73	54	69	70	37	49	36	42	55	64	647
9	Banff	53,532	87	102	77	66	68	54	72	62	52	54	55	95	844
10	Aberdeen	218,310	350	323	344	350	348	305	339	278	249	239	267	328	3,720
11	Kincardine	34,894	50	52	47	40	35	42	40	36	38	36	51	32	499
	IV. EAST-MIDLAND.														
12	Forfar	200,164	513	404	410	357	404	337	302	285	277	314	333	427	4,363
13	Perth	134,686	202	225	197	189	206	164	165	184	156	152	159	244	2,243
14	Fife	154,297	217	211	217	262	227	190	195	176	200	198	212	282	2,587
15	Kinross	9,178	12	10	14	16	9	7	11	14	7	13	12	11	136
16	Clackmannan	20,838	18	26	28	32	21	29	41	24	27	20	23	44	333
	V. WEST-MIDLAND.														
17	Stirling	86,567	154	150	177	127	145	97	138	90	103	105	130	162	1,578
18	Dumbarton	50,588	73	87	89	78	84	69	59	72	68	84	71	111	945
19	Argyll	88,909	109	118	127	101	101	121	89	110	80	91	101	141	1,289
20	Bute	16,398	26	24	24	30	26	15	19	23	12	24	23	33	279
	VI. SOUTH-WESTERN.														
21	Renfrew	163,271	372	340	341	322	299	274	273	286	254	273	364	434	3,832
22	Ayr	194,512	392	339	405	390	369	292	281	279	283	297	296	361	3,984
23	Lanark	586,802	1386	1311	1283	1355	1213	1087	1083	1147	1183	1134	1251	1677	15,110
	VII. SOUTH-EASTERN.														
24	Linlithgow	34,638	59	52	54	61	62	57	33	45	38	36	44	73	614
25	Edinburgh	267,008	540	554	547	518	503	506	533	455	511	525	499	634	6,325
26	Haddington	36,989	46	43	59	48	54	53	70	43	53	48	46	90	653
27	Berwick	36,327	47	49	53	55	52	37	41	33	43	34	41	42	527
28	Peebles	11,052	19	11	12	18	14	6	10	5	10	11	7	11	134
29	Selkirk	10,106	12	7	12	16	2	5	13	11	10	13	11	16	128
	VIII. SOUTHERN.														
30	Roxburgh	52,468	76	70	73	72	95	61	76	62	73	84	65	90	897
31	Dumfries†	80,733	153	154	142	121	111	152	118	101	98	114	109	118	1,491
32	Kirkcudbright†	39,069	67	54	58	73	71	54	52	35	43	40	46	47	640
33	Wigtown	42,714	70	56	75	73	74	68	42	39	50	50	25	58	680

† Maxwelltown was included in Dumfriesshire till the close of 1856.